

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV031023\
 Data File : VV030157.D
 Acq On : 10 Mar 2023 16:02
 Operator : SY/MD
 Sample : 01838-05
 Misc : 25.0mL/MSVOA_V/WATER
 ALS Vial : 12 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 VHBLK002

Quant Time: Mar 11 00:07:03 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVTR022323WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Sat Mar 11 00:01:55 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Difluorobenzene	5.545	114	143263	5.000	ug/L	0.00
28) Chlorobenzene-d5	8.796	117	144435	5.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.194	152	72493	5.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.282	65	30356	3.275	ug/L	0.00
Spiked Amount	5.000	Range 40 - 130	Recovery	=	65.400%	
7) Chloroethane-d5	1.539	69	36846	4.234	ug/L	0.00
Spiked Amount	5.000	Range 65 - 130	Recovery	=	84.600%	
11) 1,1-Dichloroethene-d2	2.066	63	52813	2.771	ug/L	0.00
Spiked Amount	5.000	Range 60 - 125	Recovery	=	55.400%#	
20) 2-Butanone-d5	3.825	46	92141	53.913	ug/L	0.00
Spiked Amount	50.000	Range 40 - 130	Recovery	=	107.820%	
24) Chloroform-d	4.262	84	93151	4.919	ug/L	0.00
Spiked Amount	5.000	Range 70 - 125	Recovery	=	98.400%	
26) 1,2-Dichloroethane-d4	4.953	65	41068	5.313	ug/L	0.00
Spiked Amount	5.000	Range 70 - 130	Recovery	=	106.200%	
32) Benzene-d6	4.973	84	155254	3.995	ug/L	0.00
Spiked Amount	5.000	Range 70 - 125	Recovery	=	79.800%	
36) 1,2-Dichloropropane-d6	5.998	67	54444	4.657	ug/L	0.00
Spiked Amount	5.000	Range 60 - 140	Recovery	=	93.200%	
41) Toluene-d8	7.252	98	124560	3.381	ug/L	0.00
Spiked Amount	5.000	Range 70 - 130	Recovery	=	67.600%#	
43) trans-1,3-Dichloroprop...	7.564	79	16174	4.043	ug/L	0.00
Spiked Amount	5.000	Range 55 - 130	Recovery	=	80.800%	
46) 2-Hexanone-d5	8.037	63	83694	50.573	ug/L	0.00
Spiked Amount	50.000	Range 45 - 130	Recovery	=	101.140%	
56) 1,1,2,2-Tetrachloroeth...	10.162	84	46037	5.535	ug/L	0.00
Spiked Amount	5.000	Range 65 - 120	Recovery	=	110.600%	
66) 1,2-Dichlorobenzene-d4	11.571	152	58713	4.787	ug/L	0.00
Spiked Amount	5.000	Range 80 - 120	Recovery	=	95.800%	
Target Compounds						
					Qvalue	
16) Methylene chloride	2.455	84	3580	0.305	ug/L	94


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV031023\
Data File : VV030157.D
Acq On : 10 Mar 2023 16:02
Operator : SY/MD
Sample : 01838-05
Misc : 25.0mL/MSVOA_V/WATER
ALS Vial : 12 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
VHBLK002

Quant Time: Mar 11 00:07:03 2023
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVTR022323WMA.M
Quant Title : TRACE VOA SFAM1.0
QLast Update : Sat Mar 11 00:01:55 2023
Response via : Initial Calibration





#16
Methylene chloride
Concen: 0.305 ug/L
RT: 2.455 min Scan# 44
Delta R.T. 0.000 min
Lab File: VV030157.D
Acq: 10 Mar 2023 16:02

Instrument :
MSVOA_V
ClientSampleId :
VHBLK002

Tgt Ion: 84 Resp: 3580
Ion Ratio Lower Upper
84 100
86 72.0 44.7 83.1
49 116.9 78.8 146.3

