

Data Path : Z:\VOASRV\HPCHEM1\MSVOA_V\DATA\VV031219\
 Data File : VV009612.D
 Acq On : 12 Mar 2019 18:41
 Operator : SY/MD
 Sample : K1789-20
 Misc : 5.67g/5.0mL/100uL/5.0mL/MSVOA_V/MEOH
 ALS Vial : 14 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 BF0Q3

Quant Time: Mar 13 05:18:19 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM031219WMA.M
 Quant Title : VOC Analysis
 QLast Update : Wed Mar 13 02:20:07 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.66	114	287336	50.00	ug/L	0.00
28) Chlorobenzene-d5	8.90	117	294732	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.30	152	136506	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.32	65	73524	43.23	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	86.46%
7) Chloroethane-d5	1.55	69	45959	25.96	ug/L	-0.03
Spiked Amount	50.000	Range	70 - 130	Recovery	=	51.92%#
11) 1,1-Dichloroethene-d2	2.11	63	160967	35.88	ug/L	-0.02
Spiked Amount	50.000	Range	60 - 125	Recovery	=	71.76%
21) 2-Butanone-d5	3.94	46	120598	95.96	ug/L	0.01
Spiked Amount	100.000	Range	40 - 130	Recovery	=	95.96%
24) Chloroform-d	4.40	84	172432	46.42	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	92.84%
26) 1,2-Dichloroethane-d4	5.08	65	120046	48.84	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	97.68%
32) Benzene-d6	5.09	84	351644	45.88	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	91.76%
36) 1,2-Dichloropropane-d6	6.12	67	109266	47.68	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	95.36%
41) Toluene-d8	7.36	98	349751	46.84	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	93.68%
43) trans-1,3-Dichloropropene-	7.67	79	55218	46.65	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	93.30%
47) 2-Hexanone-d5	8.14	63	101380	101.15	ug/L	0.01
Spiked Amount	100.000	Range	45 - 130	Recovery	=	101.15%
57) 1,1,2,2-Tetrachloroethane-	10.27	84	174075	47.29	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	94.58%
64) 1,2-Dichlorobenzene-d4	11.68	152	134215	46.61	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	93.22%

Target Compounds					Qvalue
46) Tetrachloroethene	8.02	164	118108	76.092 ug/L	99

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA_V\DATA\VV031219\
Data File : VV009612.D
Acq On : 12 Mar 2019 18:41
Operator : SY/MD
Sample : K1789-20
Misc : 5.67g/5.0mL/100uL/5.0mL/MSVOA_V/MEOH
ALS Vial : 14 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
BF0Q3

Quant Time: Mar 13 05:18:19 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM031219WMA.M
Quant Title : VOC Analysis
QLast Update : Wed Mar 13 02:20:07 2019
Response via : Initial Calibration

