

Data Path : Z:\VOASRV\HPCHEM1\MSVOA_V\DATA\VV031219\
 Data File : VV009620.D
 Acq On : 12 Mar 2019 21:50
 Operator : SY/MD
 Sample : K1818-13ME 5X
 Misc : 5.64g/5.0mL/100uL/5.0mL/MSVOA_V/MEOH
 ALS Vial : 22 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 BF0R3ME

Quant Time: Mar 13 06:47:06 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM031219WMA.M
 Quant Title : VOC Analysis
 QLast Update : Wed Mar 13 02:20:07 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.66	114	159061	50.00	ug/L	0.00
28) Chlorobenzene-d5	8.90	117	155439	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.30	152	64043	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.32	65	43345	46.04	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	92.08%
7) Chloroethane-d5	1.56	69	45962	46.91	ug/L	-0.02
Spiked Amount	50.000	Range	70 - 130	Recovery	=	93.82%
11) 1,1-Dichloroethene-d2	2.12	63	86018	34.63	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	69.26%
21) 2-Butanone-d5	3.93	46	64970	93.39	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	93.39%
24) Chloroform-d	4.40	84	93388	45.41	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	90.82%
26) 1,2-Dichloroethane-d4	5.08	65	64412	47.34	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	94.68%
32) Benzene-d6	5.10	84	190754	47.19	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	94.38%
36) 1,2-Dichloropropane-d6	6.12	67	60443	50.01	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	100.02%
41) Toluene-d8	7.36	98	184406	46.83	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	93.66%
43) trans-1,3-Dichloropropene-	7.66	79	27892	44.68	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	89.36%
47) 2-Hexanone-d5	8.13	63	46536	88.04	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	88.04%
57) 1,1,2,2-Tetrachloroethane-	10.26	84	83705	43.12	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	86.24%
64) 1,2-Dichlorobenzene-d4	11.68	152	63672	47.13	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	94.26%

Target Compounds					Qvalue
46) Tetrachloroethene	8.02	164	57066	69.712 ug/L	96

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA_V\DATA\VV031219\
Data File : VV009620.D
Acq On : 12 Mar 2019 21:50
Operator : SY/MD
Sample : K1818-13ME 5X
Misc : 5.64g/5.0mL/100uL/5.0mL/MSVOA_V/MEOH
ALS Vial : 22 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
BF0R3ME

Quant Time: Mar 13 06:47:06 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM031219WMA.M
Quant Title : VOC Analysis
QLast Update : Wed Mar 13 02:20:07 2019
Response via : Initial Calibration

