

Data Path : Z:\VOASRV\HPCHEM1\MSVOA_V\DATA\VV031219\
 Data File : VV009621.D
 Acq On : 12 Mar 2019 22:13
 Operator : SY/MD
 Sample : K1818-14ME 5X
 Misc : 5.82g/5.0mL/100uL/5.0mL/MSVOA_V/MEOH
 ALS Vial : 23 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 BF0R4ME

Quant Time: Mar 13 06:49:05 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM031219WMA.M
 Quant Title : VOC Analysis
 QLast Update : Wed Mar 13 02:20:07 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.67	114	153573	50.00	ug/L	0.00
28) Chlorobenzene-d5	8.90	117	151962	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.30	152	63412	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.32	65	42933	47.24	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	94.48%
7) Chloroethane-d5	1.56	69	46034	48.66	ug/L	-0.02
Spiked Amount	50.000	Range	70 - 130	Recovery	=	97.32%
11) 1,1-Dichloroethene-d2	2.12	63	88727	37.00	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	74.00%
21) 2-Butanone-d5	3.93	46	68203	101.54	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	101.54%
24) Chloroform-d	4.40	84	92162	46.42	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	92.84%
26) 1,2-Dichloroethane-d4	5.08	65	65263	49.68	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	99.36%
32) Benzene-d6	5.10	84	191810	48.54	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	97.08%
36) 1,2-Dichloropropane-d6	6.12	67	60598	51.29	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	102.58%
41) Toluene-d8	7.36	98	188235	48.90	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	97.80%
43) trans-1,3-Dichloropropene-	7.66	79	27669	45.34	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	90.68%
47) 2-Hexanone-d5	8.13	63	49674	96.12	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	96.12%
57) 1,1,2,2-Tetrachloroethane-	10.26	84	86209	45.42	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	90.84%
64) 1,2-Dichlorobenzene-d4	11.68	152	65717	49.13	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	98.26%

Target Compounds					Qvalue
46) Tetrachloroethene	8.02	164	42143	52.660 ug/L	97

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA_V\DATA\VV031219\
Data File : VV009621.D
Acq On : 12 Mar 2019 22:13
Operator : SY/MD
Sample : K1818-14ME 5X
Misc : 5.82g/5.0mL/100uL/5.0mL/MSVOA_V/MEOH
ALS Vial : 23 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
BF0R4ME

Quant Time: Mar 13 06:49:05 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM031219WMA.M
Quant Title : VOC Analysis
QLast Update : Wed Mar 13 02:20:07 2019
Response via : Initial Calibration

