

Data Path : Z:\VOASRV\HPCHEM1\MSVOA_V\DATA\VV031219\
 Data File : VV009622.D
 Acq On : 12 Mar 2019 22:37
 Operator : SY/MD
 Sample : K1818-15ME 5X
 Misc : 5.80g/5.0mL/100uL/5.0mL/MSVOA_V/MEOH
 ALS Vial : 24 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 BF0R5ME

Quant Time: Mar 13 06:51:01 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM031219WMA.M
 Quant Title : VOC Analysis
 QLast Update : Wed Mar 13 02:20:07 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.67	114	161846	50.00	ug/L	0.00
28) Chlorobenzene-d5	8.90	117	156066	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.30	152	64600	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.32	65	41389	43.21	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	86.42%
7) Chloroethane-d5	1.56	69	46493	46.63	ug/L	-0.02
Spiked Amount	50.000	Range	70 - 130	Recovery	=	93.26%
11) 1,1-Dichloroethene-d2	2.12	63	88059	34.85	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	69.70%
21) 2-Butanone-d5	3.93	46	69692	98.45	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	98.45%
24) Chloroform-d	4.40	84	91614	43.78	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	87.56%
26) 1,2-Dichloroethane-d4	5.08	65	66893	48.32	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	96.64%
32) Benzene-d6	5.10	84	194010	47.81	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	95.62%
36) 1,2-Dichloropropane-d6	6.12	67	59694	49.19	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	98.38%
41) Toluene-d8	7.36	98	187214	47.35	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	94.70%
43) trans-1,3-Dichloropropene-	7.67	79	27460	43.81	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	87.62%
47) 2-Hexanone-d5	8.14	63	52087	98.14	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	98.14%
57) 1,1,2,2-Tetrachloroethane-	10.26	84	90266	46.31	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	92.62%
64) 1,2-Dichlorobenzene-d4	11.68	152	65448	48.02	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	96.04%

Target Compounds						Qvalue
46) Tetrachloroethene	8.02	164	39558	48.130	ug/L	98

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA_V\DATA\VV031219\
Data File : VV009622.D
Acq On : 12 Mar 2019 22:37
Operator : SY/MD
Sample : K1818-15ME 5X
Misc : 5.80g/5.0mL/100uL/5.0mL/MSVOA_V/MEOH
ALS Vial : 24 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
BF0R5ME

Quant Time: Mar 13 06:51:01 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM031219WMA.M
Quant Title : VOC Analysis
QLast Update : Wed Mar 13 02:20:07 2019
Response via : Initial Calibration

