

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV031320\
 Data File : VV014906.D
 Acq On : 13 Mar 2020 16:06
 Operator : SY/MD
 Sample : L1840-04
 Misc : 5.0mL/MSVOA V/WATER
 ALS Vial : 13 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 VHBLK01

Quant Time: Mar 14 06:50:43 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM030620WMA.M
 Quant Title : VOC Analysis
 QLast Update : Sat Mar 14 03:23:14 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.64	114	388383	50.00	ug/L	0.00
28) Chlorobenzene-d5	8.87	117	379709	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.27	152	188286	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.32	65	104968	39.94	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	79.88%
7) Chloroethane-d5	1.58	69	87668	42.19	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	84.38%
11) 1,1-Dichloroethene-d2	2.12	63	136361	31.22	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	62.44%
21) 2-Butanone-d5	3.93	46	117312	59.85	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	59.85%
24) Chloroform-d	4.38	84	238660	47.95	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	95.90%
26) 1,2-Dichloroethane-d4	5.06	65	157107	46.48	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	92.96%
32) Benzene-d6	5.08	84	480963	47.97	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	95.94%
36) 1,2-Dichloropropane-d6	6.09	67	146687	44.14	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	88.28%
41) Toluene-d8	7.34	98	466403	47.50	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	95.00%
43) trans-1,3-Dichloropropene-	7.64	79	69702	42.96	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	85.92%
47) 2-Hexanone-d5	8.12	63	141648	96.01	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	96.01%
57) 1,1,2,2-Tetrachloroethane-	10.24	84	211359	46.24	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	92.48%
64) 1,2-Dichlorobenzene-d4	11.65	152	193989	51.98	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	103.96%

Target Compounds	Ovalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA V\DATA\VV031320\
Data File : VV014906.D
Acq On : 13 Mar 2020 16:06
Operator : SY/MD
Sample : L1840-04
Misc : 5.0mL/MSVOA V/WATER
ALS Vial : 13 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
VHBLK01

Quant Time: Mar 14 06:50:43 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM030620WMA.M
Quant Title : VOC Analysis
QLast Update : Sat Mar 14 03:23:14 2020
Response via : Initial Calibration

