

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV031321\
 Data File : VV020574.D
 Acq On : 12 Mar 2021 20:10
 Operator : SY/MD
 Sample : M1632-08DL 5X
 Misc : 5.0mL/MSVOA_V/WATER
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 C0B55DL

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SOMVLM031321WMA.M

Title : VOC Analysis

Signal : TIC: VV020574.D\data.ms

peak #	R.T. min	first scan	max scan	last scan	PK TY	peak height	corr. area	corr. % max.	% of total
1	1.311	78	84	92	rVB	292912	286460	14.06%	1.693%
2	1.571	158	165	175	rVB	258452	281985	13.84%	1.666%
3	2.111	324	333	353	rVB2	532587	824807	40.49%	4.873%
4	2.590	476	482	484	rBV7	5797	5955	0.29%	0.035%
5	2.973	599	601	605	rVB4	4129	2647	0.13%	0.016%
6	3.015	611	614	616	rBV3	5717	3974	0.20%	0.023%
7	3.433	739	744	747	rBV7	4888	4346	0.21%	0.026%
8	3.487	757	761	764	rBV7	3741	3052	0.15%	0.018%
9	3.519	768	771	775	rBV5	4638	4151	0.20%	0.025%
10	3.613	797	800	805	rBV7	5248	4295	0.21%	0.025%
11	3.693	822	825	828	rBV5	3940	2524	0.12%	0.015%
12	3.796	853	857	861	rVB6	3948	3763	0.18%	0.022%
13	3.822	861	865	866	rBV4	4265	2643	0.13%	0.016%
14	3.902	878	890	915	rBV2	139046	465639	22.86%	2.751%
15	4.143	961	965	969	rBV7	4664	4989	0.24%	0.029%
16	4.208	982	985	986	rBV3	4800	2449	0.12%	0.014%
17	4.352	1017	1030	1049	rVB2	313252	763552	37.48%	4.511%
18	4.471	1063	1067	1071	rVB6	4547	3751	0.18%	0.022%
19	4.616	1097	1112	1128	rBV4	35593	88787	4.36%	0.525%
20	4.789	1163	1166	1169	rBV5	3917	3324	0.16%	0.020%
21	4.896	1196	1199	1201	rBV4	4139	2832	0.14%	0.017%
22	5.050	1231	1247	1272	rBV2	794449	2037023	100.00%	12.035%
23	5.330	1332	1334	1339	rVB5	4814	3799	0.19%	0.022%
24	5.355	1339	1342	1344	rBV4	3608	2454	0.12%	0.014%
25	5.381	1348	1350	1353	rVV4	4050	2377	0.12%	0.014%
26	5.619	1413	1424	1444	rBV	552312	1092912	53.65%	6.457%
27	5.915	1504	1516	1537	rBV3	904346	1789647	87.86%	10.574%
28	6.072	1553	1565	1585	rBV	456008	920129	45.17%	5.436%
29	6.429	1673	1676	1678	rBV4	4632	2999	0.15%	0.018%
30	6.674	1750	1752	1757	rBV5	4558	2923	0.14%	0.017%
31	6.799	1788	1791	1793	rBV4	3773	2674	0.13%	0.016%
32	6.892	1816	1820	1821	rBV4	3921	2346	0.12%	0.014%
33	6.989	1839	1850	1867	rVV2	244351	437595	21.48%	2.585%
34	7.320	1938	1953	1970	rBV	921111	1579737	77.55%	9.334%
35	7.625	2039	2048	2065	rBV	163248	280645	13.78%	1.658%
36	8.034	2172	2175	2182	rVB9	5755	5391	0.26%	0.032%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV031321\
 Data File : VV020574.D
 Acq On : 12 Mar 2021 20:10
 Operator : SY/MD
 Sample : M1632-08DL 5X
 Misc : 5.0mL/MSVOA_V/WATER
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 C0B55DL

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SOMVLM031321WMA.M

Title : VOC Analysis

37	8.092	2184	2193	2220	rBV2	437784	860728	42.25%	5.085%
38	8.413	2291	2293	2297	rVB5	4600	2583	0.13%	0.015%
39	8.442	2300	2302	2305	rBV4	3139	2183	0.11%	0.013%
40	8.667	2370	2372	2377	rVB6	6444	4983	0.24%	0.029%
41	8.857	2419	2431	2451	rBV	898343	1434685	70.43%	8.477%
42	9.111	2507	2510	2513	rBV4	5191	3299	0.16%	0.019%
43	9.580	2654	2656	2658	rBV3	3840	2211	0.11%	0.013%
44	9.747	2703	2708	2713	rBV8	4706	6099	0.30%	0.036%
45	9.796	2719	2723	2726	rBV6	4403	2687	0.13%	0.016%
46	9.815	2726	2729	2733	rBV6	2525	2172	0.11%	0.013%
47	9.902	2752	2756	2758	rBV5	3069	2453	0.12%	0.014%
48	9.985	2780	2782	2784	rBV3	3196	2136	0.10%	0.013%
49	10.220	2844	2855	2869	rBV	514337	802945	39.42%	4.744%
50	10.555	2956	2959	2961	rBV4	2514	2184	0.11%	0.013%
51	10.619	2974	2979	2983	rBV7	4897	4913	0.24%	0.029%
52	10.680	2995	2998	3001	rBV5	4603	2953	0.14%	0.017%
53	10.847	3048	3050	3055	rBV6	3724	2905	0.14%	0.017%
54	10.905	3064	3068	3070	rBV5	5315	4638	0.23%	0.027%
55	10.995	3092	3096	3099	rVB6	3924	2665	0.13%	0.016%
56	11.255	3166	3177	3199	rBV	875709	1333435	65.46%	7.878%
57	11.490	3247	3250	3254	rVB5	6953	4850	0.24%	0.029%
58	11.632	3282	3294	3307	rBV	882404	1373749	67.44%	8.117%
59	11.722	3318	3322	3327	rVB7	3348	3423	0.17%	0.020%
60	11.747	3327	3330	3332	rBV4	3422	2411	0.12%	0.014%
61	11.828	3350	3355	3356	rBV5	4344	2906	0.14%	0.017%
62	12.001	3405	3409	3413	rBV7	3414	3529	0.17%	0.021%
63	12.108	3438	3442	3443	rBV4	5108	3295	0.16%	0.019%
64	12.243	3481	3484	3486	rBV4	4348	2508	0.12%	0.015%
65	12.358	3518	3520	3523	rVB4	5676	3106	0.15%	0.018%
66	12.635	3603	3606	3609	rBV5	4191	3301	0.16%	0.020%
67	12.709	3627	3629	3632	rBV4	3832	2458	0.12%	0.015%
68	12.773	3643	3649	3650	rBV5	2853	2459	0.12%	0.015%
69	12.799	3655	3657	3661	rVV5	4761	2660	0.13%	0.016%
70	12.898	3683	3688	3693	rBV8	4619	5490	0.27%	0.032%
71	13.011	3719	3723	3725	rBV5	3586	2665	0.13%	0.016%
72	13.197	3779	3781	3785	rVB4	4524	2438	0.12%	0.014%
73	13.268	3800	3803	3807	rBV6	3715	3238	0.16%	0.019%
74	13.320	3814	3819	3821	rBV5	4173	3744	0.18%	0.022%
75	13.352	3826	3829	3831	rVV3	3009	2176	0.11%	0.013%
76	13.374	3834	3836	3839	rVV4	3354	2179	0.11%	0.013%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV031321\
 Data File : VV020574.D
 Acq On : 12 Mar 2021 20:10
 Operator : SY/MD
 Sample : M1632-08DL 5X
 Misc : 5.0mL/MSVOA_V/WATER
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 C0B55DL

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SOMVLM031321WMA.M

Title : VOC Analysis

77	13.394	3839	3842	3844	rVB4	4368	2711	0.13%	0.016%
78	13.506	3871	3877	3879	rBV6	5398	5185	0.25%	0.031%
79	13.651	3920	3922	3923	rBV2	4807	2159	0.11%	0.013%
80	13.696	3932	3936	3937	rBV4	4348	2304	0.11%	0.014%
81	13.863	3984	3988	3991	rBV6	3408	3262	0.16%	0.019%
82	13.940	4008	4012	4013	rBV4	3544	2465	0.12%	0.015%
83	14.062	4046	4050	4053	rBV6	2931	2566	0.13%	0.015%
84	14.156	4077	4079	4083	rVV5	4771	2985	0.15%	0.018%
85	14.233	4099	4103	4106	rVB6	2805	2239	0.11%	0.013%
86	14.252	4106	4109	4112	rBV5	2935	2644	0.13%	0.016%
87	14.294	4117	4122	4125	rBV6	3583	3029	0.15%	0.018%
88	14.541	4196	4199	4203	rVB6	4334	3333	0.16%	0.020%
89	14.596	4212	4216	4221	rBV8	3948	3922	0.19%	0.023%
90	14.638	4226	4229	4232	rVV5	5113	3851	0.19%	0.023%
91	15.008	4342	4344	4350	rVB6	5796	5311	0.26%	0.031%
92	15.336	4441	4446	4448	rBV5	3464	3767	0.18%	0.022%
93	15.384	4459	4461	4467	rVB7	4754	3406	0.17%	0.020%
94	15.410	4467	4469	4473	rBV5	5428	3779	0.19%	0.022%
95	15.477	4488	4490	4493	rBV4	3376	2862	0.14%	0.017%
96	15.651	4539	4544	4548	rBV7	4627	5272	0.26%	0.031%
97	15.680	4551	4553	4557	rBV5	4239	2612	0.13%	0.015%
98	15.802	4588	4591	4596	rBV6	4925	4756	0.23%	0.028%
99	15.860	4606	4609	4613	rBV6	4677	3016	0.15%	0.018%
100	16.541	4818	4821	4824	rBV4	5044	3704	0.18%	0.022%




Sum of corrected areas: 16925158

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV031321\
Data File : VV020574.D
Acq On : 12 Mar 2021 20:10
Operator : SY/MD
Sample : M1632-08DL 5X
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 2 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
C0B55DL

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SOMVLM031321WMA.M
Quant Title : VOC Analysis

TIC Library : C:\DATABASE\NIST11.L
TIC Integration Parameters: LSCINT.P



Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV031321\
Data File : VV020574.D
Acq On : 12 Mar 2021 20:10
Operator : SY/MD
Sample : M1632-08DL 5X
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 2 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
C0B55DL

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SOMVLM031321WMA.M
Quant Title : VOC Analysis

TIC Library : C:\DATABASE\NIST11.L
TIC Integration Parameters: LSCINT.P

No Library Search Compounds Detected

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV031321\
Data File : VV020574.D
Acq On : 12 Mar 2021 20:10
Operator : SY/MD
Sample : M1632-08DL 5X
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 2 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
C0B55DL

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SOMVLM031321WMA.M
Quant Title : VOC Analysis

TIC Library : C:\DATABASE\NIST11.L
TIC Integration Parameters: LSCINT.P

TIC Top Hit name	RT	EstConc	Units	Response	#	RT	Resp	Conc
------------------	----	---------	-------	----------	---	----	------	------