

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV031321\
 Data File : VV020590.D
 Acq On : 13 Mar 2021 02:28
 Operator : SY/MD
 Sample : M1655-03
 Misc : 5.0mL/MSVOA_V/WATER
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 C0BA8

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SOMVLM031321WMA.M

Title : VOC Analysis

Signal : TIC: VV020590.D\data.ms

peak #	R.T. min	first scan	max scan	last scan	PK TY	peak height	corr. area	corr. % max.	% of total
1	1.307	78	83	92	rVB	237782	236798	12.86%	1.696%
2	1.571	159	165	176	rVB	233542	260871	14.17%	1.868%
3	2.111	324	333	356	rVB	422688	645795	35.07%	4.624%
4	2.850	560	563	566	rBV5	2856	2327	0.13%	0.017%
5	2.870	566	569	570	rBV3	4490	2179	0.12%	0.016%
6	3.050	622	625	627	rBV4	4264	2279	0.12%	0.016%
7	3.265	690	692	695	rVB4	5390	2928	0.16%	0.021%
8	3.294	695	701	703	rBV7	4353	4788	0.26%	0.034%
9	3.368	721	724	727	rBV5	3760	2497	0.14%	0.018%
10	3.404	731	735	736	rBV4	3901	2652	0.14%	0.019%
11	3.535	773	776	778	rBV3	3914	2352	0.13%	0.017%
12	3.651	809	812	815	rBV5	3976	3270	0.18%	0.023%
13	3.683	820	822	824	rBV3	4038	2197	0.12%	0.016%
14	3.722	833	834	838	rBV4	2890	2143	0.12%	0.015%
15	3.815	858	863	865	rBV6	5580	4399	0.24%	0.031%
16	3.895	878	888	910	rVV	124161	374974	20.36%	2.685%
17	4.246	993	997	999	rBV5	5687	4783	0.26%	0.034%
18	4.352	1018	1030	1055	rVB	295089	741404	40.26%	5.309%
19	4.870	1187	1191	1194	rBV6	3253	2215	0.12%	0.016%
20	5.050	1230	1247	1270	rBV2	718726	1841529	100.00%	13.186%
21	5.349	1335	1340	1341	rBV5	2571	2116	0.11%	0.015%
22	5.622	1411	1425	1442	rBV	557852	1113892	60.49%	7.976%
23	5.876	1501	1504	1506	rBV4	4118	3049	0.17%	0.022%
24	5.911	1506	1515	1526	rVV6	47646	100407	5.45%	0.719%
25	6.072	1553	1565	1586	rVB	423063	851425	46.23%	6.096%
26	6.233	1612	1615	1620	rBV6	5164	5304	0.29%	0.038%
27	6.413	1669	1671	1674	rBV4	3120	1730	0.09%	0.012%
28	6.989	1840	1850	1865	rBV	204051	364076	19.77%	2.607%
29	7.262	1932	1935	1937	rBV4	4267	2487	0.14%	0.018%
30	7.320	1942	1953	1972	rVV	788118	1362025	73.96%	9.752%
31	7.625	2040	2048	2063	rVB	146975	235024	12.76%	1.683%
32	7.908	2131	2136	2138	rBV6	4230	4579	0.25%	0.033%
33	7.985	2158	2160	2163	rBV4	3328	1836	0.10%	0.013%
34	8.095	2185	2194	2216	rBV2	428677	824019	44.75%	5.900%
35	8.432	2295	2299	2300	rBV3	4175	2923	0.16%	0.021%
36	8.622	2356	2358	2362	rBV4	3025	2247	0.12%	0.016%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV031321\
 Data File : VV020590.D
 Acq On : 13 Mar 2021 02:28
 Operator : SY/MD
 Sample : M1655-03
 Misc : 5.0mL/MSVOA_V/WATER
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 C0BA8

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SOMVLM031321WMA.M
 Title : VOC Analysis

37	8.818	2414	2419	2420	rBV4	5024	3692	0.20%	0.026%
38	8.857	2420	2431	2446	rVV	912574	1439813	78.19%	10.309%
39	9.120	2509	2513	2518	rVB8	6214	4955	0.27%	0.035%
40	9.143	2518	2520	2526	rBV7	3165	2016	0.11%	0.014%
41	9.268	2555	2559	2562	rBV6	4832	4175	0.23%	0.030%
42	9.587	2657	2658	2663	rBV5	2392	1923	0.10%	0.014%
43	9.609	2663	2665	2671	rVV7	6371	6093	0.33%	0.044%
44	9.638	2671	2674	2680	rVV7	6000	5293	0.29%	0.038%
45	9.661	2680	2681	2686	rVB4	4231	2634	0.14%	0.019%
46	9.683	2686	2688	2690	rBV3	3639	2019	0.11%	0.014%
47	10.017	2786	2792	2794	rBV7	3652	3746	0.20%	0.027%
48	10.056	2802	2804	2810	rBV7	4254	3687	0.20%	0.026%
49	10.082	2810	2812	2815	rVB4	3060	1838	0.10%	0.013%
50	10.220	2845	2855	2873	rVV	498707	783425	42.54%	5.609%
51	10.387	2904	2907	2911	rBV5	3980	3734	0.20%	0.027%
52	10.413	2913	2915	2918	rBV4	3098	2028	0.11%	0.015%
53	10.619	2976	2979	2981	rBV4	3191	1919	0.10%	0.014%
54	10.648	2985	2988	2991	rVV5	5434	4208	0.23%	0.030%
55	10.683	2993	2999	3001	rBV6	3516	3258	0.18%	0.023%
56	10.831	3042	3045	3047	rBV4	2691	2071	0.11%	0.015%
57	10.959	3081	3085	3088	rVB6	3825	2646	0.14%	0.019%
58	11.024	3100	3105	3108	rBV6	3560	3554	0.19%	0.025%
59	11.255	3167	3177	3196	rVB	835115	1272731	69.11%	9.113%
60	11.458	3235	3240	3242	rVB6	2823	2357	0.13%	0.017%
61	11.529	3258	3262	3265	rBV6	3562	2745	0.15%	0.020%
62	11.551	3265	3269	3271	rVB5	4940	3590	0.19%	0.026%
63	11.583	3275	3279	3282	rBV5	4477	4218	0.23%	0.030%
64	11.631	3283	3294	3308	rVV	814879	1264279	68.65%	9.052%
65	12.037	3417	3420	3422	rBV4	3094	2051	0.11%	0.015%
66	12.120	3442	3446	3451	rBV7	5174	5141	0.28%	0.037%
67	12.197	3466	3470	3472	rBV5	3027	2461	0.13%	0.018%
68	12.323	3506	3509	3512	rVB5	3954	2343	0.13%	0.017%
69	12.448	3545	3548	3550	rBV4	2612	1933	0.10%	0.014%
70	12.583	3587	3590	3594	rVB6	4233	3090	0.17%	0.022%
71	12.766	3645	3647	3649	rBV3	3322	2060	0.11%	0.015%
72	12.885	3681	3684	3688	rBV5	3110	3149	0.17%	0.023%
73	12.908	3688	3691	3694	rVV5	3879	2093	0.11%	0.015%
74	13.069	3738	3741	3744	rBV5	3432	2546	0.14%	0.018%
75	13.156	3765	3768	3771	rBV5	4920	3633	0.20%	0.026%
76	13.184	3775	3777	3781	rVB5	3193	1872	0.10%	0.013%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV031321\
 Data File : VV020590.D
 Acq On : 13 Mar 2021 02:28
 Operator : SY/MD
 Sample : M1655-03
 Misc : 5.0mL/MSVOA_V/WATER
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 C0BA8

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SOMVLM031321WMA.M

Title : VOC Analysis

77	13.249	3791	3797	3799	rBV7	4888	5378	0.29%	0.039%
78	13.358	3826	3831	3834	rBV6	3868	3856	0.21%	0.028%
79	13.471	3863	3866	3867	rBV2	3787	2271	0.12%	0.016%
80	13.500	3873	3875	3877	rVB3	3648	1805	0.10%	0.013%
81	13.557	3890	3893	3896	rBV5	4678	3896	0.21%	0.028%
82	13.702	3935	3938	3940	rBV4	3735	2942	0.16%	0.021%
83	13.734	3946	3948	3950	rBV3	3859	2013	0.11%	0.014%
84	13.802	3967	3969	3974	rVB6	3861	2919	0.16%	0.021%
85	13.979	4021	4024	4027	rBV4	3238	1974	0.11%	0.014%
86	14.049	4042	4046	4054	rBV9	4923	6491	0.35%	0.046%
87	14.181	4085	4087	4091	rBV4	3540	2103	0.11%	0.015%
88	14.541	4196	4199	4202	rBV5	3190	2024	0.11%	0.014%
89	14.590	4211	4214	4215	rBV3	3281	1679	0.09%	0.012%
90	14.651	4229	4233	4237	rBV7	4038	4276	0.23%	0.031%
91	14.692	4243	4246	4249	rBV5	3444	2331	0.13%	0.017%
92	14.953	4324	4327	4330	rVB5	4854	3493	0.19%	0.025%
93	15.001	4339	4342	4344	rBV4	2892	1968	0.11%	0.014%
94	15.110	4372	4376	4379	rVB6	5586	3828	0.21%	0.027%
95	15.667	4546	4549	4550	rBV3	3769	2246	0.12%	0.016%
96	15.901	4619	4622	4624	rBV4	3438	2006	0.11%	0.014%
97	16.056	4664	4670	4671	rBV5	4666	3886	0.21%	0.028%
98	16.098	4678	4683	4688	rBV8	4593	5379	0.29%	0.039%
99	16.294	4742	4744	4749	rVB6	5428	3824	0.21%	0.027%
100	16.744	4881	4884	4885	rBV3	4464	2964	0.16%	0.021%




Sum of corrected areas: 13966090

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV031321\
Data File : VV020590.D
Acq On : 13 Mar 2021 02:28
Operator : SY/MD
Sample : M1655-03
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 2 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
C0BA8

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SOMVLM031321WMA.M
Quant Title : VOC Analysis

TIC Library : C:\DATABASE\NIST11.L
TIC Integration Parameters: LSCINT.P



Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV031321\
Data File : VV020590.D
Acq On : 13 Mar 2021 02:28
Operator : SY/MD
Sample : M1655-03
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 2 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
C0BA8

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SOMVLM031321WMA.M
Quant Title : VOC Analysis

TIC Library : C:\DATABASE\NIST11.L
TIC Integration Parameters: LSCINT.P

No Library Search Compounds Detected

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV031321\
Data File : VV020590.D
Acq On : 13 Mar 2021 02:28
Operator : SY/MD
Sample : M1655-03
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 2 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
C0BA8

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SOMVLM031321WMA.M
Quant Title : VOC Analysis

TIC Library : C:\DATABASE\NIST11.L
TIC Integration Parameters: LSCINT.P

TIC Top Hit name	RT	EstConc	Units	Response	--Internal Standard--			
					#	RT	Resp	Conc
