

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV031419\
 Data File : VV009668.D
 Acq On : 14 Mar 2019 16:19
 Operator : SY/MD
 Sample : K1885-05
 Misc : 5.45G/10ML/MSVOA V/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 BF189

Quant Time: Mar 15 12:38:26 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOM2VLM031319S.M
 Quant Title : VOC Analysis
 QLast Update : Fri Mar 15 04:30:02 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.66	114	141787	25.00	ug/L	0.00
28) Chlorobenzene-d5	8.90	117	136729	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.30	152	57762	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.32	65	44098	24.32	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	97.28%
7) Chloroethane-d5	1.57	69	45252	20.23	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	80.92%
10) 1,1-Dichloroethene-d2	2.13	63	93946	19.17	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	76.68%
20) 2-Butanone-d5	3.93	46	23963	50.46	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	100.92%
24) Chloroform-d	4.40	84	83739	23.17	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	92.68%
26) 1,2-Dichloroethane-d4	5.08	65	56348	27.55	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	110.20%
29) Benzene-d6	5.10	84	186533	26.01	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	104.04%
33) 1,2-Dichloropropane-d6	6.12	67	57509	27.44	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	109.76%
37) Toluene-d8	7.36	98	182023	26.23	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	104.92%
38) trans-1,3-Dichloropropene-	7.66	79	24082	25.01	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	100.04%
39) 2-Hexanone-d5	8.13	63	18726	48.53	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	97.06%
48) 1,1,2,2-Tetrachloroethane-	10.26	84	50201	25.30	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	101.20%
61) 1,2-Dichlorobenzene-d4	11.68	152	58353	26.08	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	104.32%


Target Compounds					Ovalue
16) Methylene chloride	2.53	84	6793	3.291 ug/L	94


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA V\DATA\VV031419\
Data File : VV009668.D
Acq On : 14 Mar 2019 16:19
Operator : SY/MD
Sample : K1885-05
Misc : 5.45G/10ML/MSVOA V/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
BF189

Quant Time: Mar 15 12:38:26 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_V\METHOD\SOM2VLM031319S.M
Quant Title : VOC Analysis
QLast Update : Fri Mar 15 04:30:02 2019
Response via : Initial Calibration





#16
 Methvlene chloride
 Concen: 3.291 ug/L
 RT: 2.53 min Scan# 449
 Delta R.T. 0.00 min
 Lab File: VV009668.D
 Acq: 14 Mar 2019 16:19

Instrument :
 MSVOA_V
 ClientSampleId :
 BF189

Tot Ion: 84 Resp: 6793
 Ion Ratio Lower Upper
 84 100
 49 117.5 86.1 159.9
 86 57.6 45.2 84.0

