

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV031519\
 Data File : VV009680.D
 Acq On : 15 Mar 2019 11:22
 Operator : SY/MD
 Sample : VV0315SBL01
 Misc : 5.00G/10ML/MSVOA V/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 VBLK73

Quant Time: Mar 15 23:04:51 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOM2VLM031319S.M
 Quant Title : VOC Analysis
 QLast Update : Fri Mar 15 22:56:00 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.66	114	150305	25.00	ug/L	0.00
28) Chlorobenzene-d5	8.90	117	143904	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.30	152	61202	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.32	65	43736	22.76	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	91.04%
7) Chloroethane-d5	1.57	69	44467	18.75	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	75.00%
10) 1,1-Dichloroethene-d2	2.13	63	93049	17.91	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	71.64%
20) 2-Butanone-d5	3.93	46	22965	45.62	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	91.24%
24) Chloroform-d	4.40	84	82801	21.61	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	86.44%
26) 1,2-Dichloroethane-d4	5.08	65	51729	23.86	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	95.44%
29) Benzene-d6	5.10	84	181252	24.01	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	96.04%
33) 1,2-Dichloropropane-d6	6.12	67	54905	24.89	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	99.56%
37) Toluene-d8	7.36	98	178177	24.40	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	97.60%
38) trans-1,3-Dichloropropene-	7.66	79	22010	21.72	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	86.88%
39) 2-Hexanone-d5	8.13	63	18056	44.46	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	88.92%
48) 1,1,2,2-Tetrachloroethane-	10.26	84	46395	22.21	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	88.84%
61) 1,2-Dichlorobenzene-d4	11.68	152	56918	24.01	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	96.04%


Target Compounds					Ovalue
16) Methylene chloride	2.53	84	3536	1.616 ug/L	91


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA V\DATA\VV031519\
Data File : VV009680.D
Acq On : 15 Mar 2019 11:22
Operator : SY/MD
Sample : VV0315SBL01
Misc : 5.00G/10ML/MSVOA V/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
VBLK73

Quant Time: Mar 15 23:04:51 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_V\METHOD\SOM2VLM031319S.M
Quant Title : VOC Analysis
QLast Update : Fri Mar 15 22:56:00 2019
Response via : Initial Calibration





#16
Methylene chloride
Concen: 1.616 ug/L
RT: 2.53 min Scan# 449
Delta R.T. -0.00 min
Lab File: VV009680.D
Acq: 15 Mar 2019 11:22

Instrument :
MSVOA_V
ClientSampleId :
VBLK73

Tot Ion: 84 Resp: 3536

Ion	Ratio	Lower	Upper
84	100		
49	108.7	86.1	159.9
86	63.5	45.2	84.0

