

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV031524\
 Data File : VV034663.D
 Acq On : 15 Mar 2024 19:05
 Operator : SY/MD
 Sample : P1766-08
 Misc : 5.0mL/MSVOA_V/WATER
 ALS Vial : 27 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :

Quant Time: Mar 15 23:37:17 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM022924WMA.M
 Quant Title : VOC Analysis
 QLast Update : Fri Mar 15 23:30:32 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Difluorobenzene	5.532	114	352593	50.000	ug/L	0.00
28) Chlorobenzene-d5	8.783	117	330362	50.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.185	152	150359	50.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.278	65	94194	30.816	ug/L	0.00
Spiked Amount 50.000	Range 60 - 135		Recovery =	61.640%		
7) Chloroethane-d5	1.532	69	87597	36.785	ug/L	0.00
Spiked Amount 50.000	Range 70 - 130		Recovery =	73.580%		
11) 1,1-Dichloroethene-d2	2.060	65	46661	33.755	ug/L	0.00
Spiked Amount 50.000	Range 60 - 125		Recovery =	67.500%		
21) 2-Butanone-d5	3.796	46	195430	95.608	ug/L	0.01
Spiked Amount 100.000	Range 40 - 130		Recovery =	95.610%		
24) Chloroform-d	4.249	84	215442	39.864	ug/L	0.00
Spiked Amount 50.000	Range 70 - 125		Recovery =	79.720%		
26) 1,2-Dichloroethane-d4	4.940	65	146986	41.620	ug/L	0.00
Spiked Amount 50.000	Range 70 - 125		Recovery =	83.240%		
32) Benzene-d6	4.960	84	407468	40.868	ug/L	0.00
Spiked Amount 50.000	Range 70 - 125		Recovery =	81.740%		
36) 1,2-Dichloropropane-d6	5.989	67	128029	42.076	ug/L	0.00
Spiked Amount 50.000	Range 70 - 120		Recovery =	84.160%		
41) Toluene-d8	7.243	98	338086	37.470	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery =	74.940%#		
43) trans-1,3-Dichloroprop...	7.555	79	54530	35.687	ug/L	0.00
Spiked Amount 50.000	Range 60 - 125		Recovery =	71.380%		
47) 2-Hexanone-d5	8.024	63	132550	87.237	ug/L	0.00
Spiked Amount 100.000	Range 45 - 130		Recovery =	87.240%		
56) 1,1,2,2-Tetrachloroeth...	10.152	84	178338	44.537	ug/L	0.00
Spiked Amount 50.000	Range 65 - 120		Recovery =	89.080%		
66) 1,2-Dichlorobenzene-d4	11.561	152	135255	44.009	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery =	88.020%		
Target Compounds						Qvalue
61) 1,2,3-Trichloropropane	11.185	75	18481	6.439	ug/L #	64


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV031524\
Data File : VV034663.D
Acq On : 15 Mar 2024 19:05
Operator : SY/MD
Sample : P1766-08
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 27 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :


Quant Time: Mar 15 23:37:17 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM022924WMA.M
Quant Title : VOC Analysis
QLast Update : Fri Mar 15 23:30:32 2024
Response via : Initial Calibration





#61
 1,2,3-Trichloropropane
 Concen: 6.439 ug/L
 RT: 11.185 min Scan# 3155
 Delta R.T. 0.978 min
 Lab File: VV034663.D
 Acq: 15 Mar 2024 19:05

Instrument :
 MSVOA_V
 ClientSampleId :



Tgt Ion: 75	Resp: 18481
Ion Ratio	Lower Upper
75	100
77	34.1 25.9 38.9
110	2.8 33.1 49.7#

