

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VW031524\
 Data File : VW034670.D
 Acq On : 15 Mar 2024 22:16
 Operator : SY/MD
 Sample : P1740-09
 Misc : 5.0mL/MSVOA_V/WATER
 ALS Vial : 35 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 C0GJ1

Quant Time: Mar 16 01:14:59 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM022924WMA.M
 Quant Title : VOC Analysis
 QLast Update : Sat Mar 16 00:58:04 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	5.532	114	341380	50.000	ug/L	0.00
28) Chlorobenzene-d5	8.783	117	314881	50.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.185	152	145105	50.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.278	65	90718	30.654	ug/L	0.00
Spiked Amount	50.000	Range 60 - 135	Recovery	=	61.300%	
7) Chloroethane-d5	1.529	69	83886	36.384	ug/L	0.00
Spiked Amount	50.000	Range 70 - 130	Recovery	=	72.760%	
11) 1,1-Dichloroethene-d2	2.060	65	44611	33.332	ug/L	0.00
Spiked Amount	50.000	Range 60 - 125	Recovery	=	66.660%	
21) 2-Butanone-d5	3.789	46	176770	89.320	ug/L	0.00
Spiked Amount	100.000	Range 40 - 130	Recovery	=	89.320%	
24) Chloroform-d	4.249	84	205007	39.179	ug/L	0.00
Spiked Amount	50.000	Range 70 - 125	Recovery	=	78.360%	
26) 1,2-Dichloroethane-d4	4.941	65	141111	41.268	ug/L	0.00
Spiked Amount	50.000	Range 70 - 125	Recovery	=	82.540%	
32) Benzene-d6	4.960	84	389104	40.945	ug/L	0.00
Spiked Amount	50.000	Range 70 - 125	Recovery	=	81.880%	
36) 1,2-Dichloropropane-d6	5.989	67	126026	43.454	ug/L	0.00
Spiked Amount	50.000	Range 70 - 120	Recovery	=	86.900%	
41) Toluene-d8	7.243	98	335158	38.972	ug/L	0.00
Spiked Amount	50.000	Range 80 - 120	Recovery	=	77.940%#	
43) trans-1,3-Dichloroprop...	7.555	79	54106	37.151	ug/L	0.00
Spiked Amount	50.000	Range 60 - 125	Recovery	=	74.300%	
47) 2-Hexanone-d5	8.024	63	131399	90.731	ug/L	0.00
Spiked Amount	100.000	Range 45 - 130	Recovery	=	90.730%	
56) 1,1,2,2-Tetrachloroeth...	10.153	84	178416	46.747	ug/L	0.00
Spiked Amount	50.000	Range 65 - 120	Recovery	=	93.500%	
66) 1,2-Dichlorobenzene-d4	11.561	152	132204	44.573	ug/L	0.00
Spiked Amount	50.000	Range 80 - 120	Recovery	=	89.140%	

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV031524\
Data File : VV034670.D
Acq On : 15 Mar 2024 22:16
Operator : SY/MD
Sample : P1740-09
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 35 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
C0GJ1

Quant Time: Mar 16 01:14:59 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM022924WMA.M
Quant Title : VOC Analysis
QLast Update : Sat Mar 16 00:58:04 2024
Response via : Initial Calibration

