

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV031524\
 Data File : VV034658.D
 Acq On : 15 Mar 2024 17:06
 Operator : SY/MD
 Sample : P1766-03
 Misc : 5.0mL/MSVOA_V/WATER
 ALS Vial : 22 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 C0GL4

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM022924WMA.M
 Title : VOC Analysis

Signal : TIC: VV034658.D\data.ms

peak #	R.T. min	first scan	max scan	last scan	PK TY	peak height	corr. area	corr. % max.	% of total
1	1.278	68	74	90	rVB	141222	149537	13.27%	1.694%
2	1.429	118	121	126	rBV	8889	5988	0.53%	0.068%
3	1.532	146	153	168	rVB	133247	152158	13.51%	1.724%
4	2.060	307	317	334	rVB	259546	382774	33.97%	4.337%
5	2.613	488	489	493	rBV	209	127	0.01%	0.001%
6	2.667	504	506	509	rBV2	266	152	0.01%	0.002%
7	2.744	528	530	534	rVB2	333	197	0.02%	0.002%
8	2.770	534	538	541	rBV2	231	180	0.02%	0.002%
9	2.831	554	557	560	rVB2	241	163	0.01%	0.002%
10	2.870	567	569	573	rBV2	191	169	0.01%	0.002%
11	2.931	587	588	592	rVB	279	107	0.01%	0.001%
12	2.957	592	596	599	rBV2	217	177	0.02%	0.002%
13	3.150	650	656	662	rBV2	275	401	0.04%	0.005%
14	3.217	674	677	679	rBV	104	70	0.01%	0.001%
15	3.584	788	791	793	rBV2	151	76	0.01%	0.001%
16	3.596	793	795	797	rBV	124	76	0.01%	0.001%
17	3.632	802	806	809	rVB	188	148	0.01%	0.002%
18	3.651	809	812	815	rBV2	177	104	0.01%	0.001%
19	3.674	816	819	822	rBV	163	120	0.01%	0.001%
20	3.722	832	834	836	rBV	263	124	0.01%	0.001%
21	3.760	841	846	849	rBV	210	228	0.02%	0.003%
22	3.796	849	857	904	rBV	90955	288174	25.58%	3.265%
23	4.249	984	998	1031	rVB	179443	463781	41.16%	5.255%
24	4.683	1130	1133	1136	rBV2	336	221	0.02%	0.003%
25	4.770	1158	1160	1163	rVB2	283	136	0.01%	0.002%
26	4.789	1163	1166	1168	rBV2	269	176	0.02%	0.002%
27	4.860	1186	1188	1191	rBV2	224	140	0.01%	0.002%
28	4.957	1195	1218	1253	rBV2	425759	1126678	100.00%	12.767%
29	5.284	1317	1320	1325	rBV3	319	296	0.03%	0.003%
30	5.310	1325	1328	1331	rBV	416	217	0.02%	0.002%
31	5.339	1334	1337	1339	rBV2	255	197	0.02%	0.002%
32	5.429	1363	1365	1369	rBV2	239	144	0.01%	0.002%
33	5.532	1386	1397	1431	rBV	349631	732915	65.05%	8.305%
34	5.841	1480	1493	1515	rBV5	33506	81960	7.27%	0.929%
35	5.989	1526	1539	1568	rBV	246779	512307	45.47%	5.805%
36	6.294	1633	1634	1637	rVB2	311	101	0.01%	0.001%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV031524\
 Data File : VV034658.D
 Acq On : 15 Mar 2024 17:06
 Operator : SY/MD
 Sample : P1766-03
 Misc : 5.0mL/MSVOA_V/WATER
 ALS Vial : 22 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 COGL4

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM022924WMA.M
 Title : VOC Analysis

37	6.307	1637	1638	1640	rBV2	258	97	0.01%	0.001%
38	6.355	1650	1653	1659	rBV	208	147	0.01%	0.002%
39	6.403	1665	1668	1670	rBV	169	116	0.01%	0.001%
40	6.596	1723	1728	1729	rBV3	681	621	0.06%	0.007%
41	6.725	1764	1768	1772	rBV4	355	333	0.03%	0.004%
42	6.796	1788	1790	1791	rBV4	138	58	0.01%	0.001%
43	6.828	1797	1800	1803	rBV	168	123	0.01%	0.001%
44	6.863	1808	1811	1815	rBV	170	112	0.01%	0.001%
45	6.915	1816	1827	1858	rBV	121144	240130	21.31%	2.721%
46	7.120	1886	1891	1893	rBV3	477	494	0.04%	0.006%
47	7.243	1918	1929	1954	rBV	478446	843724	74.89%	9.561%
48	7.554	2017	2026	2045	rBV	82114	151960	13.49%	1.722%
49	7.821	2107	2109	2111	rBV3	246	99	0.01%	0.001%
50	7.834	2111	2113	2118	rVB2	507	325	0.03%	0.004%
51	7.866	2118	2123	2125	rBV2	461	433	0.04%	0.005%
52	7.921	2138	2140	2141	rBV2	195	93	0.01%	0.001%
53	7.956	2149	2151	2153	rBV	295	113	0.01%	0.001%
54	7.985	2157	2160	2163	rBV2	228	144	0.01%	0.002%
55	8.024	2163	2172	2212	rBV	332761	660918	58.66%	7.489%
56	8.580	2343	2345	2347	rBV	357	196	0.02%	0.002%
57	8.664	2366	2371	2376	rVB	389	359	0.03%	0.004%
58	8.689	2376	2379	2383	rBV2	399	291	0.03%	0.003%
59	8.783	2397	2408	2433	rBV	532818	877334	77.87%	9.942%
60	9.037	2483	2487	2490	rBV	290	283	0.03%	0.003%
61	9.233	2545	2548	2551	rBV	144	102	0.01%	0.001%
62	9.249	2551	2553	2555	rVV	183	86	0.01%	0.001%
63	9.265	2556	2558	2563	rVV2	268	181	0.02%	0.002%
64	9.310	2568	2572	2573	rBV	217	152	0.01%	0.002%
65	9.426	2606	2608	2611	rVB	335	155	0.01%	0.002%
66	9.448	2611	2615	2617	rBV	267	191	0.02%	0.002%
67	9.628	2670	2671	2672	rBV	190	42	0.00%	0.000%
68	9.709	2694	2696	2701	rVB2	251	144	0.01%	0.002%
69	9.763	2708	2713	2714	rBV2	181	164	0.01%	0.002%
70	9.808	2724	2727	2730	rBV	157	108	0.01%	0.001%
71	9.892	2750	2753	2754	rBV2	121	62	0.01%	0.001%
72	10.152	2822	2834	2860	rBV	358006	561055	49.80%	6.358%
73	10.320	2883	2886	2892	rVB2	716	518	0.05%	0.006%
74	10.400	2903	2911	2914	rBV2	252	393	0.03%	0.004%
75	10.898	3063	3066	3068	rBV2	242	141	0.01%	0.002%
76	10.918	3069	3072	3076	rVB2	260	162	0.01%	0.002%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV031524\
 Data File : VV034658.D
 Acq On : 15 Mar 2024 17:06
 Operator : SY/MD
 Sample : P1766-03
 Misc : 5.0mL/MSVOA_V/WATER
 ALS Vial : 22 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 C0GL4

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM022924WMA.M
 Title : VOC Analysis

77	10.972	3087	3089	3093	rBV2	171	118	0.01%	0.001%
78	10.995	3093	3096	3099	rBV	250	173	0.02%	0.002%
79	11.146	3141	3143	3144	rBV	188	54	0.00%	0.001%
80	11.185	3144	3155	3178	rBV	510197	801458	71.13%	9.082%
81	11.368	3210	3212	3216	rVB2	402	142	0.01%	0.002%
82	11.516	3254	3258	3259	rBV	328	164	0.01%	0.002%
83	11.561	3260	3272	3292	rBV	486923	778132	69.06%	8.817%
84	11.747	3328	3330	3332	rVB	302	137	0.01%	0.002%
85	11.763	3332	3335	3336	rBV	193	102	0.01%	0.001%
86	11.802	3345	3347	3352	rBV	256	179	0.02%	0.002%
87	11.824	3352	3354	3357	rVV2	176	58	0.01%	0.001%
88	12.191	3466	3468	3470	rBV	207	105	0.01%	0.001%
89	12.326	3507	3510	3513	rBV2	252	226	0.02%	0.003%
90	12.779	3647	3651	3653	rBV	281	271	0.02%	0.003%
91	13.072	3738	3742	3749	rBV	362	449	0.04%	0.005%
92	13.207	3782	3784	3785	rBV	278	105	0.01%	0.001%
93	13.429	3851	3853	3855	rBV2	288	136	0.01%	0.002%
94	13.982	4022	4025	4027	rBV2	396	253	0.02%	0.003%




Sum of corrected areas: 8824940

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV031524\
Data File : VV034658.D
Acq On : 15 Mar 2024 17:06
Operator : SY/MD
Sample : P1766-03
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 22 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
C0GL4

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM022924WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P



Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV031524\
Data File : VV034658.D
Acq On : 15 Mar 2024 17:06
Operator : SY/MD
Sample : P1766-03
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 22 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
C0GL4

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM022924WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

No Library Search Compounds Detected

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV031524\
Data File : VV034658.D
Acq On : 15 Mar 2024 17:06
Operator : SY/MD
Sample : P1766-03
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 22 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
C0GL4

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM022924WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

TIC Top Hit name	RT	EstConc	Units	Response	#	RT	Resp	Conc
------------------	----	---------	-------	----------	---	----	------	------