

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV031524\
 Data File : VV034672.D
 Acq On : 15 Mar 2024 23:04
 Operator : SY/MD
 Sample : P1740-11
 Misc : 5.0mL/MSVOA_V/WATER
 ALS Vial : 37 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 C0GJ4

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM022924WMA.M
 Title : VOC Analysis

Signal : TIC: VV034672.D\data.ms

peak #	R.T. min	first scan	max scan	last scan	PK TY	peak height	corr. area	corr. % max.	% of total
1	1.179	38	43	51	rBV	20669	18342	1.52%	0.190%
2	1.278	68	74	90	rVB	141949	149882	12.42%	1.552%
3	1.529	145	152	168	rVB	141248	166800	13.82%	1.727%
4	2.056	307	316	332	rBV	264816	385553	31.94%	3.991%
5	2.256	366	378	410	rBV2	7974	30480	2.53%	0.316%
6	2.565	471	474	476	rBV	269	140	0.01%	0.001%
7	2.577	476	478	482	rVV2	362	265	0.02%	0.003%
8	2.626	491	493	494	rBV	198	63	0.01%	0.001%
9	3.044	617	623	627	rBV	272	370	0.03%	0.004%
10	3.108	640	643	647	rBV2	183	181	0.01%	0.002%
11	3.185	664	667	668	rBV	120	79	0.01%	0.001%
12	3.240	680	684	688	rBV	270	215	0.02%	0.002%
13	3.278	694	696	703	rVB2	319	237	0.02%	0.002%
14	3.343	711	716	719	rBV	243	232	0.02%	0.002%
15	3.468	751	755	758	rBV	231	207	0.02%	0.002%
16	3.558	782	783	784	rBV	170	55	0.00%	0.001%
17	3.619	799	802	803	rBV	165	91	0.01%	0.001%
18	3.687	822	823	825	rVB	287	60	0.00%	0.001%
19	3.790	846	855	900	rBV	110797	317005	26.26%	3.282%
20	4.246	982	997	1034	rBV	192466	501406	41.54%	5.190%
21	4.626	1114	1115	1120	rVB2	409	266	0.02%	0.003%
22	4.693	1132	1136	1140	rBV	299	288	0.02%	0.003%
23	4.728	1144	1147	1150	rBV	386	335	0.03%	0.003%
24	4.751	1152	1154	1155	rBV2	229	65	0.01%	0.001%
25	4.831	1174	1179	1182	rBV	255	268	0.02%	0.003%
26	4.957	1202	1218	1255	rBV3	452448	1207120	100.00%	12.496%
27	5.400	1353	1356	1358	rBV2	185	115	0.01%	0.001%
28	5.532	1386	1397	1425	rBV	409922	848957	70.33%	8.788%
29	5.831	1481	1490	1511	rVB4	7275	17427	1.44%	0.180%
30	5.989	1526	1539	1568	rBV	269121	558021	46.23%	5.776%
31	6.246	1617	1619	1623	rVB	266	166	0.01%	0.002%
32	6.301	1634	1636	1639	rVB2	94	54	0.00%	0.001%
33	6.320	1639	1642	1644	rBV	165	120	0.01%	0.001%
34	6.391	1662	1664	1665	rBV	163	85	0.01%	0.001%
35	6.465	1684	1687	1690	rBV2	124	72	0.01%	0.001%
36	6.481	1690	1692	1694	rBV	114	56	0.00%	0.001%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV031524\
 Data File : VV034672.D
 Acq On : 15 Mar 2024 23:04
 Operator : SY/MD
 Sample : P1740-11
 Misc : 5.0mL/MSVOA_V/WATER
 ALS Vial : 37 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 C0GJ4

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM022924WMA.M
 Title : VOC Analysis

37	6.584	1719	1724	1725	rBV2	722	599	0.05%	0.006%
38	6.738	1770	1772	1777	rBV2	281	191	0.02%	0.002%
39	6.789	1787	1788	1789	rBV2	186	66	0.01%	0.001%
40	6.828	1796	1800	1802	rBV2	165	119	0.01%	0.001%
41	6.915	1816	1827	1859	rBV	134675	261223	21.64%	2.704%
42	7.243	1918	1929	1959	rBV	513658	906085	75.06%	9.380%
43	7.555	2017	2026	2051	rBV	93542	171849	14.24%	1.779%
44	7.876	2118	2126	2129	rBV4	585	571	0.05%	0.006%
45	7.908	2135	2136	2137	rBV4	125	39	0.00%	0.000%
46	7.969	2151	2155	2157	rBV2	308	166	0.01%	0.002%
47	8.024	2163	2172	2210	rBV	383737	722254	59.83%	7.477%
48	8.567	2338	2341	2347	rVB2	503	411	0.03%	0.004%
49	8.600	2349	2351	2352	rBV	321	121	0.01%	0.001%
50	8.783	2397	2408	2434	rBV	612565	1015321	84.11%	10.510%
51	9.140	2516	2519	2521	rBV2	316	197	0.02%	0.002%
52	9.204	2536	2539	2541	rBV2	166	99	0.01%	0.001%
53	9.239	2547	2550	2551	rBV	62	36	0.00%	0.000%
54	9.252	2552	2554	2555	rBV	124	36	0.00%	0.000%
55	9.272	2558	2560	2561	rBV	190	69	0.01%	0.001%
56	9.310	2569	2572	2576	rBV	201	168	0.01%	0.002%
57	9.333	2576	2579	2583	rVB2	240	168	0.01%	0.002%
58	9.352	2583	2585	2588	rBV2	198	137	0.01%	0.001%
59	9.535	2640	2642	2646	rBV2	171	117	0.01%	0.001%
60	9.555	2646	2648	2653	rVB2	253	154	0.01%	0.002%
61	9.587	2655	2658	2661	rBV2	184	123	0.01%	0.001%
62	9.789	2718	2721	2725	rBV	195	137	0.01%	0.001%
63	9.908	2757	2758	2759	rBV	124	33	0.00%	0.000%
64	9.944	2767	2769	2770	rBV	164	81	0.01%	0.001%
65	10.056	2803	2804	2806	rVB	203	58	0.00%	0.001%
66	10.111	2816	2821	2822	rBV2	221	162	0.01%	0.002%
67	10.153	2822	2834	2857	rBV	394043	612087	50.71%	6.336%
68	10.297	2877	2879	2882	rVV2	281	123	0.01%	0.001%
69	10.320	2884	2886	2889	rVB	743	317	0.03%	0.003%
70	10.403	2910	2912	2915	rBV2	289	84	0.01%	0.001%
71	10.442	2923	2924	2925	rBV2	182	63	0.01%	0.001%
72	10.493	2938	2940	2941	rBV2	212	83	0.01%	0.001%
73	10.561	2958	2961	2962	rBV	169	84	0.01%	0.001%
74	10.667	2991	2994	2997	rBV2	149	116	0.01%	0.001%
75	10.754	3019	3021	3025	rVB2	219	130	0.01%	0.001%
76	10.809	3034	3038	3040	rBV2	218	206	0.02%	0.002%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV031524\
 Data File : VV034672.D
 Acq On : 15 Mar 2024 23:04
 Operator : SY/MD
 Sample : P1740-11
 Misc : 5.0mL/MSVOA_V/WATER
 ALS Vial : 37 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 C0GJ4

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM022924WMA.M
 Title : VOC Analysis

77	10.931	3073	3076	3078	rBV	219	169	0.01%	0.002%
78	11.127	3134	3137	3139	rVB2	202	82	0.01%	0.001%
79	11.185	3144	3155	3180	rBV	586309	920547	76.26%	9.529%
80	11.374	3211	3214	3218	rVB2	766	531	0.04%	0.005%
81	11.561	3260	3272	3293	rBV	523363	837447	69.38%	8.669%
82	11.735	3324	3326	3327	rBV	366	164	0.01%	0.002%
83	11.809	3347	3349	3352	rVB2	346	180	0.01%	0.002%
84	11.828	3352	3355	3360	rBV3	427	370	0.03%	0.004%
85	11.873	3366	3369	3372	rBV2	246	191	0.02%	0.002%
86	12.021	3412	3415	3418	rVB2	313	153	0.01%	0.002%
87	12.082	3431	3434	3435	rBV	226	105	0.01%	0.001%
88	12.490	3559	3561	3563	rBV	294	129	0.01%	0.001%
89	12.802	3657	3658	3662	rBV2	190	130	0.01%	0.001%
90	12.950	3701	3704	3707	rBV2	337	226	0.02%	0.002%
91	13.156	3766	3768	3770	rBV	271	157	0.01%	0.002%
92	14.603	4215	4218	4224	rBV2	609	526	0.04%	0.005%




Sum of corrected areas: 9660268

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV031524\
Data File : VV034672.D
Acq On : 15 Mar 2024 23:04
Operator : SY/MD
Sample : P1740-11
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 37 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
C0GJ4

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM022924WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P



Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV031524\
Data File : VV034672.D
Acq On : 15 Mar 2024 23:04
Operator : SY/MD
Sample : P1740-11
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 37 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
C0GJ4

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM022924WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

No Library Search Compounds Detected

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV031524\
Data File : VV034672.D
Acq On : 15 Mar 2024 23:04
Operator : SY/MD
Sample : P1740-11
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 37 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
C0GJ4

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM022924WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

TIC Top Hit name	RT	EstConc	Units	Response	--Internal Standard--			
					#	RT	Resp	Conc