

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV031621\
 Data File : VV020624.D
 Acq On : 16 Mar 2021 12:42
 Operator : SY/MD
 Sample : M1655-11
 Misc : 5.0mL/MSVOA_V/WATER
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 C0BC1

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SOMVLM031321WMA.M

Title : VOC Analysis

Signal : TIC: VV020624.D\data.ms

peak #	R.T. min	first scan	max scan	last scan	PK TY	peak height	corr. area	corr. % max.	% of total
1	1.307	77	83	98	rVB	232700	242288	13.43%	1.792%
2	1.571	158	165	176	rVB	219333	245948	13.64%	1.819%
3	2.108	324	332	351	rBV	396141	574406	31.85%	4.248%
4	2.253	375	377	382	rBV6	4020	2485	0.14%	0.018%
5	2.407	419	425	427	rBV6	5084	6026	0.33%	0.045%
6	2.542	463	467	469	rBV5	4262	2967	0.16%	0.022%
7	2.597	481	484	487	rBV4	2593	1651	0.09%	0.012%
8	2.619	487	491	494	rBV6	4058	3262	0.18%	0.024%
9	2.703	515	517	519	rVB3	4018	1804	0.10%	0.013%
10	2.722	519	523	525	rBV5	3584	2813	0.16%	0.021%
11	2.796	544	546	549	rBV4	3059	1794	0.10%	0.013%
12	2.880	569	572	574	rBV4	3261	2328	0.13%	0.017%
13	3.220	673	678	680	rBV6	4014	4181	0.23%	0.031%
14	3.449	746	749	753	rBV5	3678	3768	0.21%	0.028%
15	3.892	877	887	911	rBV	134389	401176	22.24%	2.967%
16	4.352	1017	1030	1056	rVB2	292416	762892	42.30%	5.642%
17	4.635	1115	1118	1120	rBV4	3836	2293	0.13%	0.017%
18	5.050	1232	1247	1271	rBV2	719376	1803507	100.00%	13.339%
19	5.343	1335	1338	1340	rBV4	4380	2517	0.14%	0.019%
20	5.619	1413	1424	1454	rVB	504777	1008532	55.92%	7.459%
21	5.825	1485	1488	1490	rBV4	4551	2367	0.13%	0.018%
22	6.072	1554	1565	1583	rBV	422316	838176	46.47%	6.199%
23	6.513	1699	1702	1703	rBV3	4320	2001	0.11%	0.015%
24	6.834	1798	1802	1803	rBV3	4239	3435	0.19%	0.025%
25	6.989	1841	1850	1868	rBV	214313	378009	20.96%	2.796%
26	7.230	1922	1925	1926	rBV3	4115	1940	0.11%	0.014%
27	7.320	1942	1953	1971	rBV	789919	1352135	74.97%	10.000%
28	7.506	2009	2011	2013	rBV3	4092	2480	0.14%	0.018%
29	7.625	2040	2048	2066	rVB	153175	257961	14.30%	1.908%
30	7.944	2144	2147	2152	rBV6	4510	4227	0.23%	0.031%
31	7.969	2153	2155	2157	rBV3	3876	1610	0.09%	0.012%
32	8.092	2184	2193	2222	rBV2	446840	881758	48.89%	6.521%
33	8.548	2332	2335	2339	rVB6	3259	2599	0.14%	0.019%
34	8.619	2355	2357	2361	rVV5	4649	2947	0.16%	0.022%
35	8.638	2361	2363	2367	rVB5	3931	2517	0.14%	0.019%
36	8.696	2379	2381	2384	rBV4	4425	2620	0.15%	0.019%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VW031621\
 Data File : VW020624.D
 Acq On : 16 Mar 2021 12:42
 Operator : SY/MD
 Sample : M1655-11
 Misc : 5.0mL/MSVOA_V/WATER
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 C0BC1

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SOMVLM031321WMA.M
 Title : VOC Analysis

37	8.857	2420	2431	2443	rBV	808787	1286608	71.34%	9.516%
38	9.686	2687	2689	2692	rVB4	3096	1611	0.09%	0.012%
39	9.751	2706	2709	2712	rBV5	2641	1825	0.10%	0.013%
40	9.812	2726	2728	2730	rBV3	3454	1638	0.09%	0.012%
41	9.825	2730	2732	2734	rBV3	2865	1462	0.08%	0.011%
42	9.863	2741	2744	2746	rVB4	3967	2027	0.11%	0.015%
43	10.034	2792	2797	2800	rBV7	4114	4470	0.25%	0.033%
44	10.149	2828	2833	2835	rBV5	5642	3877	0.21%	0.029%
45	10.220	2845	2855	2873	rBV	513051	780405	43.27%	5.772%
46	10.654	2989	2990	2994	rBV4	2356	1817	0.10%	0.013%
47	11.056	3112	3115	3118	rVB5	2778	2053	0.11%	0.015%
48	11.178	3150	3153	3156	rBV5	3687	2391	0.13%	0.018%
49	11.255	3167	3177	3192	rVB	781229	1174702	65.13%	8.688%
50	11.503	3251	3254	3255	rBV3	4469	2238	0.12%	0.017%
51	11.628	3283	3293	3309	rBV	856442	1319394	73.16%	9.758%
52	11.747	3328	3330	3331	rBV2	4722	1767	0.10%	0.013%
53	11.915	3379	3382	3384	rBV4	3915	1906	0.11%	0.014%
54	11.947	3389	3392	3394	rBV3	3874	2480	0.14%	0.018%
55	11.992	3403	3406	3410	rBV6	3203	2967	0.16%	0.022%
56	12.149	3452	3455	3459	rBV6	3311	2755	0.15%	0.020%
57	12.227	3476	3479	3481	rBV4	3955	2309	0.13%	0.017%
58	12.239	3481	3483	3487	rVB4	5155	3214	0.18%	0.024%
59	12.288	3496	3498	3499	rBV2	2753	1475	0.08%	0.011%
60	12.387	3526	3529	3533	rVB6	4812	3479	0.19%	0.026%
61	12.410	3533	3536	3541	rBV6	3372	3579	0.20%	0.026%
62	12.432	3541	3543	3548	rVB5	4385	2971	0.16%	0.022%
63	12.474	3554	3556	3559	rVB4	4780	2296	0.13%	0.017%
64	12.493	3559	3562	3565	rBV4	2992	1650	0.09%	0.012%
65	12.577	3586	3588	3590	rBV3	3023	1818	0.10%	0.013%
66	12.625	3600	3603	3607	rBV6	3162	2487	0.14%	0.018%
67	12.744	3635	3640	3644	rBV7	4463	4423	0.25%	0.033%
68	12.844	3668	3671	3673	rBV3	4091	3301	0.18%	0.024%
69	13.075	3740	3743	3746	rBV5	3899	3244	0.18%	0.024%
70	13.162	3767	3770	3775	rBV7	3141	2632	0.15%	0.019%
71	13.345	3825	3827	3831	rBV5	3940	2652	0.15%	0.020%
72	13.410	3846	3847	3850	rBV3	2919	1501	0.08%	0.011%
73	13.435	3852	3855	3858	rBV5	4095	3437	0.19%	0.025%
74	13.516	3876	3880	3881	rBV4	4165	2830	0.16%	0.021%
75	13.606	3906	3908	3910	rBV3	2972	1521	0.08%	0.011%
76	13.635	3914	3917	3919	rVB4	4870	2532	0.14%	0.019%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV031621\
 Data File : VV020624.D
 Acq On : 16 Mar 2021 12:42
 Operator : SY/MD
 Sample : M1655-11
 Misc : 5.0mL/MSVOA_V/WATER
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 C0BC1

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SOMVLM031321WMA.M

Title : VOC Analysis

77	13.657	3921	3924	3925	rBV3	3280	1613	0.09%	0.012%
78	13.773	3958	3960	3963	rBV4	2659	1976	0.11%	0.015%
79	13.815	3970	3973	3976	rBV5	4717	2974	0.16%	0.022%
80	13.837	3976	3980	3982	rVV4	3182	2386	0.13%	0.018%
81	13.947	4010	4014	4016	rBV4	5798	4148	0.23%	0.031%
82	14.088	4055	4058	4061	rBV4	3127	2479	0.14%	0.018%
83	14.111	4061	4065	4067	rVB5	3507	2301	0.13%	0.017%
84	14.336	4131	4135	4136	rBV4	3236	1988	0.11%	0.015%
85	14.374	4146	4147	4153	rBV6	3294	2618	0.15%	0.019%
86	14.432	4162	4165	4168	rBV5	3936	2177	0.12%	0.016%
87	14.474	4174	4178	4180	rBV5	3941	3124	0.17%	0.023%
88	14.493	4182	4184	4186	rVV3	3734	1667	0.09%	0.012%
89	14.532	4195	4196	4198	rBV2	3196	1575	0.09%	0.012%
90	14.548	4198	4201	4202	rBV3	2986	1633	0.09%	0.012%
91	14.760	4263	4267	4271	rVB5	3670	3575	0.20%	0.026%
92	14.802	4276	4280	4284	rBV7	4400	4025	0.22%	0.030%
93	14.908	4309	4313	4314	rBV4	3600	1700	0.09%	0.013%
94	14.937	4320	4322	4326	rBV5	2295	1860	0.10%	0.014%
95	14.956	4326	4328	4331	rBV4	3350	2388	0.13%	0.018%
96	15.368	4453	4456	4458	rVB4	3211	1776	0.10%	0.013%
97	15.426	4472	4474	4477	rVB4	3963	2065	0.11%	0.015%
98	15.442	4477	4479	4481	rBV3	3600	1607	0.09%	0.012%
99	15.586	4522	4524	4526	rBV3	4190	2239	0.12%	0.017%
100	15.757	4574	4577	4581	rVB6	2801	1864	0.10%	0.014%

Sum of corrected areas: 13520922

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV031621\
Data File : VV020624.D
Acq On : 16 Mar 2021 12:42
Operator : SY/MD
Sample : M1655-11
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
C0BC1

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SOMVLM031321WMA.M
Quant Title : VOC Analysis

TIC Library : C:\DATABASE\NIST11.L
TIC Integration Parameters: LSCINT.P

No Library Search Compounds Detected

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV031621\
Data File : VV020624.D
Acq On : 16 Mar 2021 12:42
Operator : SY/MD
Sample : M1655-11
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
C0BC1

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SOMVLM031321WMA.M
Quant Title : VOC Analysis

TIC Library : C:\DATABASE\NIST11.L
TIC Integration Parameters: LSCINT.P

TIC Top Hit name	RT	EstConc	Units	Response	--Internal Standard--			
					#	RT	Resp	Conc
