

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV031621\
 Data File : VV020642.D
 Acq On : 16 Mar 2021 19:46
 Operator : SY/MD
 Sample : M1675-12
 Misc : 5.0mL/MSVOA_V/WATER
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 C0BF4

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SOMVLM031321WMA.M

Title : VOC Analysis

Signal : TIC: VV020642.D\data.ms

peak #	R.T. min	first scan	max scan	last scan	PK TY	peak height	corr. area	corr. % max.	% of total
1	1.310	78	84	93	rVB	182009	183811	11.53%	1.479%
2	1.571	158	165	174	rBV	175105	189640	11.89%	1.526%
3	2.111	324	333	355	rVB	328611	510335	32.00%	4.106%
4	2.336	399	403	404	rBV4	3941	2648	0.17%	0.021%
5	2.465	435	443	444	rBV7	7565	8322	0.52%	0.067%
6	2.548	467	469	472	rBV4	2905	1843	0.12%	0.015%
7	2.580	477	479	481	rVB3	4455	1769	0.11%	0.014%
8	2.619	488	491	493	rBV3	3509	2072	0.13%	0.017%
9	2.976	597	602	604	rBV6	3572	3350	0.21%	0.027%
10	3.172	659	663	669	rBV8	4456	6088	0.38%	0.049%
11	3.336	711	714	716	rBV4	2907	1518	0.10%	0.012%
12	3.436	742	745	746	rBV3	4350	2589	0.16%	0.021%
13	3.606	796	798	799	rBV2	3590	1481	0.09%	0.012%
14	3.760	844	846	847	rBV2	4228	1556	0.10%	0.013%
15	3.889	876	886	908	rBV2	131483	375250	23.53%	3.019%
16	4.352	1016	1030	1048	rBV	271764	647178	40.58%	5.207%
17	4.886	1193	1196	1197	rBV3	4270	2129	0.13%	0.017%
18	4.921	1203	1207	1208	rBV4	4405	2804	0.18%	0.023%
19	5.050	1231	1247	1277	rBV2	617563	1594661	100.00%	12.830%
20	5.268	1309	1315	1321	rBV10	5734	9341	0.59%	0.075%
21	5.619	1413	1424	1448	rBV	520006	1028220	64.48%	8.273%
22	6.072	1554	1565	1583	rBV	375912	742760	46.58%	5.976%
23	6.423	1669	1674	1679	rBV9	5820	7454	0.47%	0.060%
24	6.580	1720	1723	1725	rBV4	4055	2806	0.18%	0.023%
25	6.857	1807	1809	1811	rBV3	3292	1728	0.11%	0.014%
26	6.989	1841	1850	1867	rBV	185346	324005	20.32%	2.607%
27	7.320	1942	1953	1970	rBV	685952	1170085	73.38%	9.414%
28	7.625	2040	2048	2063	rBV	128525	224812	14.10%	1.809%
29	8.034	2173	2175	2176	rBV2	2473	889	0.06%	0.007%
30	8.091	2184	2193	2235	rBV2	435123	853995	53.55%	6.871%
31	8.509	2320	2323	2325	rBV4	3798	2768	0.17%	0.022%
32	8.622	2356	2358	2360	rBV3	5463	2710	0.17%	0.022%
33	8.857	2420	2431	2446	rBV	841074	1347397	84.49%	10.841%
34	9.059	2491	2494	2496	rBV3	4432	2841	0.18%	0.023%
35	9.223	2541	2545	2548	rBV6	3233	2354	0.15%	0.019%
36	9.802	2724	2725	2726	rBV	2476	817	0.05%	0.007%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV031621\
 Data File : VV020642.D
 Acq On : 16 Mar 2021 19:46
 Operator : SY/MD
 Sample : M1675-12
 Misc : 5.0mL/MSVOA_V/WATER
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 C0BF4

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SOMVLM031321WMA.M
 Title : VOC Analysis

37	10.117	2820	2823	2827	rVB6	5986	4068	0.26%	0.033%
38	10.140	2827	2830	2833	rBV5	4707	4384	0.27%	0.035%
39	10.220	2845	2855	2870	rVB	461234	716094	44.91%	5.761%
40	10.439	2920	2923	2925	rBV4	4251	2672	0.17%	0.021%
41	10.506	2939	2944	2945	rBV5	3656	2635	0.17%	0.021%
42	10.641	2981	2986	2987	rBV5	3956	3180	0.20%	0.026%
43	10.693	3000	3002	3004	rBV3	2181	1119	0.07%	0.009%
44	10.715	3007	3009	3012	rVV4	2579	1091	0.07%	0.009%
45	10.834	3043	3046	3049	rBV5	3680	2736	0.17%	0.022%
46	10.853	3049	3052	3055	rVB5	4422	3108	0.19%	0.025%
47	10.870	3055	3057	3058	rBV2	3112	1619	0.10%	0.013%
48	10.950	3080	3082	3083	rBV2	2831	1275	0.08%	0.010%
49	11.152	3143	3145	3146	rBV2	1847	628	0.04%	0.005%
50	11.255	3167	3177	3196	rVB	781272	1187327	74.46%	9.553%
51	11.632	3282	3294	3311	rBV	751095	1158807	72.67%	9.323%
52	12.111	3439	3443	3445	rBV4	3699	2899	0.18%	0.023%
53	12.223	3475	3478	3481	rBV5	3324	2560	0.16%	0.021%
54	12.291	3497	3499	3500	rBV2	1707	815	0.05%	0.007%
55	12.529	3570	3573	3577	rBV6	3448	3200	0.20%	0.026%
56	12.583	3588	3590	3592	rBV3	3587	1232	0.08%	0.010%
57	12.625	3600	3603	3605	rBV4	3677	2342	0.15%	0.019%
58	12.677	3617	3619	3622	rBV4	4007	1878	0.12%	0.015%
59	12.844	3670	3671	3674	rVB2	3418	1420	0.09%	0.011%
60	12.866	3674	3678	3679	rBV4	4103	2936	0.18%	0.024%
61	12.898	3683	3688	3690	rBV6	8066	7138	0.45%	0.057%
62	13.226	3788	3790	3792	rBV3	4199	2102	0.13%	0.017%
63	13.294	3808	3811	3817	rBV7	3548	4234	0.27%	0.034%
64	13.586	3895	3902	3905	rBV8	6508	6643	0.42%	0.053%
65	13.667	3923	3927	3930	rBV5	2199	2083	0.13%	0.017%
66	13.767	3954	3958	3960	rBV5	3795	2494	0.16%	0.020%
67	13.879	3991	3993	3998	rVB6	5336	4494	0.28%	0.036%
68	13.908	4000	4002	4004	rVB3	4923	1872	0.12%	0.015%
69	13.921	4004	4006	4007	rBV2	4493	1692	0.11%	0.014%
70	14.400	4153	4155	4159	rVB4	4431	2685	0.17%	0.022%
71	14.419	4159	4161	4162	rBV2	4208	1801	0.11%	0.014%
72	14.541	4195	4199	4200	rBV3	3493	1983	0.12%	0.016%
73	14.683	4241	4243	4246	rBV4	3343	1815	0.11%	0.015%
74	14.947	4321	4325	4326	rBV3	4643	3009	0.19%	0.024%
75	14.975	4332	4334	4336	rBV3	2962	1670	0.10%	0.013%
76	15.043	4351	4355	4358	rBV5	3813	4050	0.25%	0.033%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV031621\
Data File : VV020642.D
Acq On : 16 Mar 2021 19:46
Operator : SY/MD
Sample : M1675-12
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
C0BF4

Integration Parameters: LSCINT.P
Integrator: RTE
Smoothing : OFF Filtering: 5
Sampling : 1 Min Area: 0 % of largest Peak
Start Thrs: 0.2 Max Peaks: 100
Stop Thrs : 0 Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >
Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SOMVLM031321WMA.M
Title : VOC Analysis

77	15.532	4504	4507	4508	rBV3	2771	1769	0.11%	0.014%
78	15.612	4529	4532	4533	rBV3	3582	1914	0.12%	0.015%
79	15.657	4545	4546	4550	rBV4	2991	1466	0.09%	0.012%




Sum of corrected areas: 12428965

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV031621\
Data File : VV020642.D
Acq On : 16 Mar 2021 19:46
Operator : SY/MD
Sample : M1675-12
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
C0BF4

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SOMVLM031321WMA.M
Quant Title : VOC Analysis

TIC Library : C:\DATABASE\NIST11.L
TIC Integration Parameters: LSCINT.P



Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV031621\
Data File : VV020642.D
Acq On : 16 Mar 2021 19:46
Operator : SY/MD
Sample : M1675-12
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
C0BF4

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SOMVLM031321WMA.M
Quant Title : VOC Analysis

TIC Library : C:\DATABASE\NIST11.L
TIC Integration Parameters: LSCINT.P

No Library Search Compounds Detected

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV031621\
Data File : VV020642.D
Acq On : 16 Mar 2021 19:46
Operator : SY/MD
Sample : M1675-12
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
C0BF4

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SOMVLM031321WMA.M
Quant Title : VOC Analysis

TIC Library : C:\DATABASE\NIST11.L
TIC Integration Parameters: LSCINT.P

TIC Top Hit name	RT	EstConc	Units	Response	--Internal Standard--			
					#	RT	Resp	Conc
