

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV031719\
 Data File : VV009735.D
 Acq On : 16 Mar 2019 18:03
 Operator : SY/MD
 Sample : K1936-12 10X
 Misc : 5.51G/5.0mL/100uL/5.0mL/MSVOA_V/MEOH
 ALS Vial : 11 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 BFOX0

Quant Time: Mar 18 07:59:16 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM031719WMA.M
 Quant Title : VOC Analysis
 QLast Update : Mon Mar 18 07:41:44 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.67	114	140821	50.00	ug/L	0.00
28) Chlorobenzene-d5	8.90	117	135595	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.30	152	54284	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.32	65	44584	46.96	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	93.92%
7) Chloroethane-d5	1.55	69	29463	42.06	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	84.12%
11) 1,1-Dichloroethene-d2	2.12	63	72331	35.77	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	71.54%
21) 2-Butanone-d5	3.93	46	57218	101.17	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	101.17%
24) Chloroform-d	4.40	84	80444	46.12	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	92.24%
26) 1,2-Dichloroethane-d4	5.08	65	52343	49.44	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	98.88%
32) Benzene-d6	5.10	84	173348	48.92	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	97.84%
36) 1,2-Dichloropropane-d6	6.12	67	53046	49.17	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	98.34%
41) Toluene-d8	7.36	98	163182	47.86	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	95.72%
43) trans-1,3-Dichloropropene-	7.67	79	23758	46.57	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	93.14%
47) 2-Hexanone-d5	8.13	63	44943	102.36	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	102.36%
57) 1,1,2,2-Tetrachloroethane-	10.26	84	78713	48.10	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	96.20%
64) 1,2-Dichlorobenzene-d4	11.67	152	57095	51.98	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	103.96%

Target Compounds					Ovalue
46) Tetrachloroethene	8.02	164	32776	40.702 ug/L	96

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA V\DATA\VV031719\
Data File : VV009735.D
Acq On : 16 Mar 2019 18:03
Operator : SY/MD
Sample : K1936-12 10X
Misc : 5.51G/5.0mL/100uL/5.0mL/MSVOA_V/MEOH
ALS Vial : 11 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
BF0X0

Quant Time: Mar 18 07:59:16 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM031719WMA.M
Quant Title : VOC Analysis
QLast Update : Mon Mar 18 07:41:44 2019
Response via : Initial Calibration

