

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV031719\
 Data File : VV009743.D
 Acq On : 16 Mar 2019 21:17
 Operator : SY/MD
 Sample : K1949-11
 Misc : 4.78G/5.0mL/100uL/5.0mL/MSVOA_V/MEOH
 ALS Vial : 19 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 BF0Z2

Quant Time: Mar 18 08:20:32 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM031719WMA.M
 Quant Title : VOC Analysis
 QLast Update : Mon Mar 18 07:41:44 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.66	114	148024	50.00	ug/L	0.00
28) Chlorobenzene-d5	8.90	117	139663	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.30	152	57731	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.32	65	48207	48.30	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	96.60%
7) Chloroethane-d5	1.55	69	22435	30.47	ug/L	-0.01
Spiked Amount	50.000	Range	70 - 130	Recovery	=	60.94%#
11) 1,1-Dichloroethene-d2	2.09	63	82075	38.62	ug/L	-0.03
Spiked Amount	50.000	Range	60 - 125	Recovery	=	77.24%
21) 2-Butanone-d5	3.95	46	54206	91.18	ug/L	0.02
Spiked Amount	100.000	Range	40 - 130	Recovery	=	91.18%
24) Chloroform-d	4.40	84	89748	48.95	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	97.90%
26) 1,2-Dichloroethane-d4	5.08	65	58138	52.24	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	104.48%
32) Benzene-d6	5.09	84	193476	53.01	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	106.02%
36) 1,2-Dichloropropane-d6	6.12	67	56672	51.00	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	102.00%
41) Toluene-d8	7.36	98	180773	51.48	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	102.96%
43) trans-1,3-Dichloropropene-	7.67	79	25760	49.03	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	98.06%
47) 2-Hexanone-d5	8.15	63	47593	105.24	ug/L	0.01
Spiked Amount	100.000	Range	45 - 130	Recovery	=	105.24%
57) 1,1,2,2-Tetrachloroethane-	10.27	84	82350	48.86	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	97.72%
64) 1,2-Dichlorobenzene-d4	11.68	152	61865	52.96	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	105.92%

Target Compounds					Ovalue
46) Tetrachloroethene	8.02	164	936	1.128 ug/L	86

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA V\DATA\VV031719\
Data File : VV009743.D
Acq On : 16 Mar 2019 21:17
Operator : SY/MD
Sample : K1949-11
Misc : 4.78G/5.0mL/100uL/5.0mL/MSVOA_V/MEOH
ALS Vial : 19 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
BF0Z2

Quant Time: Mar 18 08:20:32 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM031719WMA.M
Quant Title : VOC Analysis
QLast Update : Mon Mar 18 07:41:44 2019
Response via : Initial Calibration

