

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV031719\
 Data File : VV009744.D
 Acq On : 16 Mar 2019 21:41
 Operator : SY/MD
 Sample : K1949-12
 Misc : 4.81G/5.0mL/100uL/5.0mL/MSVOA_V/MEOH
 ALS Vial : 20 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 BF0Z3

Quant Time: Mar 18 08:23:57 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM031719WMA.M
 Quant Title : VOC Analysis
 QLast Update : Mon Mar 18 07:41:44 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.66	114	173730	50.00	ug/L	0.00
28) Chlorobenzene-d5	8.90	117	166673	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.30	152	70806	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.32	65	53681	45.83	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	91.66%
7) Chloroethane-d5	1.55	69	26748	30.95	ug/L	-0.01
Spiked Amount	50.000	Range	70 - 130	Recovery	=	61.90%#
11) 1,1-Dichloroethene-d2	2.09	63	93123	37.33	ug/L	-0.03
Spiked Amount	50.000	Range	60 - 125	Recovery	=	74.66%
21) 2-Butanone-d5	3.95	46	66081	94.71	ug/L	0.02
Spiked Amount	100.000	Range	40 - 130	Recovery	=	94.71%
24) Chloroform-d	4.40	84	99218	46.11	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	92.22%
26) 1,2-Dichloroethane-d4	5.08	65	65211	49.93	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	99.86%
32) Benzene-d6	5.09	84	218878	50.25	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	100.50%
36) 1,2-Dichloropropane-d6	6.12	67	66158	49.89	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	99.78%
41) Toluene-d8	7.36	98	206052	49.17	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	98.34%
43) trans-1,3-Dichloropropene-	7.67	79	30107	48.01	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	96.02%
47) 2-Hexanone-d5	8.15	63	56873	105.38	ug/L	0.01
Spiked Amount	100.000	Range	45 - 130	Recovery	=	105.38%
57) 1,1,2,2-Tetrachloroethane-	10.27	84	94039	46.75	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	93.50%
64) 1,2-Dichlorobenzene-d4	11.68	152	72958	50.92	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	101.84%

Target Compounds	Ovalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA V\DATA\VV031719\
Data File : VV009744.D
Acq On : 16 Mar 2019 21:41
Operator : SY/MD
Sample : K1949-12
Misc : 4.81G/5.0mL/100uL/5.0mL/MSVOA_V/MEOH
ALS Vial : 20 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
BF0Z3

Quant Time: Mar 18 08:23:57 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM031719WMA.M
Quant Title : VOC Analysis
QLast Update : Mon Mar 18 07:41:44 2019
Response via : Initial Calibration

