

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV031719\
 Data File : VV009737.D
 Acq On : 16 Mar 2019 18:52
 Operator : SY/MD
 Sample : K1949-01
 Misc : 5.65G/5.0mL/100uL/5.0mL/MSVOA_V/MEOH
 ALS Vial : 13 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 BF0Y6

Quant Time: Mar 18 08:04:50 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM031719WMA.M
 Quant Title : VOC Analysis
 QLast Update : Mon Mar 18 07:41:44 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.66	114	142994	50.00	ug/L	0.00
28) Chlorobenzene-d5	8.90	117	140681	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.30	152	57488	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.32	65	45350	47.04	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	94.08%
7) Chloroethane-d5	1.55	69	22275	31.32	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	62.64%#
11) 1,1-Dichloroethene-d2	2.10	63	76828	37.42	ug/L	-0.03
Spiked Amount	50.000	Range	60 - 125	Recovery	=	74.84%
21) 2-Butanone-d5	3.95	46	57636	100.36	ug/L	0.01
Spiked Amount	100.000	Range	40 - 130	Recovery	=	100.36%
24) Chloroform-d	4.40	84	82342	46.49	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	92.98%
26) 1,2-Dichloroethane-d4	5.08	65	54112	50.34	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	100.68%
32) Benzene-d6	5.09	84	184678	50.24	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	100.48%
36) 1,2-Dichloropropane-d6	6.12	67	57059	50.98	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	101.96%
41) Toluene-d8	7.36	98	175250	49.54	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	99.08%
43) trans-1,3-Dichloropropene-	7.67	79	25832	48.81	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	97.62%
47) 2-Hexanone-d5	8.15	63	48144	105.69	ug/L	0.01
Spiked Amount	100.000	Range	45 - 130	Recovery	=	105.69%
57) 1,1,2,2-Tetrachloroethane-	10.27	84	81600	48.06	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	96.12%
64) 1,2-Dichlorobenzene-d4	11.68	152	60785	52.25	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	104.50%


Target Compounds					Ovalue
46) Tetrachloroethene	8.02	164	1305	1.562 ug/L	87


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA V\DATA\VV031719\
Data File : VV009737.D
Acq On : 16 Mar 2019 18:52
Operator : SY/MD
Sample : K1949-01
Misc : 5.65G/5.0mL/100uL/5.0mL/MSVOA_V/MEOH
ALS Vial : 13 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
BF0Y6

Quant Time: Mar 18 08:04:50 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM031719WMA.M
Quant Title : VOC Analysis
QLast Update : Mon Mar 18 07:41:44 2019
Response via : Initial Calibration





#46

Tetrachloroethene

Concen: 1.562 ug/L

RT: 8.02 min Scan# 2155

Delta R.T. -0.00 min

Lab File: VV009737.D


Acq: 16 Mar 2019 18:52

Instrument :

MSVOA_V

ClientSampleId :

BF0Y6



Tot Ion:164 Resp: 1305

Ion Ratio Lower Upper

164 100

129 97.3 70.0 130.0

131 94.4 67.5 125.4

166 160.3 88.0 163.4

Abundance Ion 164.00 (163.70 to 164.70): V

Ion 129.00 (128.70 to 129.70): V

Ion 131.00 (130.70 to 131.70): V

Ion 166.00 (165.70 to 166.70): V

