

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV031720\
 Data File : VV014973.D
 Acq On : 17 Mar 2020 14:59
 Operator : SY/MD
 Sample : L1940-14
 Misc : 5.0mL/MSVOA V/WATER
 ALS Vial : 11 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 C0DA8

Quant Time: Mar 18 05:59:52 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM031620WMA.M
 Quant Title : VOC Analysis
 QLast Update : Wed Mar 18 05:21:28 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.64	114	332093	50.00	ug/L	0.00
28) Chlorobenzene-d5	8.87	117	324009	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.27	152	155320	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.32	65	89785	40.58	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	81.16%
7) Chloroethane-d5	1.58	69	72996	44.42	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	88.84%
11) 1,1-Dichloroethene-d2	2.12	63	115732	34.09	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	68.18%
21) 2-Butanone-d5	3.93	46	115036	85.28	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	85.28%
24) Chloroform-d	4.38	84	205917	44.67	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	89.34%
26) 1,2-Dichloroethane-d4	5.06	65	136737	46.82	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	93.64%
32) Benzene-d6	5.08	84	423691	47.47	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	94.94%
36) 1,2-Dichloropropane-d6	6.10	67	125145	47.08	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	94.16%
41) Toluene-d8	7.34	98	400544	45.37	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	90.74%
43) trans-1,3-Dichloropropene-	7.64	79	57040	40.36	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	80.72%
47) 2-Hexanone-d5	8.12	63	108971	90.82	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	90.82%
57) 1,1,2,2-Tetrachloroethane-	10.24	84	178972	45.99	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	91.98%
64) 1,2-Dichlorobenzene-d4	11.65	152	168602	49.55	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	99.10%

Target Compounds					Ovalue
13) Acetone	2.21	43	3581	2.687 ug/L	72

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA V\DATA\VV031720\
Data File : VV014973.D
Acq On : 17 Mar 2020 14:59
Operator : SY/MD
Sample : L1940-14
Misc : 5.0mL/MSVOA V/WATER
ALS Vial : 11 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
C0DA8

Quant Time: Mar 18 05:59:52 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM031620WMA.M
Quant Title : VOC Analysis
QLast Update : Wed Mar 18 05:21:28 2020
Response via : Initial Calibration

