

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV031720\
 Data File : VV014984.D
 Acq On : 17 Mar 2020 19:25
 Operator : SY/MD
 Sample : L1941-02
 Misc : 5.0mL/MSVOA V/WATER
 ALS Vial : 22 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 C0DA3

Manual Integrations
 APPROVED

apatel
 3/18/2020 3:04:51 PM

Quant Time: Mar 18 07:07:44 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM031620WMA.M
 Quant Title : VOC Analysis
 QLast Update : Wed Mar 18 05:21:28 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.64	114	337614	50.00	ug/L	0.00
28) Chlorobenzene-d5	8.87	117	329240	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.27	152	157814	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.32	65	85347	37.95	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	75.90%
7) Chloroethane-d5	1.58	69	67743	40.55	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	81.10%
11) 1,1-Dichloroethene-d2	2.12	63	109386	31.70	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	63.40%
21) 2-Butanone-d5	3.94	46	113400m	82.69	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	82.69%
24) Chloroform-d	4.38	84	205959	43.95	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	87.90%
26) 1,2-Dichloroethane-d4	5.06	65	136214	45.88	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	91.76%
32) Benzene-d6	5.08	84	413445	45.58	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	91.16%
36) 1,2-Dichloropropane-d6	6.10	67	122382	45.31	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	90.62%
41) Toluene-d8	7.34	98	392418	43.75	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	87.50%
43) trans-1,3-Dichloropropene-	7.64	79	56407	39.28	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	78.56%
47) 2-Hexanone-d5	8.12	63	113073	92.75	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	92.75%
57) 1,1,2,2-Tetrachloroethane-	10.24	84	179624	45.43	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	90.86%
64) 1,2-Dichlorobenzene-d4	11.65	152	169098	48.91	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	97.82%

Target Compounds Ovalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA V\DATA\VV031720\
Data File : VV014984.D
Acq On : 17 Mar 2020 19:25
Operator : SY/MD
Sample : L1941-02
Misc : 5.0mL/MSVOA V/WATER
ALS Vial : 22 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
C0DA3

Manual Integrations
APPROVED

apatel
3/18/2020 3:04:51 PM

Quant Time: Mar 18 07:07:44 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM031620WMA.M
Quant Title : VOC Analysis
QLast Update : Wed Mar 18 05:21:28 2020
Response via : Initial Calibration

