

Data Path : Z:\VOASRV\HPCHEM1\MSVOA_V\DATA\VV031720\
Quantitation Report (QT Reviewed)


Data File : VV014996.D
Acq On : 18 Mar 2020 00:46
Operator : SY/MD
Sample : L1940-11
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 35 Sample Multiplier: 1

Quant Time: Mar 18 08:18:51 2020
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM031620WMA.M
Quant Title : VOC Analysis
QLast Update : Wed Mar 18 07:43:00 2020
Response via : Initial Calibration

Instrument :
MSVOA_V
ClientSampleId :
C0DA0

Manual Integrations
APPROVED

apatel
3/18/2020 3:04:03 PM



Data Path : Z:\VOASRV\HPCHEM1\MSVOA_V\DATA\VV031720\
Quantitation Report (Qedit)




Data File : VV014996.D
Acq On : 18 Mar 2020 00:46
Operator : SY/MD
Sample : L1940-11
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 35 Sample Multiplier: 1

Quant Time: Mar 18 07:45:55 2020
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM031620WMA.M
Quant Title : VOC Analysis
QLast Update : Wed Mar 18 07:43:00 2020
Response via : Initial Calibration

Instrument :
MSVOA_V
ClientSampleId :
C0DA0

Manual Integrations
APPROVED

apatel
3/18/2020 3:04:03 PM



(21) 2-Butanone-d5 (S)

3.939min (+0.013) 71.49ug/L

response 92449

Ion	Exp%	Act%
46.00	100	100
77.00	20.50	27.28#
0.00	0.00	0.00
0.00	0.00	0.00

TIC: VV014996.D

Data Path : Z:\VOASRV\HPCHEM1\MSVOA_V\DATA\VV031720\
Quantitation Report (Qedit)




Data File : VV014996.D
Acq On : 18 Mar 2020 00:46
Operator : SY/MD
Sample : L1940-11
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 35 Sample Multiplier: 1

Quant Time: Mar 18 07:45:55 2020
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM031620WMA.M
Quant Title : VOC Analysis
QLast Update : Wed Mar 18 07:43:00 2020
Response via : Initial Calibration

Instrument :
MSVOA_V
ClientSampleId :
C0DA0

Manual Integrations
APPROVED

apatel
3/18/2020 3:04:03 PM



(21) 2-Butanone-d5 (S)

3.939min (+0.013) 79.32ug/L m

response 102574

Ion	Exp%	Act%
46.00	100	100
77.00	20.50	24.59
0.00	0.00	0.00
0.00	0.00	0.00

03/20/20 SY

Data Path : Z:\VOASRV\HPCHEM1\MSVOA_V\DATA\VV031720\
Quantitation Report (QT Reviewed)

Data File : VV014996.D
Acq On : 18 Mar 2020 00:46
Operator : SY/MD
Sample : L1940-11
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 35 Sample Multiplier: 1

Quant Time: Mar 18 08:18:51 2020
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM031620WMA.M
Quant Title : VOC Analysis
QLast Update : Wed Mar 18 07:43:00 2020
Response via : Initial Calibration

Instrument :
MSVOA_V
ClientSampleId :
C0DA0

Manual Integrations
APPROVED

apatel
3/18/2020 3:04:03 PM

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev (Min)
1) 1,4-Difluorobenzene	5.64	114	318338	50.00	ug/L	0.00
28) Chlorobenzene-d5	8.87	117	307212	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.27	152	150061	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.32	65	71722	33.82	ug/L	0.00
Spiked Amount 50.000	Range 60 - 135		Recovery =	67.64%		
7) Chloroethane-d5	1.58	69	61159	38.83	ug/L	0.00
Spiked Amount 50.000	Range 70 - 130		Recovery =	77.66%		
11) 1,1-Dichloroethene-d2	2.12	63	98183	30.17	ug/L	0.00
Spiked Amount 50.000	Range 60 - 125		Recovery =	60.34%		
21) 2-Butanone-d5	3.94	46	102574m	79.32	ug/L	0.01
Spiked Amount 100.000	Range 40 - 130		Recovery =	79.32%		
24) Chloroform-d	4.38	84	193720	43.84	ug/L	0.00
Spiked Amount 50.000	Range 70 - 125		Recovery =	87.68%		
26) 1,2-Dichloroethane-d4	5.06	65	130331	46.56	ug/L	0.00
Spiked Amount 50.000	Range 70 - 125		Recovery =	93.12%		
32) Benzene-d6	5.08	84	391435	46.25	ug/L	0.00
Spiked Amount 50.000	Range 70 - 125		Recovery =	92.50%		
36) 1,2-Dichloropropane-d6	6.10	67	115062	45.66	ug/L	0.00
Spiked Amount 50.000	Range 70 - 120		Recovery =	91.32%		
41) Toluene-d8	7.34	98	373806	44.66	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery =	89.32%		
43) trans-1,3-Dichloropropene-	7.64	79	56572	42.22	ug/L	0.00
Spiked Amount 50.000	Range 60 - 125		Recovery =	84.44%		
47) 2-Hexanone-d5	8.12	63	104826	92.15	ug/L	0.00
Spiked Amount 100.000	Range 45 - 130		Recovery =	92.15%		
57) 1,1,2,2-Tetrachloroethane-	10.24	84	175018	47.43	ug/L	0.00
Spiked Amount 50.000	Range 65 - 120		Recovery =	94.86%		
64) 1,2-Dichlorobenzene-d4	11.65	152	160769	48.91	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery =	97.82%		

Target Compounds

					Qvalue
63) 1,4-Dichlorobenzene	11.29	146	5247	1.053 ug/L	93
65) 1,2-Dichlorobenzene	11.67	146	3718	0.753 ug/L	94
68) 1,2,4-trichlorobenzene	13.29	180	4015	1.162 ug/L	96

(#) = qualifier out of range (m) = manual integration (+) = signals summed