

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV031720\
 Data File : VV014979.D
 Acq On : 17 Mar 2020 17:24
 Operator : SY/MD
 Sample : L1940-07
 Misc : 5.0mL/MSVOA V/WATER
 ALS Vial : 17 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 C0D94

Quant Time: Mar 18 06:55:47 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM031620WMA.M
 Quant Title : VOC Analysis
 QLast Update : Wed Mar 18 05:21:28 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.64	114	319870	50.00	ug/L	0.00
28) Chlorobenzene-d5	8.87	117	302485	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.27	152	145478	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.31	65	85974	40.35	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	80.70%
7) Chloroethane-d5	1.58	69	69365	43.83	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	87.66%
11) 1,1-Dichloroethene-d2	2.12	63	107922	33.01	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	66.02%
21) 2-Butanone-d5	3.93	46	112291	86.42	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	86.42%
24) Chloroform-d	4.38	84	199987	45.04	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	90.08%
26) 1,2-Dichloroethane-d4	5.06	65	135940	48.33	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	96.66%
32) Benzene-d6	5.08	84	410995	49.32	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	98.64%
36) 1,2-Dichloropropane-d6	6.10	67	121975	49.16	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	98.32%
41) Toluene-d8	7.34	98	394965	47.92	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	95.84%
43) trans-1,3-Dichloropropene-	7.64	79	54844	41.57	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	83.14%
47) 2-Hexanone-d5	8.12	63	112518	100.45	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	100.45%
57) 1,1,2,2-Tetrachloroethane-	10.24	84	177756	48.93	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	97.86%
64) 1,2-Dichlorobenzene-d4	11.65	152	164637	51.66	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	103.32%


Target Compounds					Ovalue
25) Chloroform	4.41	83	15077	3.600 ug/L	95




(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA V\DATA\VV031720\
Data File : VV014979.D
Acq On : 17 Mar 2020 17:24
Operator : SY/MD
Sample : L1940-07
Misc : 5.0mL/MSVOA V/WATER
ALS Vial : 17 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
C0D94

Quant Time: Mar 18 06:55:47 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM031620WMA.M
Quant Title : VOC Analysis
QLast Update : Wed Mar 18 05:21:28 2020
Response via : Initial Calibration





#25
 Chloroform
 Concen: 3.600 ug/L
 RT: 4.41 min Scan# 1032
 Delta R.T. 0.00 min
 Lab File: VV014979.D
 Acq: 17 Mar 2020 17:24

Instrument :
 MSVOA_V
 ClientSampleId :
 C0D94

Tot Ion: 83 Resp: 15077
 Ion Ratio Lower Upper
 83 100
 85 67.3 44.6 82.8

