

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV031721\
 Data File : VV020653.D
 Acq On : 17 Mar 2021 14:31
 Operator : SY/MD
 Sample : M1675-18
 Misc : 5.0mL/MSVOA_V/WATER
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 C0BG0

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SOMVLM031321WMA.M

Title : VOC Analysis

Signal : TIC: VV020653.D\data.ms

peak #	R.T. min	first scan	max scan	last scan	PK TY	peak height	corr. area	corr. % max.	% of total
1	1.307	78	83	93	rVB	194381	196414	13.54%	1.660%
2	1.571	158	165	176	rBV	169348	186391	12.85%	1.575%
3	2.111	324	333	355	rVB2	351351	549361	37.87%	4.642%
4	2.558	468	472	473	rBV4	3306	1971	0.14%	0.017%
5	2.696	510	515	516	rBV5	3177	2272	0.16%	0.019%
6	2.892	571	576	579	rBV7	3918	3616	0.25%	0.031%
7	2.957	593	596	597	rBV3	3390	2121	0.15%	0.018%
8	3.050	623	625	630	rVB6	6046	4138	0.29%	0.035%
9	3.076	630	633	635	rBV4	5678	3852	0.27%	0.033%
10	3.224	676	679	682	rVB4	3832	2579	0.18%	0.022%
11	3.246	682	686	687	rBV3	3212	2510	0.17%	0.021%
12	3.490	760	762	766	rBV5	2138	1327	0.09%	0.011%
13	3.510	766	768	769	rBV2	3710	1216	0.08%	0.010%
14	3.773	847	850	854	rVB6	4276	2486	0.17%	0.021%
15	3.812	860	862	864	rBV3	3047	1851	0.13%	0.016%
16	3.889	877	886	913	rBV	119387	358084	24.68%	3.026%
17	4.198	979	982	984	rBV4	4129	2212	0.15%	0.019%
18	4.352	1018	1030	1051	rVB	231528	572940	39.49%	4.841%
19	4.500	1073	1076	1079	rBV5	3864	2713	0.19%	0.023%
20	4.596	1102	1106	1107	rBV4	5861	4106	0.28%	0.035%
21	4.982	1223	1226	1230	rBV6	4444	3207	0.22%	0.027%
22	5.050	1232	1247	1267	rVV2	573793	1450736	100.00%	12.258%
23	5.313	1327	1329	1332	rBV3	3172	1388	0.10%	0.012%
24	5.448	1369	1371	1373	rVB3	2942	843	0.06%	0.007%
25	5.461	1373	1375	1377	rBV3	5037	2700	0.19%	0.023%
26	5.622	1414	1425	1444	rBV	433751	848955	58.52%	7.173%
27	5.918	1505	1517	1535	rBV3	360552	744224	51.30%	6.288%
28	6.072	1555	1565	1584	rVB	335681	670783	46.24%	5.668%
29	6.436	1675	1678	1679	rBV3	4068	1796	0.12%	0.015%
30	6.722	1764	1767	1769	rBV4	4735	3260	0.22%	0.028%
31	6.989	1841	1850	1864	rBV2	172597	305790	21.08%	2.584%
32	7.320	1942	1953	1967	rBV	639716	1090922	75.20%	9.218%
33	7.500	2007	2009	2013	rBV5	3475	2674	0.18%	0.023%
34	7.625	2040	2048	2063	rBV	118616	202466	13.96%	1.711%
35	7.937	2143	2145	2147	rBV3	3623	2142	0.15%	0.018%
36	8.030	2171	2174	2177	rBV5	3826	2997	0.21%	0.025%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV031721\
 Data File : VV020653.D
 Acq On : 17 Mar 2021 14:31
 Operator : SY/MD
 Sample : M1675-18
 Misc : 5.0mL/MSVOA_V/WATER
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 C0BG0

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SOMVLM031321WMA.M
 Title : VOC Analysis

37	8.091	2184	2193	2219	rBV2	360963	710658	48.99%	6.005%
38	8.606	2349	2353	2357	rBV6	4319	5156	0.36%	0.044%
39	8.712	2380	2386	2387	rBV5	5010	4850	0.33%	0.041%
40	8.857	2420	2431	2451	rBV	704152	1132499	78.06%	9.569%
41	9.429	2607	2609	2611	rBV3	2831	1188	0.08%	0.010%
42	9.619	2666	2668	2669	rBV2	2991	1182	0.08%	0.010%
43	9.728	2698	2702	2704	rBV5	3718	2795	0.19%	0.024%
44	9.776	2715	2717	2720	rBV3	3783	2609	0.18%	0.022%
45	9.828	2732	2733	2734	rVB	1885	364	0.03%	0.003%
46	9.837	2734	2736	2738	rBV3	2668	1329	0.09%	0.011%
47	10.014	2788	2791	2795	rBV5	4976	5256	0.36%	0.044%
48	10.220	2846	2855	2867	rVB	418723	634523	43.74%	5.361%
49	10.471	2932	2933	2935	rBV2	2805	1314	0.09%	0.011%
50	10.757	3016	3022	3023	rBV5	4321	4339	0.30%	0.037%
51	10.837	3044	3047	3048	rBV3	4485	2613	0.18%	0.022%
52	10.931	3075	3076	3078	rBV2	3212	1133	0.08%	0.010%
53	10.943	3078	3080	3083	rVV4	3834	2087	0.14%	0.018%
54	11.008	3097	3100	3102	rBV4	3491	2456	0.17%	0.021%
55	11.101	3128	3129	3130	rBV	2431	836	0.06%	0.007%
56	11.255	3167	3177	3190	rBV	651691	987223	68.05%	8.342%
57	11.558	3269	3271	3273	rBV3	3172	1583	0.11%	0.013%
58	11.590	3279	3281	3283	rBV3	2709	1554	0.11%	0.013%
59	11.628	3283	3293	3310	rVV	662024	1035751	71.39%	8.752%
60	11.770	3335	3337	3338	rBV2	2630	1204	0.08%	0.010%
61	12.095	3435	3438	3439	rBV3	2821	1381	0.10%	0.012%
62	12.146	3450	3454	3455	rBV4	3823	2805	0.19%	0.024%
63	12.558	3578	3582	3583	rBV4	2419	1481	0.10%	0.013%
64	12.606	3595	3597	3600	rBV4	1820	634	0.04%	0.005%
65	12.622	3600	3602	3603	rBV2	2427	733	0.05%	0.006%
66	12.876	3677	3681	3682	rBV4	2301	1170	0.08%	0.010%
67	13.011	3720	3723	3725	rBV3	2899	2274	0.16%	0.019%
68	13.185	3770	3777	3778	rBV7	5180	5244	0.36%	0.044%
69	13.271	3799	3804	3808	rBV7	5690	5821	0.40%	0.049%
70	13.390	3836	3841	3844	rBV6	3636	3373	0.23%	0.029%
71	13.580	3897	3900	3903	rBV5	4459	3962	0.27%	0.033%
72	13.914	4001	4004	4007	rVB5	3511	2164	0.15%	0.018%
73	13.937	4007	4011	4016	rBV7	5563	6044	0.42%	0.051%
74	14.165	4080	4082	4084	rBV3	3958	2082	0.14%	0.018%
75	14.467	4172	4176	4177	rBV4	2516	1666	0.11%	0.014%
76	14.638	4226	4229	4232	rBV5	3123	1682	0.12%	0.014%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV031721\
Data File : VV020653.D
Acq On : 17 Mar 2021 14:31
Operator : SY/MD
Sample : M1675-18
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
C0BG0

Integration Parameters: LSCINT.P
Integrator: RTE
Smoothing : OFF Filtering: 5
Sampling : 1 Min Area: 0 % of largest Peak
Start Thrs: 0.2 Max Peaks: 100
Stop Thrs : 0 Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >
Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SOMVLM031321WMA.M
Title : VOC Analysis

77	14.683	4240	4243	4245	rBV4	3740	2209	0.15%	0.019%
78	14.731	4253	4258	4260	rBV5	4457	2741	0.19%	0.023%
79	14.808	4280	4282	4283	rBV2	3048	1223	0.08%	0.010%
80	14.918	4314	4316	4317	rBV2	1957	747	0.05%	0.006%
81	14.988	4336	4338	4340	rBV2	3838	1852	0.13%	0.016%
82	15.779	4582	4584	4586	rBV3	4134	2092	0.14%	0.018%




Sum of corrected areas: 11834925

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV031721\
Data File : VV020653.D
Acq On : 17 Mar 2021 14:31
Operator : SY/MD
Sample : M1675-18
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
C0BG0

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SOMVLM031321WMA.M
Quant Title : VOC Analysis

TIC Library : C:\DATABASE\NIST11.L
TIC Integration Parameters: LSCINT.P



Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV031721\
Data File : VV020653.D
Acq On : 17 Mar 2021 14:31
Operator : SY/MD
Sample : M1675-18
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
C0BG0

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SOMVLM031321WMA.M
Quant Title : VOC Analysis

TIC Library : C:\DATABASE\NIST11.L
TIC Integration Parameters: LSCINT.P

No Library Search Compounds Detected

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV031721\
Data File : VV020653.D
Acq On : 17 Mar 2021 14:31
Operator : SY/MD
Sample : M1675-18
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
C0BG0

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SOMVLM031321WMA.M
Quant Title : VOC Analysis

TIC Library : C:\DATABASE\NIST11.L
TIC Integration Parameters: LSCINT.P

TIC Top Hit name	RT	EstConc	Units	Response	--Internal Standard--			
					#	RT	Resp	Conc
