

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV031819\
 Data File : VV009769.D
 Acq On : 18 Mar 2019 19:25
 Operator : SY/MD
 Sample : K1967-10
 Misc : 5.0mL/MSVOA V/WATER
 ALS Vial : 22 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 C09C3

Quant Time: Apr 03 09:30:09 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM031719WMA.M
 Quant Title : VOC Analysis
 QLast Update : Mon Mar 18 12:32:58 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.67	114	138891	50.00	ug/L	0.00
28) Chlorobenzene-d5	8.90	117	129932	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.30	152	50476	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.32	65	39974	42.69	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	85.38%
7) Chloroethane-d5	1.56	69	33124	47.94	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	95.88%
11) 1,1-Dichloroethene-d2	2.12	63	69211	34.71	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	69.42%
21) 2-Butanone-d5	3.93	46	54241	97.24	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	97.24%
24) Chloroform-d	4.40	84	77549	45.08	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	90.16%
26) 1,2-Dichloroethane-d4	5.08	65	49131	47.05	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	94.10%
32) Benzene-d6	5.10	84	169649	49.97	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	99.94%
36) 1,2-Dichloropropane-d6	6.12	67	50319	48.68	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	97.36%
41) Toluene-d8	7.36	98	157160	48.11	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	96.22%
43) trans-1,3-Dichloropropene-	7.66	79	22054	45.12	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	90.24%
47) 2-Hexanone-d5	8.13	63	40203	95.56	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	95.56%
57) 1,1,2,2-Tetrachloroethane-	10.26	84	73377	46.79	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	93.58%
64) 1,2-Dichlorobenzene-d4	11.68	152	53418	52.30	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	104.60%


Target Compounds					Ovalue
13) Acetone	2.19	43	1826	3.456 ug/L	88


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA V\DATA\VV031819\
Data File : VV009769.D
Acq On : 18 Mar 2019 19:25
Operator : SY/MD
Sample : K1967-10
Misc : 5.0mL/MSVOA V/WATER
ALS Vial : 22 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
C09C3

Quant Time: Apr 03 09:30:09 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM031719WMA.M
Quant Title : VOC Analysis
QLast Update : Mon Mar 18 12:32:58 2019
Response via : Initial Calibration





#13

Acetone

Concen: 3.456 ug/L

RT: 2.19 min Scan# 342

Delta R.T. -0.00 min

Lab File: VV009769.D

Acq: 18 Mar 2019 19:25

Instrument :
MSVOA_V
ClientSampleId :
C09C3

Tot Ion: 43 Resp: 1826

Ion Ratio Lower Upper

43 100

58 40.7 0.0 67.8

