

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VW032124\
 Data File : VW034782.D
 Acq On : 21 Mar 2024 12:26
 Operator : SY/MD
 Sample : PB159661TB 10X
 Misc : 5.0mL/MSVOA_V/WATER
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 VLEB661

Quant Time: Mar 22 02:01:35 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM022924WMA.M
 Quant Title : VOC Analysis
 QLast Update : Fri Mar 22 01:59:49 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	5.532	114	333795	50.000	ug/L	0.00
28) Chlorobenzene-d5	8.783	117	320019	50.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.185	152	147735	50.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.282	65	159260	55.038	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	= 110.080%	
7) Chloroethane-d5	1.532	69	124924	55.414	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	= 110.820%	
11) 1,1-Dichloroethene-d2	2.060	65	57316	43.798	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	= 87.600%	
21) 2-Butanone-d5	3.789	46	162743	84.101	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	= 84.100%	
24) Chloroform-d	4.246	84	259019	50.626	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	= 101.260%	
26) 1,2-Dichloroethane-d4	4.937	65	173584	51.919	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	= 103.840%	
32) Benzene-d6	4.957	84	514590	53.280	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	= 106.560%	
36) 1,2-Dichloropropane-d6	5.986	67	154642	52.465	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	= 104.940%	
41) Toluene-d8	7.239	98	457970	52.398	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	= 104.800%	
43) trans-1,3-Dichloroprop...	7.551	79	73313	49.531	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	= 99.060%	
47) 2-Hexanone-d5	8.024	63	103315	70.194	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	= 70.190%	
56) 1,1,2,2-Tetrachloroeth...	10.149	84	190139	49.019	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	= 98.040%	
66) 1,2-Dichlorobenzene-d4	11.558	152	164822	54.581	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	= 109.160%	

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV032124\
Data File : VV034782.D
Acq On : 21 Mar 2024 12:26
Operator : SY/MD
Sample : PB159661TB 10X
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 9 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
VLEB661

Quant Time: Mar 22 02:01:35 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM022924WMA.M
Quant Title : VOC Analysis
QLast Update : Fri Mar 22 01:59:49 2024
Response via : Initial Calibration

