

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV032124\
 Data File : VV034783.D
 Acq On : 21 Mar 2024 12:50
 Operator : SY/MD
 Sample : P1755-15DL 5X
 Misc : 5.0mL/MSVOA_V/WATER
 ALS Vial : 10 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 YCKX4DL

Quant Time: Mar 22 02:01:49 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM022924WMA.M
 Quant Title : VOC Analysis
 QLast Update : Fri Mar 22 01:59:49 2024
 Response via : Initial Calibration

Compound		R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards							
1) 1,4-Difluorobenzene		5.532	114	332820	50.000	ug/L	0.00
28) Chlorobenzene-d5		8.783	117	316502	50.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4		11.185	152	148391	50.000	ug/L	0.00
System Monitoring Compounds							
4) Vinyl Chloride-d3		1.282	65	151981	52.676	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	105.360%	
7) Chloroethane-d5		1.532	69	121119	53.884	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	107.760%	
11) 1,1-Dichloroethene-d2		2.060	65	52118	39.942	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	79.880%	
21) 2-Butanone-d5		3.793	46	171631	88.954	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	88.950%	
24) Chloroform-d		4.246	84	254233	49.836	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	99.680%	
26) 1,2-Dichloroethane-d4		4.941	65	169408	50.818	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	101.640%	
32) Benzene-d6		4.957	84	509760	53.366	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	106.740%	
36) 1,2-Dichloropropane-d6		5.986	67	151353	51.920	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	103.840%	
41) Toluene-d8		7.239	98	447273	51.742	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	103.480%	
43) trans-1,3-Dichloroprop...		7.551	79	74033	50.573	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	101.140%	
47) 2-Hexanone-d5		8.024	63	111447	76.560	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	76.560%	
56) 1,1,2,2-Tetrachloroeth...		10.149	84	193884	50.540	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	101.080%	
66) 1,2-Dichlorobenzene-d4		11.558	152	160011	52.754	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	105.500%	
Target Compounds							Qvalue
13) Acetone		2.121	43	197230	85.031	ug/L	99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV032124\
Data File : VV034783.D
Acq On : 21 Mar 2024 12:50
Operator : SY/MD
Sample : P1755-15DL 5X
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 10 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
YCKX4DL

Quant Time: Mar 22 02:01:49 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM022924WMA.M
Quant Title : VOC Analysis
QLast Update : Fri Mar 22 01:59:49 2024
Response via : Initial Calibration





#13
 Acetone
 Concen: 85.031 ug/L
 RT: 2.121 min Scan# 31
 Delta R.T. -0.003 min
 Lab File: VV034783.D
 Acq: 21 Mar 2024 12:50

Instrument :
 MSVOA_V
 ClientSampleId :
 YCKX4DL

Tgt Ion: 43 Resp: 197230
 Ion Ratio Lower Upper
 43 100
 58 29.0 0.0 57.2

