

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV032221\
 Data File : VV020699.D
 Acq On : 22 Mar 2021 14:03
 Operator : SY/MD
 Sample : M1698-11ME 10X
 Misc : 6.01g/5.0mL/100uL/5.0mL/MSVOA_V/WATER
 ALS Vial : 8 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 BG4K9ME

Quant Time: Mar 23 02:14:09 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SOMVLM031321WMA.M
 Quant Title : VOC Analysis
 QLast Update : Tue Mar 23 02:12:43 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	5.619	114	443732	50.00	ug/L	0.00
28) Chlorobenzene-d5	8.857	117	435237	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.255	152	201011	50.00	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.307	65	163148	45.58	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	91.16%
7) Chloroethane-d5	1.568	69	119680	41.79	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	83.58%
11) 1,1-Dichloroethene-d2	2.105	63	221174	32.51	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	65.02%
21) 2-Butanone-d5	3.896	46	210897	91.80	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	91.80%
24) Chloroform-d	4.352	84	279936	45.00	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	90.00%
26) 1,2-Dichloroethane-d4	5.034	65	195478	47.62	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	95.24%
32) Benzene-d6	5.053	84	558533	46.45	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	92.90%
36) 1,2-Dichloropropane-d6	6.072	67	174454	45.34	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	90.68%
41) Toluene-d8	7.320	98	496712	46.48	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	92.96%
43) trans-1,3-Dichloroprop...	7.625	79	83073	46.20	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	92.40%
47) 2-Hexanone-d5	8.092	63	149068	103.56	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	103.56%
57) 1,1,2,2-Tetrachloroeth...	10.220	84	236472	49.18	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	98.36%
64) 1,2-Dichlorobenzene-d4	11.628	152	186873	47.98	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	95.96%
Target Compounds						
46) Tetrachloroethene	7.979	164	20146	8.47	ug/L	Qvalue 89

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV032221\
Data File : VV020699.D
Acq On : 22 Mar 2021 14:03
Operator : SY/MD
Sample : M1698-11ME 10X
Misc : 6.01g/5.0mL/100uL/5.0mL/MSVOA_V/WATER
ALS Vial : 8 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
BG4K9ME

Quant Time: Mar 23 02:14:09 2021
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SOMVLM031321WMA.M
Quant Title : VOC Analysis
QLast Update : Tue Mar 23 02:12:43 2021
Response via : Initial Calibration

