

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV032421\
 Data File : VV020734.D
 Acq On : 24 Mar 2021 14:06
 Operator : SY/MD
 Sample : M1783-04 50X
 Misc : 5.0mL/MSVOA_V/WATER
 ALS Vial : 13 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 C0G10

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Sampling : 1

Start Thrs: 0.2

Stop Thrs : 0

Filtering: 5

Min Area: 0 % of largest Peak

Max Peaks: 100

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SOMVLM032321WMA.M

Title : VOC Analysis

Signal : TIC: VV020734.D\data.ms

peak #	R.T. min	first scan	max scan	last scan	PK TY	peak height	corr. area	corr. % max.	% of total
1	1.307	78	83	95	rVB	374242	366795	1.85%	0.574%
2	1.571	158	165	175	rVB	290884	320410	1.62%	0.501%
3	2.108	322	332	359	rVB	650075	976147	4.92%	1.527%
4	2.426	430	431	433	rBV	571	279	0.00%	0.000%
5	2.474	444	446	450	rBV3	662	391	0.00%	0.001%
6	2.510	450	457	463	rBV9	3469	5683	0.03%	0.009%
7	2.551	467	470	475	rBV4	1244	893	0.00%	0.001%
8	2.577	475	478	486	rVB4	1345	1500	0.01%	0.002%
9	2.616	486	490	492	rBV3	705	593	0.00%	0.001%
10	2.680	509	510	513	rVB2	364	147	0.00%	0.000%
11	2.696	513	515	516	rBV	388	144	0.00%	0.000%
12	2.809	548	550	553	rBV3	440	254	0.00%	0.000%
13	2.822	553	554	556	rVB2	647	201	0.00%	0.000%
14	2.844	559	561	562	rBV2	764	357	0.00%	0.001%
15	2.886	572	574	578	rVB3	919	573	0.00%	0.001%
16	2.908	578	581	583	rBV3	873	623	0.00%	0.001%
17	2.982	602	604	609	rBV2	612	550	0.00%	0.001%
18	3.040	618	622	627	rVB4	1060	989	0.00%	0.002%
19	3.063	627	629	630	rBV2	650	255	0.00%	0.000%
20	3.166	660	661	664	rVB	386	154	0.00%	0.000%
21	3.188	664	668	671	rBV4	901	584	0.00%	0.001%
22	3.285	694	698	700	rBV2	874	434	0.00%	0.001%
23	3.294	700	701	702	rVV2	361	102	0.00%	0.000%
24	3.326	706	711	714	rBV6	783	751	0.00%	0.001%
25	3.346	716	717	721	rVB3	379	192	0.00%	0.000%
26	3.375	721	726	729	rBV4	858	728	0.00%	0.001%
27	3.461	751	753	754	rBV	328	106	0.00%	0.000%
28	3.506	766	767	768	rVB	366	71	0.00%	0.000%
29	3.526	770	773	774	rVB3	483	224	0.00%	0.000%
30	3.539	774	777	778	rBV	165	80	0.00%	0.000%
31	3.545	778	779	780	rVB	404	78	0.00%	0.000%
32	3.577	780	789	791	rBV4	762	763	0.00%	0.001%
33	3.590	791	793	796	rVB	540	276	0.00%	0.000%
34	3.606	796	798	802	rBV2	719	552	0.00%	0.001%
35	3.706	828	829	832	rVB2	352	157	0.00%	0.000%
36	3.725	832	835	836	rBV2	443	238	0.00%	0.000%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV032421\
 Data File : VV020734.D
 Acq On : 24 Mar 2021 14:06
 Operator : SY/MD
 Sample : M1783-04 50X
 Misc : 5.0mL/MSVOA_V/WATER
 ALS Vial : 13 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 C0G10

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SOMVLM032321WMA.M

Title : VOC Analysis

37	3.741	836	840	841	rBV2	1531	1047	0.01%	0.002%
38	3.847	871	873	875	rBV	258	137	0.00%	0.000%
39	3.889	875	886	925	rBV	181937	536170	2.70%	0.839%
40	4.352	1016	1030	1055	rBV	461745	1139060	5.74%	1.782%
41	4.616	1110	1112	1113	rBV2	605	225	0.00%	0.000%
42	4.767	1157	1159	1163	rVB3	1039	678	0.00%	0.001%
43	4.834	1163	1180	1195	rBV4	8421	21850	0.11%	0.034%
44	4.911	1203	1204	1207	rBV3	546	281	0.00%	0.000%
45	4.947	1212	1215	1218	rBV3	770	516	0.00%	0.001%
46	4.985	1226	1227	1229	rVB2	537	190	0.00%	0.000%
47	5.050	1229	1247	1256	rBV2	1078602	2712023	13.67%	4.244%
48	5.503	1384	1388	1391	rBB5	1078	710	0.00%	0.001%
49	5.622	1412	1425	1451	rBV	851529	1701056	8.57%	2.662%
50	5.995	1538	1541	1544	rBV3	1581	835	0.00%	0.001%
51	6.072	1551	1565	1590	rBV	588546	1211473	6.11%	1.896%
52	6.452	1680	1683	1685	rBV2	883	554	0.00%	0.001%
53	6.487	1692	1694	1695	rBV	712	327	0.00%	0.001%
54	6.519	1702	1704	1708	rVB3	674	486	0.00%	0.001%
55	6.542	1708	1711	1712	rBV2	486	238	0.00%	0.000%
56	6.551	1712	1714	1716	rBV	651	318	0.00%	0.000%
57	6.574	1720	1721	1724	rBV3	517	338	0.00%	0.001%
58	6.619	1733	1735	1742	rVB4	880	702	0.00%	0.001%
59	6.673	1750	1752	1755	rBV	646	412	0.00%	0.001%
60	6.757	1774	1778	1780	rBV4	1090	613	0.00%	0.001%
61	6.783	1782	1786	1787	rBV2	661	535	0.00%	0.001%
62	6.828	1797	1800	1803	rVB2	513	317	0.00%	0.000%
63	6.889	1817	1819	1820	rBV	527	236	0.00%	0.000%
64	6.918	1824	1828	1834	rVB5	1066	1111	0.01%	0.002%
65	6.989	1834	1850	1874	rBV	345727	624677	3.15%	0.978%
66	7.188	1909	1912	1914	rBV2	1215	758	0.00%	0.001%
67	7.320	1940	1953	1975	rBV	1278849	2181092	10.99%	3.413%
68	7.625	2036	2048	2068	rBV	246691	429671	2.17%	0.672%
69	7.947	2144	2148	2153	rVB4	2421	2037	0.01%	0.003%
70	8.091	2182	2193	2228	rBV	676715	1199163	6.04%	1.876%
71	8.744	2394	2396	2397	rBV	656	277	0.00%	0.000%
72	8.886	2419	2440	2479	rBV2	11310546	19838049	100.00%	31.043%
73	9.246	2548	2552	2555	rBV6	1641	1659	0.01%	0.003%
74	9.281	2560	2563	2566	rBV2	1389	933	0.00%	0.001%
75	9.490	2623	2628	2631	rBV4	966	808	0.00%	0.001%
76	9.506	2631	2633	2636	rVV4	933	479	0.00%	0.001%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV032421\
 Data File : VV020734.D
 Acq On : 24 Mar 2021 14:06
 Operator : SY/MD
 Sample : M1783-04 50X
 Misc : 5.0mL/MSVOA_V/WATER
 ALS Vial : 13 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 C0G10

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SOMVLM032321WMA.M

Title : VOC Analysis

77	9.972	2777	2778	2779	rBV	581	186	0.00%	0.000%
78	10.030	2794	2796	2799	rVB3	776	296	0.00%	0.000%
79	10.075	2808	2810	2811	rBV	612	277	0.00%	0.000%
80	10.107	2818	2820	2825	rVB2	808	587	0.00%	0.001%
81	10.130	2825	2827	2829	rBV2	455	136	0.00%	0.000%
82	10.223	2843	2856	2873	rBV	859813	1321076	6.66%	2.067%
83	10.374	2900	2903	2904	rBV2	964	516	0.00%	0.001%
84	10.387	2904	2907	2916	rVB9	1788	1863	0.01%	0.003%
85	10.705	3004	3006	3007	rBV	674	238	0.00%	0.000%
86	10.731	3012	3014	3016	rBV2	389	203	0.00%	0.000%
87	10.770	3022	3026	3030	rVB3	858	803	0.00%	0.001%
88	10.795	3030	3034	3038	rBV5	951	1001	0.01%	0.002%
89	11.188	3144	3156	3167	rBV	750921	1161731	5.86%	1.818%
90	11.278	3167	3184	3211	rVB2	6337613	11537048	58.16%	18.053%
91	11.648	3278	3299	3321	rBV2	7772451	13534656	68.23%	21.179%
92	12.660	3606	3614	3618	rBV7	4023	5452	0.03%	0.009%
93	12.760	3638	3645	3657	rBV9	6374	9847	0.05%	0.015%
94	13.268	3791	3803	3817	rBV	1632325	2442724	12.31%	3.822%
95	13.750	3942	3953	3968	rBV	375921	592297	2.99%	0.927%




Sum of corrected areas: 63905252

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV032421\
Data File : VV020734.D
Acq On : 24 Mar 2021 14:06
Operator : SY/MD
Sample : M1783-04 50X
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 13 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
C0G10

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SOMVLM032321WMA.M
Quant Title : VOC Analysis

TIC Library : C:\DATABASE\NIST11.L
TIC Integration Parameters: LSCINT.P



Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV032421\
Data File : VV020734.D
Acq On : 24 Mar 2021 14:06
Operator : SY/MD
Sample : M1783-04 50X
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 13 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
C0G10

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SOMVLM032321WMA.M
Quant Title : VOC Analysis

TIC Library : C:\DATABASE\NIST11.L
TIC Integration Parameters: LSCINT.P

No Library Search Compounds Detected

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV032421\
Data File : VV020734.D
Acq On : 24 Mar 2021 14:06
Operator : SY/MD
Sample : M1783-04 50X
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 13 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
C0G10

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SOMVLM032321WMA.M
Quant Title : VOC Analysis

TIC Library : C:\DATABASE\NIST11.L
TIC Integration Parameters: LSCINT.P

TIC Top Hit name	RT	EstConc	Units	Response	#	RT	Resp	Conc
------------------	----	---------	-------	----------	---	----	------	------