

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_V\Data\VV032422\  
 Data File : VV025149.D  
 Acq On : 24 Mar 2022 14:24  
 Operator : SY/MD  
 Sample : VV0324WBL01  
 Misc : 25mL/MSVOA\_V/WATER  
 ALS Vial : 3 Sample Multiplier: 1

Instrument :  
 MSVOA\_V  
 ClientSampleId :  
 VBLK323

Integration Parameters: rteint.p

Integrator: RTE

Smoothing : ON

Filtering: 5

Sampling : 1

Min Area: 3 % of largest Peak

Start Thrs: 0.1

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA\_V\Method\SFAMVTR031522WMA.M  
 Title : TRACE VOA SFAM1.0

Signal : TIC: VV025149.D\data.ms

| peak<br># | R.T.<br>min | first<br>scan | max<br>scan | last<br>scan | PK<br>TY | peak<br>height | corr.<br>area | corr.<br>% max. | % of<br>total |
|-----------|-------------|---------------|-------------|--------------|----------|----------------|---------------|-----------------|---------------|
| 1         | 1.307       | 75            | 83          | 95           | rVB      | 100586         | 99748         | 17.61%          | 2.333%        |
| 2         | 1.568       | 156           | 164         | 182          | rVB      | 76125          | 85526         | 15.10%          | 2.001%        |
| 3         | 2.108       | 322           | 332         | 351          | rVB      | 158001         | 228293        | 40.31%          | 5.340%        |
| 4         | 2.507       | 447           | 456         | 467          | rBV2     | 11378          | 19004         | 3.36%           | 0.445%        |
| 5         | 3.040       | 608           | 622         | 637          | rVB7     | 2895           | 6046          | 1.07%           | 0.141%        |
| 6         | 3.905       | 879           | 891         | 932          | rBV2     | 27231          | 127849        | 22.57%          | 2.991%        |
| 7         | 4.343       | 1011          | 1027        | 1058         | rVB      | 95656          | 240919        | 42.54%          | 5.636%        |
| 8         | 5.044       | 1230          | 1245        | 1278         | rBV3     | 228939         | 566336        | 100.00%         | 13.248%       |
| 9         | 5.613       | 1406          | 1422        | 1460         | rBV      | 159594         | 328288        | 57.97%          | 7.679%        |
| 10        | 5.912       | 1506          | 1515        | 1528         | rBV7     | 3103           | 6864          | 1.21%           | 0.161%        |
| 11        | 6.066       | 1550          | 1563        | 1597         | rBV2     | 122726         | 251867        | 44.47%          | 5.892%        |
| 12        | 6.986       | 1838          | 1849        | 1865         | rBV2     | 53257          | 99436         | 17.56%          | 2.326%        |
| 13        | 7.314       | 1939          | 1951        | 1970         | rBV      | 285182         | 504706        | 89.12%          | 11.806%       |
| 14        | 7.622       | 2038          | 2047        | 2063         | rBV      | 28049          | 50441         | 8.91%           | 1.180%        |
| 15        | 8.088       | 2182          | 2192        | 2234         | rBV      | 174479         | 373846        | 66.01%          | 8.745%        |
| 16        | 8.850       | 2418          | 2429        | 2454         | rBV      | 238361         | 395291        | 69.80%          | 9.247%        |
| 17        | 10.214      | 2840          | 2853        | 2872         | rBV      | 76718          | 122711        | 21.67%          | 2.870%        |
| 18        | 11.246      | 3164          | 3174        | 3193         | rBV      | 242148         | 374281        | 66.09%          | 8.755%        |
| 19        | 11.622      | 3276          | 3291        | 3316         | rBV      | 245888         | 387348        | 68.40%          | 9.061%        |
| 20        | 12.246      | 3475          | 3485        | 3498         | rVB      | 3882           | 6140          | 1.08%           | 0.144%        |




Sum of corrected areas: 4274940

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_V\Data\VV032422\  
Data File : VV025149.D  
Acq On : 24 Mar 2022 14:24  
Operator : SY/MD  
Sample : VV0324WBL01  
Misc : 25mL/MSVOA\_V/WATER  
ALS Vial : 3 Sample Multiplier: 1

Instrument :  
MSVOA\_V  
ClientSampleId :  
VBLK323

Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_V\Method\SFAMVTR031522WMA.M  
Quant Title : TRACE VOA SFAM1.0

TIC Library : C:\Database\NIST20.L  
TIC Integration Parameters: LSCINT.P



Data Path : Z:\voasrv\HPCHEM1\MSVOA\_V\Data\VV032422\  
Data File : VV025149.D  
Acq On : 24 Mar 2022 14:24  
Operator : SY/MD  
Sample : VV0324WBL01  
Misc : 25mL/MSVOA\_V/WATER  
ALS Vial : 3 Sample Multiplier: 1

Instrument :  
MSVOA\_V  
ClientSampleId :  
VBLK323

Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_V\Method\SFAMVTR031522WMA.M  
Quant Title : TRACE VOA SFAM1.0

TIC Library : C:\Database\NIST20.L  
TIC Integration Parameters: LSCINT.P

No Library Search Compounds Detected

\*\*\*\*\*

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_V\Data\VV032422\  
Data File : VV025149.D  
Acq On : 24 Mar 2022 14:24  
Operator : SY/MD  
Sample : VV0324WBL01  
Misc : 25mL/MSVOA\_V/WATER  
ALS Vial : 3 Sample Multiplier: 1

Instrument :  
MSVOA\_V  
ClientSampleId :  
VBLK323

Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_V\Method\SFAMVTR031522WMA.M  
Quant Title : TRACE VOA SFAM1.0

TIC Library : C:\Database\NIST0.L  
TIC Integration Parameters: LSCINT.P

| TIC Top Hit name | RT | EstConc | Units | Response | --Internal Standard-- |
|------------------|----|---------|-------|----------|-----------------------|
|                  |    |         |       | #        | RT Resp Conc          |