

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV032620\
 Data File : VV015174.D
 Acq On : 26 Mar 2020 18:58
 Operator : SY/MD
 Sample : L1494-12
 Misc : 5.0mL/MSVOA V/WATER
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :

Quant Time: Mar 27 03:39:10 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM032620WMA.M
 Quant Title : VOC Analysis
 QLast Update : Fri Mar 27 03:08:32 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.64	114	658374	50.00	ug/L	0.00
28) Chlorobenzene-d5	8.87	117	624567	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.27	152	273949	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.32	65	167874	47.53	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	95.06%
7) Chloroethane-d5	1.50	69	279	0.08	ug/L	-0.08
Spiked Amount	50.000	Range	70 - 130	Recovery	=	0.16%#
11) 1,1-Dichloroethene-d2	2.12	63	253762	31.50	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	63.00%
21) 2-Butanone-d5	3.94	46	351300	99.88	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	99.88%
24) Chloroform-d	4.38	84	361713	46.72	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	93.44%
26) 1,2-Dichloroethane-d4	5.06	65	254467	49.79	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	99.58%
32) Benzene-d6	5.08	84	648671	50.49	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	100.98%
36) 1,2-Dichloropropane-d6	6.10	67	231530	49.96	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	99.92%
41) Toluene-d8	7.34	98	569324	48.90	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	97.80%
43) trans-1,3-Dichloropropene-	7.64	79	121460	48.12	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	96.24%
47) 2-Hexanone-d5	8.12	63	277614	102.45	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	102.45%
57) 1,1,2,2-Tetrachloroethane-	10.24	84	388331	49.34	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	98.68%
64) 1,2-Dichlorobenzene-d4	11.65	152	254135	49.69	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	99.38%


Target Compounds					Ovalue
48) 2-Hexanone	8.12	43	34444	6.084 ug/L #	79


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA V\DATA\VV032620\
Data File : VV015174.D
Acq On : 26 Mar 2020 18:58
Operator : SY/MD
Sample : L1494-12
Misc : 5.0mL/MSVOA V/WATER
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :

Quant Time: Mar 27 03:39:10 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM032620WMA.M
Quant Title : VOC Analysis
QLast Update : Fri Mar 27 03:08:32 2020
Response via : Initial Calibration





#48

2-Hexanone

Concen: 6.084 ug/L

RT: 8.12 min Scan# 2185

Delta R.T. -0.05 min

Lab File: VV015174.D

Acq: 26 Mar 2020 18:58

Instrument :
MSVOA_V
ClientSampleId :

Tot Ion: 43 Resp: 34444

Ion	Ratio	Lower	Upper
43	100		
58	37.5	44.3	66.5#
57	21.2	15.4	23.0
100	0.3	10.4	15.6#

