

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VW032621\
 Data File : VW020762.D
 Acq On : 26 Mar 2021 17:20
 Operator : SY/MD
 Sample : M1784-05
 Misc : 5.0mL/MSVOA_V/WATER
 ALS Vial : 19 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 BG4R9

Quant Time: Mar 27 06:54:36 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SOMVLM032321WMA.M
 Quant Title : VOC Analysis
 QLast Update : Sat Mar 27 06:50:46 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	5.622	114	672218	50.00	ug/L	0.00
28) Chlorobenzene-d5	8.857	117	660975	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.255	152	328756	50.00	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.307	65	162505	34.05	ug/L	0.00
Spiked Amount 50.000	Range 60 - 135		Recovery =	68.10%		
7) Chloroethane-d5	1.571	69	141504	39.22	ug/L	0.00
Spiked Amount 50.000	Range 70 - 130		Recovery =	78.44%		
11) 1,1-Dichloroethene-d2	2.111	63	257756	28.63	ug/L	0.00
Spiked Amount 50.000	Range 60 - 125		Recovery =	57.26%#		
21) 2-Butanone-d5	3.892	46	279785	90.11	ug/L	0.00
Spiked Amount 100.000	Range 40 - 130		Recovery =	90.11%		
24) Chloroform-d	4.352	84	412338	43.47	ug/L	0.00
Spiked Amount 50.000	Range 70 - 125		Recovery =	86.94%		
26) 1,2-Dichloroethane-d4	5.037	65	289523	46.33	ug/L	0.00
Spiked Amount 50.000	Range 70 - 125		Recovery =	92.66%		
32) Benzene-d6	5.053	84	736660	41.81	ug/L	0.00
Spiked Amount 50.000	Range 70 - 125		Recovery =	83.62%		
36) 1,2-Dichloropropane-d6	6.075	67	234549	43.36	ug/L	0.00
Spiked Amount 50.000	Range 70 - 120		Recovery =	86.72%		
41) Toluene-d8	7.320	98	661277	40.32	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery =	80.64%		
43) trans-1,3-Dichloroprop...	7.625	79	115471	40.12	ug/L	0.00
Spiked Amount 50.000	Range 60 - 125		Recovery =	80.24%		
47) 2-Hexanone-d5	8.091	63	206183	90.92	ug/L	0.00
Spiked Amount 100.000	Range 45 - 130		Recovery =	90.92%		
57) 1,1,2,2-Tetrachloroeth...	10.220	84	343679	43.62	ug/L	0.00
Spiked Amount 50.000	Range 65 - 120		Recovery =	87.24%		
64) 1,2-Dichlorobenzene-d4	11.631	152	299808	46.99	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery =	93.98%		

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV032621\
Data File : VV020762.D
Acq On : 26 Mar 2021 17:20
Operator : SY/MD
Sample : M1784-05
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 19 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
BG4R9

Quant Time: Mar 27 06:54:36 2021
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SOMVLM032321WMA.M
Quant Title : VOC Analysis
QLast Update : Sat Mar 27 06:50:46 2021
Response via : Initial Calibration

