

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VW032621\
 Data File : VW020757.D
 Acq On : 26 Mar 2021 15:22
 Operator : SY/MD
 Sample : M1784-12
 Misc : 5.0mL/MSVOA_V/WATER
 ALS Vial : 14 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 BG4W4

Quant Time: Mar 27 06:53:33 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SOMVLM032321WMA.M
 Quant Title : VOC Analysis
 QLast Update : Sat Mar 27 06:50:46 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	5.622	114	622371	50.00	ug/L	0.00
28) Chlorobenzene-d5	8.857	117	609594	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.255	152	297733	50.00	ug/L	0.00

System Monitoring Compounds						
4) Vinyl Chloride-d3	1.307	65	167330	37.87	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	75.74%
7) Chloroethane-d5	1.571	69	143583	42.98	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	85.96%
11) 1,1-Dichloroethene-d2	2.108	63	269708	32.35	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	64.70%
21) 2-Butanone-d5	3.892	46	288363	100.31	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	100.31%
24) Chloroform-d	4.352	84	424645	48.35	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	96.70%
26) 1,2-Dichloroethane-d4	5.037	65	290718	50.25	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	100.50%
32) Benzene-d6	5.053	84	759915	46.77	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	93.54%
36) 1,2-Dichloropropane-d6	6.076	67	244373	48.99	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	97.98%
41) Toluene-d8	7.320	98	680382	44.98	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	89.96%
43) trans-1,3-Dichloroprop...	7.625	79	120336	45.34	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	90.68%
47) 2-Hexanone-d5	8.092	63	208800	99.83	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	99.83%
57) 1,1,2,2-Tetrachloroeth...	10.223	84	343674	47.30	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	94.60%
64) 1,2-Dichlorobenzene-d4	11.632	152	299352	51.81	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	103.62%

Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV032621\
Data File : VV020757.D
Acq On : 26 Mar 2021 15:22
Operator : SY/MD
Sample : M1784-12
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 14 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
BG4W4

Quant Time: Mar 27 06:53:33 2021
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SOMVLM032321WMA.M
Quant Title : VOC Analysis
QLast Update : Sat Mar 27 06:50:46 2021
Response via : Initial Calibration

