

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VW032621\
 Data File : VW020754.D
 Acq On : 26 Mar 2021 14:11
 Operator : SY/MD
 Sample : M1781-15
 Misc : 5.0mL/MSVOA_V/WATER
 ALS Vial : 11 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 BG3G0

Quant Time: Mar 27 07:33:39 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SOMVLM032321WMA.M
 Quant Title : VOC Analysis
 QLast Update : Sat Mar 27 06:50:46 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Difluorobenzene	5.622	114	664212	50.00	ug/L	0.00
28) Chlorobenzene-d5	8.857	117	655794	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.255	152	320827	50.00	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.307	65	161187	34.18	ug/L	0.00
Spiked Amount	50.000	Range 60 - 135	Recovery	=	68.36%	
7) Chloroethane-d5	1.571	69	138041	38.72	ug/L	0.00
Spiked Amount	50.000	Range 70 - 130	Recovery	=	77.44%	
11) 1,1-Dichloroethene-d2	2.111	63	261092	29.35	ug/L	0.00
Spiked Amount	50.000	Range 60 - 125	Recovery	=	58.70%#	
21) 2-Butanone-d5	3.889	46	292030	95.19	ug/L	0.00
Spiked Amount	100.000	Range 40 - 130	Recovery	=	95.19%	
24) Chloroform-d	4.352	84	414226	44.19	ug/L	0.00
Spiked Amount	50.000	Range 70 - 125	Recovery	=	88.38%	
26) 1,2-Dichloroethane-d4	5.037	65	287491	46.56	ug/L	0.00
Spiked Amount	50.000	Range 70 - 125	Recovery	=	93.12%	
32) Benzene-d6	5.056	84	747961	42.79	ug/L	0.00
Spiked Amount	50.000	Range 70 - 125	Recovery	=	85.58%	
36) 1,2-Dichloropropane-d6	6.072	67	237189	44.20	ug/L	0.00
Spiked Amount	50.000	Range 70 - 120	Recovery	=	88.40%	
41) Toluene-d8	7.320	98	656870	40.37	ug/L	0.00
Spiked Amount	50.000	Range 80 - 120	Recovery	=	80.74%	
43) trans-1,3-Dichloroprop...	7.625	79	116932	40.95	ug/L	0.00
Spiked Amount	50.000	Range 60 - 125	Recovery	=	81.90%	
47) 2-Hexanone-d5	8.091	63	204316	90.81	ug/L	0.00
Spiked Amount	100.000	Range 45 - 130	Recovery	=	90.81%	
57) 1,1,2,2-Tetrachloroeth...	10.223	84	338959	43.36	ug/L	0.00
Spiked Amount	50.000	Range 65 - 120	Recovery	=	86.72%	
64) 1,2-Dichlorobenzene-d4	11.631	152	301412	48.41	ug/L	0.00
Spiked Amount	50.000	Range 80 - 120	Recovery	=	96.82%	
Target Compounds						
13) Acetone	2.182	43	26799	12.25	ug/L	Qvalue 96


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV032621\
Data File : VV020754.D
Acq On : 26 Mar 2021 14:11
Operator : SY/MD
Sample : M1781-15
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 11 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
BG3G0

Quant Time: Mar 27 07:33:39 2021
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SOMVLM032321WMA.M
Quant Title : VOC Analysis
QLast Update : Sat Mar 27 06:50:46 2021
Response via : Initial Calibration





#13
Acetone
Concen: 12.25 ug/L
RT: 2.182 min Scan# 355
Delta R.T. 0.003 min
Lab File: VV020754.D
Acq: 26 Mar 2021 14:11

Instrument :
MSVOA_V
ClientSampleId :
BG3G0

Tgt Ion: 43 Resp: 26799
Ion Ratio Lower Upper
43 100
58 28.4 0.0 60.8

