

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV032624\
 Data File : VV034834.D
 Acq On : 26 Mar 2024 17:53
 Operator : SY/MD
 Sample : P1851-05
 Misc : 5.0mL/MSVOA_V/WATER
 ALS Vial : 14 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 E0LX4

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM032624WMA.M
 Title : VOC Analysis

Signal : TIC: VV034834.D\data.ms

peak #	R.T. min	first scan	max scan	last scan	PK TY	peak height	corr. area	corr. % max.	% of total
1	1.278	68	74	92	rVB	167824	169487	17.15%	2.695%
2	1.532	147	153	169	rVB	132721	156783	15.86%	2.493%
3	2.060	308	317	332	rBV	250312	363023	36.72%	5.771%
4	2.593	482	483	487	rVB2	356	200	0.02%	0.003%
5	2.671	505	507	509	rVB	421	146	0.01%	0.002%
6	2.696	512	515	523	rVB6	981	1328	0.13%	0.021%
7	2.732	523	526	531	rBV3	262	242	0.02%	0.004%
8	2.773	535	539	542	rBV2	361	304	0.03%	0.005%
9	2.793	542	545	547	rVB2	383	195	0.02%	0.003%
10	2.912	577	582	585	rBV4	504	367	0.04%	0.006%
11	2.954	593	595	599	rVB2	271	140	0.01%	0.002%
12	2.973	599	601	603	rBV	366	188	0.02%	0.003%
13	3.095	638	639	644	rVB	297	158	0.02%	0.003%
14	3.227	675	680	682	rBV3	265	201	0.02%	0.003%
15	3.310	703	706	708	rBV2	368	182	0.02%	0.003%
16	3.339	713	715	717	rBV	335	165	0.02%	0.003%
17	3.452	745	750	751	rBV3	327	179	0.02%	0.003%
18	3.465	751	754	756	rVV2	277	205	0.02%	0.003%
19	3.487	760	761	768	rVB	551	322	0.03%	0.005%
20	3.545	768	779	782	rBV2	385	439	0.04%	0.007%
21	3.587	787	792	795	rBV2	325	367	0.04%	0.006%
22	3.680	819	821	824	rVB2	294	145	0.01%	0.002%
23	3.703	824	828	831	rBV2	513	359	0.04%	0.006%
24	3.741	838	840	842	rBV	291	176	0.02%	0.003%
25	3.789	846	855	893	rBV	63973	191929	19.42%	3.051%
26	4.249	984	998	1033	rBB	151084	389211	39.37%	6.188%
27	4.799	1165	1169	1170	rBV	195	152	0.02%	0.002%
28	4.957	1203	1218	1244	rBV2	372674	988495	100.00%	15.715%
29	5.294	1317	1323	1328	rBV3	378	393	0.04%	0.006%
30	5.494	1380	1385	1386	rBV2	598	399	0.04%	0.006%
31	5.539	1389	1399	1426	rBV	115445	251310	25.42%	3.995%
32	5.831	1483	1490	1491	rBV4	3954	3457	0.35%	0.055%
33	5.989	1526	1539	1569	rBV	215429	454831	46.01%	7.231%
34	6.223	1611	1612	1615	rVB	741	268	0.03%	0.004%
35	6.240	1615	1617	1619	rBV3	475	263	0.03%	0.004%
36	6.314	1637	1640	1644	rBV3	403	347	0.04%	0.006%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VW032624\
 Data File : VW034834.D
 Acq On : 26 Mar 2024 17:53
 Operator : SY/MD
 Sample : P1851-05
 Misc : 5.0mL/MSVOA_V/WATER
 ALS Vial : 14 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 EOLX4

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM032624WMA.M
 Title : VOC Analysis

37	6.410	1668	1670	1673	rVV3	328	163	0.02%	0.003%
38	6.468	1686	1688	1690	rVB2	431	156	0.02%	0.002%
39	6.532	1704	1708	1713	rVB3	593	538	0.05%	0.009%
40	6.564	1715	1718	1720	rBV	343	195	0.02%	0.003%
41	6.735	1768	1771	1773	rBV2	393	264	0.03%	0.004%
42	6.815	1792	1796	1803	rVB3	291	235	0.02%	0.004%
43	6.915	1813	1827	1854	rBV	106383	211009	21.35%	3.355%
44	7.159	1901	1903	1904	rBV	292	150	0.02%	0.002%
45	7.243	1918	1929	1968	rBV	421951	756587	76.54%	12.028%
46	7.555	2017	2026	2049	rBV	70682	137033	13.86%	2.179%
47	7.757	2086	2089	2090	rBV2	455	236	0.02%	0.004%
48	7.866	2121	2123	2124	rBV	332	158	0.02%	0.003%
49	7.950	2147	2149	2154	rVB3	311	146	0.01%	0.002%
50	8.027	2163	2173	2211	rBV	184123	408505	41.33%	6.494%
51	8.664	2366	2371	2375	rVB3	564	450	0.05%	0.007%
52	8.741	2391	2395	2398	rBV2	351	308	0.03%	0.005%
53	8.786	2398	2409	2440	rBV	186735	326462	33.03%	5.190%
54	9.056	2490	2493	2496	rBV2	477	375	0.04%	0.006%
55	9.143	2517	2520	2522	rBV	457	225	0.02%	0.004%
56	9.162	2522	2526	2529	rVV3	326	290	0.03%	0.005%
57	9.204	2536	2539	2541	rBV2	240	190	0.02%	0.003%
58	9.281	2561	2563	2567	rBV2	276	205	0.02%	0.003%
59	9.394	2596	2598	2601	rVV2	360	183	0.02%	0.003%
60	9.465	2617	2620	2624	rVB2	366	207	0.02%	0.003%
61	9.490	2624	2628	2631	rBV3	603	583	0.06%	0.009%
62	9.683	2684	2688	2691	rBV3	357	259	0.03%	0.004%
63	9.744	2702	2707	2708	rBV	253	208	0.02%	0.003%
64	9.876	2740	2748	2752	rVV4	767	1047	0.11%	0.017%
65	9.921	2760	2762	2764	rVB2	621	241	0.02%	0.004%
66	9.960	2771	2774	2775	rBV	355	169	0.02%	0.003%
67	9.995	2781	2785	2786	rBV	287	179	0.02%	0.003%
68	10.037	2796	2798	2801	rVB2	309	165	0.02%	0.003%
69	10.069	2805	2808	2812	rVB2	321	217	0.02%	0.003%
70	10.153	2823	2834	2853	rBV	296516	464694	47.01%	7.388%
71	10.326	2881	2888	2892	rVB4	896	921	0.09%	0.015%
72	10.349	2892	2895	2897	rBV2	206	144	0.01%	0.002%
73	10.384	2904	2906	2909	rBV4	331	204	0.02%	0.003%
74	10.600	2971	2973	2981	rBV3	330	314	0.03%	0.005%
75	10.638	2982	2985	2986	rBV	267	142	0.01%	0.002%
76	10.673	2993	2996	2997	rBV	396	220	0.02%	0.003%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV032624\
 Data File : VV034834.D
 Acq On : 26 Mar 2024 17:53
 Operator : SY/MD
 Sample : P1851-05
 Misc : 5.0mL/MSVOA_V/WATER
 ALS Vial : 14 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 EOLX4

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM032624WMA.M
 Title : VOC Analysis

77	10.825	3040	3043	3048	rBV3	406	280	0.03%	0.004%
78	10.866	3048	3056	3059	rBV5	1172	1236	0.13%	0.020%
79	10.934	3074	3077	3080	rBV2	299	180	0.02%	0.003%
80	11.066	3115	3118	3119	rBV	370	168	0.02%	0.003%
81	11.127	3132	3137	3138	rBV2	1822	1271	0.13%	0.020%
82	11.185	3146	3155	3180	rBV	181032	301920	30.54%	4.800%
83	11.468	3239	3243	3248	rVV4	1206	1192	0.12%	0.019%
84	11.561	3253	3272	3292	rBV	412528	668433	67.62%	10.627%
85	11.780	3338	3340	3342	rBV	348	202	0.02%	0.003%
86	11.995	3405	3407	3409	rBV	347	164	0.02%	0.003%
87	12.024	3413	3416	3418	rBV2	516	416	0.04%	0.007%
88	12.069	3428	3430	3432	rBV2	396	228	0.02%	0.004%
89	12.104	3438	3441	3442	rBV2	369	181	0.02%	0.003%
90	12.239	3478	3483	3489	rVB4	517	648	0.07%	0.010%
91	12.320	3506	3508	3512	rBV3	450	311	0.03%	0.005%
92	12.365	3520	3522	3524	rBV	370	187	0.02%	0.003%
93	12.590	3586	3592	3604	rVB6	2312	3220	0.33%	0.051%
94	12.648	3608	3610	3613	rBV	381	215	0.02%	0.003%
95	12.853	3672	3674	3677	rBV2	316	191	0.02%	0.003%
96	13.085	3744	3746	3749	rVB	451	188	0.02%	0.003%
97	13.204	3779	3783	3792	rVB5	3496	4234	0.43%	0.067%
98	13.316	3816	3818	3822	rVB	515	221	0.02%	0.004%
99	13.448	3852	3859	3867	rBV2	6088	9792	0.99%	0.156%
100	13.689	3926	3934	3940	rBV6	3525	4694	0.47%	0.075%

Sum of corrected areas: 6290105

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV032624\
Data File : VV034834.D
Acq On : 26 Mar 2024 17:53
Operator : SY/MD
Sample : P1851-05
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 14 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
E0LX4

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM032624WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

No Library Search Compounds Detected

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV032624\
Data File : VV034834.D
Acq On : 26 Mar 2024 17:53
Operator : SY/MD
Sample : P1851-05
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 14 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
E0LX4

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM032624WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

TIC Top Hit name	RT	EstConc	Units	Response	--Internal Standard--			
					#	RT	Resp	Conc