

Quantitation Report (Qedit)


Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV032720\
 Data File : VV015244.D
 Acq On : 28 Mar 2020 14:19
 Operator : SY/MD
 Sample : L1975-07 40X
 Misc : 5.0mL/MSVOA V/WATER
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 ETTH2

Manual Integrations
 APPROVED

apatel
 3/31/2020 9:24:21 AM

Quant Time: Mar 30 02:15:28 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM032720WMA.M
 Quant Title : VOC Analysis
 QLast Update : Mon Mar 30 02:13:00 2020
 Response via : Initial Calibration



(24) Chloroform-d (S)

4.376min (+0.000) 30.65ug/L m

response 184660

Ion	Exp%	Act%
84.00	100	100
86.00	62.30	0.05#
47.00	46.70	0.04#
49.00	27.00	0.04#

SY
 03/31/2020

Quantitation Report (QT Reviewed)

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV032720\
 Data File : VV015244.D
 Acq On : 28 Mar 2020 14:19
 Operator : SY/MD
 Sample : L1975-07 40X
 Misc : 5.0mL/MSVOA V/WATER
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 ETTH2

Manual Integrations
 APPROVED

apatel
 3/31/2020 9:24:21 AM

Quant Time: Mar 30 02:44:29 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM032720WMA.M
 Quant Title : VOC Analysis
 QLast Update : Mon Mar 30 02:13:00 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.64	114	569244	50.00	ug/L	0.00
28) Chlorobenzene-d5	8.87	117	527532	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.27	152	229666	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.32	65	91534	39.63	ug/L	0.00
Spiked Amount 50.000	Range 60 - 135		Recovery =	79.26%		
7) Chloroethane-d5	1.58	69	89213	36.03	ug/L	0.00
Spiked Amount 50.000	Range 70 - 130		Recovery =	72.06%		
11) 1,1-Dichloroethene-d2	2.12	63	144388	25.00	ug/L	0.00
Spiked Amount 50.000	Range 60 - 125		Recovery =	50.00%#		
21) 2-Butanone-d5	3.95	46	140472	51.34	ug/L	0.01
Spiked Amount 100.000	Range 40 - 130		Recovery =	51.34%		
24) Chloroform-d	4.38	84	184660m	30.65	ug/L	0.00
Spiked Amount 50.000	Range 70 - 125		Recovery =	61.30%#		
26) 1,2-Dichloroethane-d4	5.06	65	127331	32.43	ug/L	0.00
Spiked Amount 50.000	Range 70 - 125		Recovery =	64.86%#		
32) Benzene-d6	5.08	84	345098	37.15	ug/L	0.00
Spiked Amount 50.000	Range 70 - 125		Recovery =	74.30%		
36) 1,2-Dichloropropane-d6	6.09	67	117417	33.75	ug/L	0.00
Spiked Amount 50.000	Range 70 - 120		Recovery =	67.50%#		
41) Toluene-d8	7.34	98	313601	38.31	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery =	76.62%#		
43) trans-1,3-Dichloropropene-	7.65	79	59750	32.14	ug/L	0.00
Spiked Amount 50.000	Range 60 - 125		Recovery =	64.28%		
47) 2-Hexanone-d5	8.12	63	108719	54.14	ug/L	0.00
Spiked Amount 100.000	Range 45 - 130		Recovery =	54.14%		
57) 1,1,2,2-Tetrachloroethane-	10.24	84	171980	28.06	ug/L	0.00
Spiked Amount 50.000	Range 65 - 120		Recovery =	56.12%#		
64) 1,2-Dichlorobenzene-d4	11.65	152	121076	30.90	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery =	61.80%#		

SY
 03/31/2020

Target Compounds

63) 1,4-Dichlorobenzene	11.30	146	4799	0.668	ug/L	93
-------------------------	-------	-----	------	-------	------	----

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV032720\
Data File : VV015244.D
Acq On : 28 Mar 2020 14:19
Operator : SY/MD
Sample : L1975-07 40X
Misc : 5.0mL/MSVOA V/WATER
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
ETTH2

Quant Time: Mar 30 02:44:29 2020
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM032720WMA.M
Quant Title : VOC Analysis
QLast Update : Mon Mar 30 02:13:00 2020
Response via : Initial Calibration

Manual Integrations
APPROVED

apatel
3/31/2020 9:24:21 AM

