

Quantitation Report (Qedit)


Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV032720\
 Data File : VV015245.D
 Acq On : 28 Mar 2020 14:44
 Operator : SY/MD
 Sample : L1975-13 40X
 Misc : 5.0mL/MSVOA V/WATER
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 ETTH6

Manual Integrations
 APPROVED

apatel
 3/31/2020 9:24:14 AM

Quant Time: Mar 30 02:15:34 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM032720WMA.M
 Quant Title : VOC Analysis
 QLast Update : Mon Mar 30 02:13:00 2020
 Response via : Initial Calibration



(7) Chloroethane-d5 (S)

1.579min (+0.003) 47.11ug/L m

response 130584

Ion	Exp%	Act%
69.00	100	100
71.00	32.80	0.03#
51.00	29.70	0.03#
0.00	0.00	0.00

SY
 03/31/2020

Quantitation Report (QT Reviewed)

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV032720\
 Data File : VV015245.D
 Acq On : 28 Mar 2020 14:44
 Operator : SY/MD
 Sample : L1975-13 40X
 Misc : 5.0mL/MSVOA V/WATER
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 ETTH6

Manual Integrations
 APPROVED

apatel
 3/31/2020 9:24:14 AM

Quant Time: Mar 30 03:09:09 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM032720WMA.M
 Quant Title : VOC Analysis
 QLast Update : Mon Mar 30 02:13:00 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.64	114	637310	50.00	ug/L	0.00
28) Chlorobenzene-d5	8.87	117	597631	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.27	152	256385	50.00	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.32	65	127741	49.40	ug/L	0.00
Spiked Amount 50.000	Range 60 - 135		Recovery =	98.80%		
7) Chloroethane-d5	1.58	69	130584m	47.11	ug/L	0.00
Spiked Amount 50.000	Range 70 - 130		Recovery =	94.22%		
11) 1,1-Dichloroethene-d2	2.12	63	213014	32.94	ug/L	0.00
Spiked Amount 50.000	Range 60 - 125		Recovery =	65.88%		
21) 2-Butanone-d5	3.94	46	202156	66.00	ug/L	0.00
Spiked Amount 100.000	Range 40 - 130		Recovery =	66.00%		
24) Chloroform-d	4.38	84	277459	41.14	ug/L	0.00
Spiked Amount 50.000	Range 70 - 125		Recovery =	82.28%		
26) 1,2-Dichloroethane-d4	5.06	65	184076	41.88	ug/L	0.00
Spiked Amount 50.000	Range 70 - 125		Recovery =	83.76%		
32) Benzene-d6	5.08	84	508753	48.35	ug/L	0.00
Spiked Amount 50.000	Range 70 - 125		Recovery =	96.70%		
36) 1,2-Dichloropropane-d6	6.10	67	173763	44.09	ug/L	0.00
Spiked Amount 50.000	Range 70 - 120		Recovery =	88.18%		
41) Toluene-d8	7.34	98	470311	50.72	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery =	101.44%		
43) trans-1,3-Dichloropropene-	7.64	79	86444	41.04	ug/L	0.00
Spiked Amount 50.000	Range 60 - 125		Recovery =	82.08%		
47) 2-Hexanone-d5	8.12	63	170705	75.04	ug/L	0.00
Spiked Amount 100.000	Range 45 - 130		Recovery =	75.04%		
57) 1,1,2,2-Tetrachloroethane-	10.24	84	256737	36.98	ug/L	0.00
Spiked Amount 50.000	Range 65 - 120		Recovery =	73.96%		
64) 1,2-Dichlorobenzene-d4	11.65	152	176883	40.44	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery =	80.88%		

Target Compounds	R.T.	QIon	Response	Conc	Units	Ovalue
5) Vinyl chloride	1.32	62	4741	0.836	ug/L	# 39

(#) = qualifier out of range (m) = manual integration (+) = signals summed

SY
 03/31/2020

Quantitation Report (QT Reviewed)


Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV032720\
 Data File : VV015245.D
 Acq On : 28 Mar 2020 14:44
 Operator : SY/MD
 Sample : L1975-13 40X
 Misc : 5.0mL/MSVOA V/WATER
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 ETTH6

Manual Integrations
 APPROVED

apatel
 3/31/2020 9:24:14 AM

Quant Time: Mar 30 03:09:09 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM032720WMA.M
 Quant Title : VOC Analysis
 QLast Update : Mon Mar 30 02:13:00 2020
 Response via : Initial Calibration



Quantitation Report (Qedit)




Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV032720\
 Data File : VV015245.D
 Acq On : 28 Mar 2020 14:44
 Operator : SY/MD
 Sample : L1975-13 40X
 Misc : 5.0mL/MSVOA V/WATER
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 ETTH6

Manual Integrations
 APPROVED

apatel
 3/31/2020 9:24:14 AM

Quant Time: Mar 30 02:15:34 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM032720WMA.M
 Quant Title : VOC Analysis
 QLast Update : Mon Mar 30 02:13:00 2020
 Response via : Initial Calibration



(7) Chloroethane-d5 (S)
 1.502min (-0.074) 0.05ug/L
 response 147

Ion	Exp%	Act%
69.00	100	100
71.00	32.80	27.89
51.00	29.70	26.53
0.00	0.00	0.00