

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV032819\
 Data File : VV009979.D
 Acq On : 28 Mar 2019 22:20
 Operator : SY/MD
 Sample : VV0328SBL02
 Misc : 5.00G/10mL/MSVOA V/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 VBLK78

Quant Time: Mar 29 04:28:02 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOM2VLM032619S.M
 Quant Title : VOC Analysis
 QLast Update : Fri Mar 29 04:20:29 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.66	114	182120	25.00	ug/L	0.00
28) Chlorobenzene-d5	8.90	117	186008	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.30	152	74584	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.32	65	71902	19.46	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	77.84%
7) Chloroethane-d5	1.57	69	82845	20.76	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	83.04%
10) 1,1-Dichloroethene-d2	2.13	63	159386	15.77	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	63.08%
20) 2-Butanone-d5	3.93	46	34033	49.42	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	98.84%
24) Chloroform-d	4.40	84	104482	22.52	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	90.08%
26) 1,2-Dichloroethane-d4	5.08	65	71557	25.63	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	102.52%
29) Benzene-d6	5.10	84	232645	23.82	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	95.28%
33) 1,2-Dichloropropane-d6	6.12	67	70194	24.56	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	98.24%
37) Toluene-d8	7.36	98	209741	22.68	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	90.72%
38) trans-1,3-Dichloropropene-	7.66	79	24430	20.90	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	83.60%
39) 2-Hexanone-d5	8.13	63	21655	40.60	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	81.20%
48) 1,1,2,2-Tetrachloroethane-	10.26	84	61195	21.63	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	86.52%
61) 1,2-Dichlorobenzene-d4	11.68	152	70283	24.75	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	99.00%

Target Compounds					Ovalue
16) Methylene chloride	2.53	84	9414	3.139 ug/L	99

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA V\DATA\VV032819\
Data File : VV009979.D
Acq On : 28 Mar 2019 22:20
Operator : SY/MD
Sample : VV0328SBL02
Misc : 5.00G/10mL/MSVOA V/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
VBLK78

Quant Time: Mar 29 04:28:02 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_V\METHOD\SOM2VLM032619S.M
Quant Title : VOC Analysis
QLast Update : Fri Mar 29 04:20:29 2019
Response via : Initial Calibration

