

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VW032921\
 Data File : VW020800.D
 Acq On : 29 Mar 2021 13:16
 Operator : SY/MD
 Sample : M1824-17
 Misc : 5.0mL/MSVOA_V/WATER
 ALS Vial : 11 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 BG4W6

Quant Time: Mar 30 04:43:23 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SOMVLM032321WMA.M
 Quant Title : VOC Analysis
 QLast Update : Tue Mar 30 04:39:28 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	5.622	114	637678	50.00	ug/L	0.00
28) Chlorobenzene-d5	8.857	117	624711	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.255	152	305163	50.00	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.307	65	174420	38.53	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	77.06%
7) Chloroethane-d5	1.571	69	142660	41.68	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	83.36%
11) 1,1-Dichloroethene-d2	2.111	63	278008	32.55	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	65.10%
21) 2-Butanone-d5	3.889	46	240180	81.55	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	81.55%
24) Chloroform-d	4.352	84	404810	44.99	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	89.98%
26) 1,2-Dichloroethane-d4	5.037	65	276818	46.70	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	93.40%
32) Benzene-d6	5.053	84	747218	44.87	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	89.74%
36) 1,2-Dichloropropane-d6	6.076	67	229583	44.91	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	89.82%
41) Toluene-d8	7.320	98	688475	44.42	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	88.84%
43) trans-1,3-Dichloroprop...	7.625	79	120683	44.37	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	88.74%
47) 2-Hexanone-d5	8.092	63	171951	80.23	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	80.23%
57) 1,1,2,2-Tetrachloroeth...	10.220	84	294785	39.59	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	79.18%
64) 1,2-Dichlorobenzene-d4	11.632	152	293457	49.55	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	99.10%

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV032921\
Data File : VV020800.D
Acq On : 29 Mar 2021 13:16
Operator : SY/MD
Sample : M1824-17
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 11 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
BG4W6

Quant Time: Mar 30 04:43:23 2021
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SOMVLM032321WMA.M
Quant Title : VOC Analysis
QLast Update : Tue Mar 30 04:39:28 2021
Response via : Initial Calibration

