

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VW032921\
 Data File : VW020806.D
 Acq On : 29 Mar 2021 15:55
 Operator : SY/MD
 Sample : M1784-20
 Misc : 5.0mL/MSVOA_V/WATER
 ALS Vial : 17 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 BG4W2

Quant Time: Mar 30 04:44:42 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SOMVLM032321WMA.M
 Quant Title : VOC Analysis
 QLast Update : Tue Mar 30 04:39:28 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	5.619	114	798925	50.00	ug/L	0.00
28) Chlorobenzene-d5	8.857	117	779513	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.255	152	395066	50.00	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.307	65	205539	36.24	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	72.48%
7) Chloroethane-d5	1.568	69	174980	40.81	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	81.62%
11) 1,1-Dichloroethene-d2	2.108	63	338024	31.59	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	63.18%
21) 2-Butanone-d5	3.876	46	279452	75.73	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	75.73%
24) Chloroform-d	4.349	84	489355	43.41	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	86.82%
26) 1,2-Dichloroethane-d4	5.030	65	336111	45.26	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	90.52%
32) Benzene-d6	5.050	84	914699	44.02	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	88.04%
36) 1,2-Dichloropropane-d6	6.069	67	273647	42.90	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	85.80%
41) Toluene-d8	7.317	98	850429	43.97	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	87.94%
43) trans-1,3-Dichloroprop...	7.622	79	143967	42.42	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	84.84%
47) 2-Hexanone-d5	8.088	63	208589	77.99	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	77.99%
57) 1,1,2,2-Tetrachloroeth...	10.220	84	363923	39.16	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	78.32%
64) 1,2-Dichlorobenzene-d4	11.631	152	358794	46.79	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	93.58%
Target Compounds						
46) Tetrachloroethene	7.982	164	11224	2.28	ug/L	Qvalue 92

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV032921\
Data File : VV020806.D
Acq On : 29 Mar 2021 15:55
Operator : SY/MD
Sample : M1784-20
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 17 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
BG4W2

Quant Time: Mar 30 04:44:42 2021
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SOMVLM032321WMA.M
Quant Title : VOC Analysis
QLast Update : Tue Mar 30 04:39:28 2021
Response via : Initial Calibration

