

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VW032923\
 Data File : VW030331.D
 Acq On : 29 Mar 2023 16:55
 Operator : SY/MD
 Sample : 02099-09
 Misc : 25.0mL/MSVOA_V/WATER
 ALS Vial : 14 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 H0AB5

Quant Time: Mar 30 02:12:45 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVTR032323WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Thu Mar 30 01:55:26 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Difluorobenzene	5.545	114	141014	5.000	ug/L	0.00
28) Chlorobenzene-d5	8.793	117	139042	5.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.194	152	66955	5.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.282	65	41917	4.488	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	89.800%
7) Chloroethane-d5	1.536	69	43430	4.792	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	95.800%
11) 1,1-Dichloroethene-d2	2.063	63	70122	3.164	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	63.200%
20) 2-Butanone-d5	3.818	46	125200	51.865	ug/L	-0.01
Spiked Amount	50.000	Range	40 - 130	Recovery	=	103.720%
24) Chloroform-d	4.259	84	109311	4.836	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	96.800%
26) 1,2-Dichloroethane-d4	4.954	65	55838	5.236	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	104.800%
32) Benzene-d6	4.970	84	193079	4.928	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	98.600%
36) 1,2-Dichloropropane-d6	5.998	67	62636	5.106	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	102.200%
41) Toluene-d8	7.252	98	157204	4.369	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	87.400%
43) trans-1,3-Dichloroprop...	7.561	79	20246	4.384	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	87.600%
46) 2-Hexanone-d5	8.034	63	91728	49.427	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	98.860%
56) 1,1,2,2-Tetrachloroeth...	10.162	84	45818	4.739	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	94.800%
66) 1,2-Dichlorobenzene-d4	11.571	152	62411	5.215	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	104.400%
Target Compounds						
					Qvalue	
13) Acetone	2.147	43	9856	4.270	ug/L	83


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV032923\
Data File : VV030331.D
Acq On : 29 Mar 2023 16:55
Operator : SY/MD
Sample : 02099-09
Misc : 25.0mL/MSVOA_V/WATER
ALS Vial : 14 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
H0AB5

Quant Time: Mar 30 02:12:45 2023
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVTR032323WMA.M
Quant Title : TRACE VOA SFAM1.0
QLast Update : Thu Mar 30 01:55:26 2023
Response via : Initial Calibration





#13
 Acetone
 Concen: 4.270 ug/L
 RT: 2.147 min Scan# 34
 Delta R.T. -0.026 min
 Lab File: VV030331.D
 Acq: 29 Mar 2023 16:55

Instrument :
 MSVOA_V
 ClientSampleId :
 H0AB5

Tgt Ion:	43	Resp:	9856
Ion	Ratio	Lower	Upper
43	100		
58	28.5	0.0	40.8

