

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VW033021\
 Data File : VW020816.D
 Acq On : 30 Mar 2021 13:36
 Operator : SY/MD
 Sample : M1816-09
 Misc : 5.0mL/MSVOA_V/WATER
 ALS Vial : 8 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 VHBLK02

Quant Time: Mar 30 15:43:06 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SOMVLM032321WMA.M
 Quant Title : VOC Analysis
 QLast Update : Tue Mar 30 04:39:28 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	5.619	114	653892	50.00	ug/L	0.00
28) Chlorobenzene-d5	8.857	117	633620	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.255	152	318032	50.00	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.307	65	173856	37.45	ug/L	0.00
Spiked Amount 50.000	Range 60 - 135		Recovery =	74.90%		
7) Chloroethane-d5	1.568	69	147091	41.91	ug/L	0.00
Spiked Amount 50.000	Range 70 - 130		Recovery =	83.82%		
11) 1,1-Dichloroethene-d2	2.111	63	292050	33.34	ug/L	0.00
Spiked Amount 50.000	Range 60 - 125		Recovery =	66.68%		
21) 2-Butanone-d5	3.886	46	263836	87.36	ug/L	0.00
Spiked Amount 100.000	Range 40 - 130		Recovery =	87.36%		
24) Chloroform-d	4.352	84	431666	46.78	ug/L	0.00
Spiked Amount 50.000	Range 70 - 125		Recovery =	93.56%		
26) 1,2-Dichloroethane-d4	5.034	65	293276	48.25	ug/L	0.00
Spiked Amount 50.000	Range 70 - 125		Recovery =	96.50%		
32) Benzene-d6	5.053	84	788887	46.71	ug/L	0.00
Spiked Amount 50.000	Range 70 - 125		Recovery =	93.42%		
36) 1,2-Dichloropropane-d6	6.072	67	235039	45.33	ug/L	0.00
Spiked Amount 50.000	Range 70 - 120		Recovery =	90.66%		
41) Toluene-d8	7.320	98	726664	46.22	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery =	92.44%		
43) trans-1,3-Dichloroprop...	7.625	79	123418	44.74	ug/L	0.00
Spiked Amount 50.000	Range 60 - 125		Recovery =	89.48%		
47) 2-Hexanone-d5	8.091	63	184808	85.01	ug/L	0.00
Spiked Amount 100.000	Range 45 - 130		Recovery =	85.01%		
57) 1,1,2,2-Tetrachloroeth...	10.220	84	323559	42.84	ug/L	0.00
Spiked Amount 50.000	Range 65 - 120		Recovery =	85.68%		
64) 1,2-Dichlorobenzene-d4	11.631	152	318727	51.64	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery =	103.28%		

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV033021\
Data File : VV020816.D
Acq On : 30 Mar 2021 13:36
Operator : SY/MD
Sample : M1816-09
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 8 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
VHBLK02

Quant Time: Mar 30 15:43:06 2021
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SOMVLM032321WMA.M
Quant Title : VOC Analysis
QLast Update : Tue Mar 30 04:39:28 2021
Response via : Initial Calibration

