

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV033120\
 Data File : VV015319.D
 Acq On : 31 Mar 2020 17:25
 Operator : SY/MD
 Sample : VIBLK89
 Misc : 5.0mL/MSVOA V/WATER
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :

Quant Time: Apr 01 04:26:32 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM033020WMA.M
 Quant Title : VOC Analysis
 QLast Update : Wed Apr 01 01:17:34 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.64	114	543564	50.00	ug/L	0.00
28) Chlorobenzene-d5	8.87	117	525838	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.27	152	224858	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.32	65	172789	43.60	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	87.20%
7) Chloroethane-d5	1.58	69	230165	62.41	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	124.82%
11) 1,1-Dichloroethene-d2	2.12	63	277286	32.44	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	64.88%
21) 2-Butanone-d5	3.91	46	272721m	105.22	ug/L	-0.02
Spiked Amount	100.000	Range	40 - 130	Recovery	=	105.22%
24) Chloroform-d	4.38	84	356255	50.00	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	100.00%
26) 1,2-Dichloroethane-d4	5.06	65	246903	53.02	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	106.04%
32) Benzene-d6	5.08	84	705905	51.43	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	102.86%
36) 1,2-Dichloropropane-d6	6.09	67	229112	53.37	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	106.74%
41) Toluene-d8	7.34	98	664952	50.07	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	100.14%
43) trans-1,3-Dichloropropene-	7.64	79	117073	50.08	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	100.16%
47) 2-Hexanone-d5	8.11	63	250741	124.51	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	124.51%
57) 1,1,2,2-Tetrachloroethane-	10.24	84	327729	51.73	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	103.46%
64) 1,2-Dichlorobenzene-d4	11.65	152	232096	51.86	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	103.72%

Target Compounds	Ovalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA V\DATA\VV033120\
Data File : VV015319.D
Acq On : 31 Mar 2020 17:25
Operator : SY/MD
Sample : VIBLK89
Misc : 5.0mL/MSVOA V/WATER
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :

Quant Time: Apr 01 04:26:32 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM033020WMA.M
Quant Title : VOC Analysis
QLast Update : Wed Apr 01 01:17:34 2020
Response via : Initial Calibration

