

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV033120\
 Data File : VV015317.D
 Acq On : 31 Mar 2020 16:36
 Operator : SY/MD
 Sample : VIBLK88
 Misc : 5.0mL/MSVOA V/WATER
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 VIBLK88

Quant Time: Apr 01 04:14:25 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM033020WMA.M
 Quant Title : VOC Analysis
 QLast Update : Wed Apr 01 01:17:34 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.64	114	576253	50.00	ug/L	0.00
28) Chlorobenzene-d5	8.87	117	559595	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.27	152	245458	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.32	65	188439	44.85	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	89.70%
7) Chloroethane-d5	1.58	69	191643	49.01	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	98.02%
11) 1,1-Dichloroethene-d2	2.12	63	304454	33.60	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	67.20%
21) 2-Butanone-d5	3.93	46	276205	100.52	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	100.52%
24) Chloroform-d	4.38	84	368544	48.79	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	97.58%
26) 1,2-Dichloroethane-d4	5.06	65	251177	50.87	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	101.74%
32) Benzene-d6	5.07	84	731752	50.09	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	100.18%
36) 1,2-Dichloropropane-d6	6.09	67	231776	50.74	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	101.48%
41) Toluene-d8	7.34	98	689155	48.76	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	97.52%
43) trans-1,3-Dichloropropene-	7.64	79	118038	47.45	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	94.90%
47) 2-Hexanone-d5	8.11	63	235041	109.67	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	109.67%
57) 1,1,2,2-Tetrachloroethane-	10.24	84	323577	48.00	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	96.00%
64) 1,2-Dichlorobenzene-d4	11.65	152	237120	48.54	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	97.08%

Target Compounds	Ovalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA V\DATA\VV033120\
Data File : VV015317.D
Acq On : 31 Mar 2020 16:36
Operator : SY/MD
Sample : VIBLK88
Misc : 5.0mL/MSVOA V/WATER
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
VIBLK88

Quant Time: Apr 01 04:14:25 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM033020WMA.M
Quant Title : VOC Analysis
QLast Update : Wed Apr 01 01:17:34 2020
Response via : Initial Calibration

