

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV040120\
 Data File : VV015341.D
 Acq On : 01 Apr 2020 19:50
 Operator : SY/MD
 Sample : L2003-06
 Misc : 5.0mL/MSVOA V/WATER
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :

Quant Time: Apr 02 05:08:21 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM040120WMA.M
 Quant Title : VOC Analysis
 QLast Update : Thu Apr 02 03:22:54 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.64	114	757450	50.00	ug/L	0.00
28) Chlorobenzene-d5	8.87	117	712898	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.27	152	318875	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.32	65	175706	25.87	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	51.74%#
7) Chloroethane-d5	1.58	69	171113	29.49	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	58.98%#
11) 1,1-Dichloroethene-d2	2.12	63	280024m	23.07	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	46.14%#
21) 2-Butanone-d5	3.93	46	293094	81.19	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	81.19%
24) Chloroform-d	4.38	84	401137	35.78	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	71.56%
26) 1,2-Dichloroethane-d4	5.06	65	255160	36.53	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	73.06%
32) Benzene-d6	5.08	84	790629	36.01	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	72.02%
36) 1,2-Dichloropropane-d6	6.09	67	244780	37.82	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	75.64%
41) Toluene-d8	7.34	98	752994	35.87	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	71.74%#
43) trans-1,3-Dichloropropene-	7.64	79	115815	32.38	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	64.76%
47) 2-Hexanone-d5	8.12	63	224019	75.78	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	75.78%
57) 1,1,2,2-Tetrachloroethane-	10.24	84	366119	39.75	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	79.50%
64) 1,2-Dichlorobenzene-d4	11.65	152	292476	40.32	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	80.64%

Target Compounds				Ovalue
13) Acetone	2.21	43	14281m	6.027 ug/L

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA V\DATA\VV040120\
Data File : VV015341.D
Acq On : 01 Apr 2020 19:50
Operator : SY/MD
Sample : L2003-06
Misc : 5.0mL/MSVOA V/WATER
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :

Quant Time: Apr 02 05:08:21 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM040120WMA.M
Quant Title : VOC Analysis
QLast Update : Thu Apr 02 03:22:54 2020
Response via : Initial Calibration

