

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV040120\
 Data File : VV015353.D
 Acq On : 02 Apr 2020 01:30
 Operator : SY/MD
 Sample : VV0401WBL02
 Misc : 5.0mL/MSVOA V/WATER
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :

Quant Time: Apr 02 06:47:25 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM040120WMA.M
 Quant Title : VOC Analysis
 QLast Update : Thu Apr 02 06:34:01 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.64	114	725199	50.00	ug/L	0.00
28) Chlorobenzene-d5	8.87	117	691097	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.27	152	318391	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.32	65	257717	39.63	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	79.26%
7) Chloroethane-d5	1.58	69	225910	40.67	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	81.34%
11) 1,1-Dichloroethene-d2	2.12	63	386441	33.25	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	66.50%
21) 2-Butanone-d5	3.94	46	310277	89.78	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	89.78%
24) Chloroform-d	4.38	84	445285	41.48	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	82.96%
26) 1,2-Dichloroethane-d4	5.06	65	282714	42.28	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	84.56%
32) Benzene-d6	5.08	84	922670	43.35	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	86.70%
36) 1,2-Dichloropropane-d6	6.10	67	273070	43.52	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	87.04%
41) Toluene-d8	7.34	98	876720	43.08	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	86.16%
43) trans-1,3-Dichloropropene-	7.64	79	138481	39.94	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	79.88%
47) 2-Hexanone-d5	8.12	63	241112	84.13	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	84.13%
57) 1,1,2,2-Tetrachloroethane-	10.24	84	388729	43.54	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	87.08%
64) 1,2-Dichlorobenzene-d4	11.65	152	328144	45.31	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	90.62%

Target Compounds				Ovalue
25) Chloroform	4.41	83	12893m	1.319 ug/L

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA V\DATA\VV040120\
Data File : VV015353.D
Acq On : 02 Apr 2020 01:30
Operator : SY/MD
Sample : VV0401WBL02
Misc : 5.0mL/MSVOA V/WATER
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :

Quant Time: Apr 02 06:47:25 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM040120WMA.M
Quant Title : VOC Analysis
QLast Update : Thu Apr 02 06:34:01 2020
Response via : Initial Calibration

