

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV040120\
 Data File : VV015346.D
 Acq On : 01 Apr 2020 21:52
 Operator : SY/MD
 Sample : L2003-03
 Misc : 5.0mL/MSVOA V/WATER
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 C0EK4

Quant Time: Apr 02 05:56:25 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM040120WMA.M
 Quant Title : VOC Analysis
 QLast Update : Thu Apr 02 03:22:54 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.64	114	729591	50.00	ug/L	0.00
28) Chlorobenzene-d5	8.87	117	692468	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.27	152	310814	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.32	65	176569	26.99	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	53.98%#
7) Chloroethane-d5	1.58	69	172038	30.79	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	61.58%#
11) 1,1-Dichloroethene-d2	2.12	63	279417	23.90	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	47.80%#
21) 2-Butanone-d5	3.94	46	302286	86.94	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	86.94%
24) Chloroform-d	4.38	84	392819	36.37	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	72.74%
26) 1,2-Dichloroethane-d4	5.06	65	249380	37.07	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	74.14%
32) Benzene-d6	5.08	84	783719	36.75	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	73.50%
36) 1,2-Dichloropropane-d6	6.09	67	245059	38.98	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	77.96%
41) Toluene-d8	7.34	98	747494	36.66	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	73.32%#
43) trans-1,3-Dichloropropene-	7.64	79	114970	33.09	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	66.18%
47) 2-Hexanone-d5	8.12	63	232772	81.06	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	81.06%
57) 1,1,2,2-Tetrachloroethane-	10.24	84	368773	41.22	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	82.44%
64) 1,2-Dichlorobenzene-d4	11.65	152	291891	41.28	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	82.56%

Target Compounds					Ovalue
25) Chloroform	4.40	83	11076	1.126 ug/L	77

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA V\DATA\VV040120\
Data File : VV015346.D
Acq On : 01 Apr 2020 21:52
Operator : SY/MD
Sample : L2003-03
Misc : 5.0mL/MSVOA V/WATER
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
C0EK4

Quant Time: Apr 02 05:56:25 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM040120WMA.M
Quant Title : VOC Analysis
QLast Update : Thu Apr 02 03:22:54 2020
Response via : Initial Calibration

