

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV040120\
 Data File : VV015350.D
 Acq On : 01 Apr 2020 23:29
 Operator : SY/MD
 Sample : L2005-02 20X
 Misc : 5.0mL/MSVOA V/WATER
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 CODE2

Integration Parameters: LSCINT.P

Integrator: RTE
 Smoothing : OFF
 Sampling : 1
 Start Thrs: 0.2
 Stop Thrs : 0

Filtering: 5
 Min Area: 0 % of largest Peak
 Max Peaks: 100
 Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >
 Peak separation: 5

Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM040120WMA.M
 Title : VOC Analysis

Signal : TIC: VV015351.D

peak #	R.T. min	first scan	max scan	last scan	PK TY	peak height	corr. area	corr. % max.	% of total
1	1.315	64	70	82	rVB	261324	266312	3.48%	0.966%
2	1.579	145	152	164	rVB	245408	293644	3.84%	1.065%
3	2.119	312	320	347	rVB	512395	804622	10.52%	2.918%
4	3.245	668	670	673	rBV4	1589	855	0.01%	0.003%
5	3.306	686	689	690	rBV3	1569	896	0.01%	0.003%
6	3.383	711	713	715	rBV3	1586	661	0.01%	0.002%
7	3.450	732	734	737	rBV5	1742	1396	0.02%	0.005%
8	3.553	764	766	768	rBV3	1704	675	0.01%	0.002%
9	3.592	775	778	780	rVB3	1416	827	0.01%	0.003%
10	3.647	793	795	797	rBV3	1059	360	0.00%	0.001%
11	3.672	801	803	805	rBV2	1340	673	0.01%	0.002%
12	3.762	828	831	836	rBV7	1672	1379	0.02%	0.005%
13	3.865	861	863	866	rBV3	1284	1022	0.01%	0.004%
14	3.939	873	886	939	rBV2	129515	635560	8.31%	2.305%
15	4.376	1008	1022	1047	rVB	360901	880620	11.51%	3.193%
16	4.605	1091	1093	1094	rBV2	1732	762	0.01%	0.003%
17	4.929	1190	1194	1196	rBV4	1762	1556	0.02%	0.006%
18	4.994	1209	1214	1215	rBV5	1821	1456	0.02%	0.005%
19	5.071	1221	1238	1273	rBV2	865606	2247275	29.37%	8.150%
20	5.319	1313	1315	1317	rBV3	1479	732	0.01%	0.003%
21	5.399	1336	1340	1342	rBV5	2691	1715	0.02%	0.006%
22	5.640	1400	1415	1436	rBV	748598	1489323	19.47%	5.401%
23	5.868	1482	1486	1489	rBV6	2423	2262	0.03%	0.008%
24	6.093	1544	1556	1582	rBV	490603	995240	13.01%	3.609%
25	6.521	1686	1689	1690	rBV2	1684	959	0.01%	0.003%
26	6.621	1716	1720	1722	rBV5	1327	1211	0.02%	0.004%
27	6.817	1779	1781	1784	rBV3	1401	649	0.01%	0.002%
28	6.852	1788	1792	1794	rBV6	2130	1294	0.02%	0.005%
29	6.865	1794	1796	1798	rVB3	1560	662	0.01%	0.002%
30	6.910	1808	1810	1811	rVB2	1206	345	0.00%	0.001%
31	6.926	1813	1815	1816	rBV2	1325	503	0.01%	0.002%
32	6.936	1816	1818	1822	rVB5	1616	1004	0.01%	0.004%
33	7.007	1822	1840	1861	rBV	271437	494356	6.46%	1.793%
34	7.338	1931	1943	1965	rBV	1007643	1748701	22.86%	6.341%

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV040120\
 Data File : VV015350.D
 Acq On : 01 Apr 2020 23:29
 Operator : SY/MD
 Sample : L2005-02 20X
 Misc : 5.0mL/MSVOA V/WATER
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 CODE2

Integration Parameters: LSCINT.P

Integrator: RTE
 Smoothing : OFF
 Sampling : 1
 Start Thrs: 0.2
 Stop Thrs : 0

Filtering: 5
 Min Area: 0 % of largest Peak
 Max Peaks: 100
 Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >
 Peak separation: 5

Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM040120WMA.M
 Title : VOC Analysis

35	7.608	2024	2027	2028	rBV2	1569	818	0.01%	0.003%
36	7.643	2028	2038	2053	rVV	184366	321625	4.20%	1.166%
37	7.875	2108	2110	2115	rVB5	1904	1129	0.01%	0.004%
38	8.016	2150	2154	2155	rBV4	1729	1203	0.02%	0.004%
39	8.116	2174	2185	2214	rBV2	644898	1299388	16.98%	4.712%
40	8.495	2300	2303	2306	rVB4	2469	1482	0.02%	0.005%
41	8.518	2307	2310	2311	rBV3	1504	747	0.01%	0.003%
42	8.633	2344	2346	2350	rVB4	1727	865	0.01%	0.003%
43	8.765	2384	2387	2391	rVB4	1917	1493	0.02%	0.005%
44	8.807	2397	2400	2403	rBV5	1623	973	0.01%	0.004%
45	8.875	2409	2421	2424	rBV	1195393	1720828	22.49%	6.240%
46	9.273	2543	2545	2546	rBV2	1481	645	0.01%	0.002%
47	9.328	2559	2562	2564	rBV3	2175	1223	0.02%	0.004%
48	9.379	2575	2578	2581	rBV5	1706	1231	0.02%	0.004%
49	9.415	2586	2589	2592	rVB4	2176	1359	0.02%	0.005%
50	9.601	2645	2647	2649	rVB3	1640	666	0.01%	0.002%
51	9.637	2656	2658	2659	rBV2	1135	483	0.01%	0.002%
52	9.678	2669	2671	2676	rVB6	1809	1135	0.01%	0.004%
53	9.698	2676	2677	2679	rBV2	1185	550	0.01%	0.002%
54	9.749	2691	2693	2694	rBV2	1003	249	0.00%	0.001%
55	9.813	2708	2713	2716	rBV8	1957	1567	0.02%	0.006%
56	9.904	2738	2741	2743	rBV3	1505	1191	0.02%	0.004%
57	9.949	2753	2755	2758	rBV2	2246	1519	0.02%	0.006%
58	9.987	2764	2767	2773	rBV8	1623	1315	0.02%	0.005%
59	10.177	2824	2826	2829	rVB4	589	307	0.00%	0.001%
60	10.238	2829	2845	2861	rBV	779426	1226157	16.03%	4.447%
61	10.367	2881	2885	2888	rBV6	2162	2077	0.03%	0.008%
62	10.412	2897	2899	2900	rBV2	1193	581	0.01%	0.002%
63	10.518	2929	2932	2936	rBV6	1484	1299	0.02%	0.005%
64	10.653	2971	2974	2979	rVB7	2320	1711	0.02%	0.006%
65	10.675	2979	2981	2986	rVB6	1013	717	0.01%	0.003%
66	10.707	2989	2991	2993	rBV3	1816	754	0.01%	0.003%
67	10.720	2993	2995	2999	rVB3	1809	1117	0.01%	0.004%
68	10.740	2999	3001	3002	rBV	1037	535	0.01%	0.002%
69	10.785	3011	3015	3017	rBV4	1736	978	0.01%	0.004%
70	10.833	3028	3030	3033	rBV4	1107	643	0.01%	0.002%
71	10.862	3036	3039	3040	rBV3	1442	846	0.01%	0.003%

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV040120\
 Data File : VV015350.D
 Acq On : 01 Apr 2020 23:29
 Operator : SY/MD
 Sample : L2005-02 20X
 Misc : 5.0mL/MSVOA V/WATER
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 CODE2

Integration Parameters: LSCINT.P

Integrator: RTE
 Smoothing : OFF
 Sampling : 1
 Start Thrs: 0.2
 Stop Thrs : 0

Filtering: 5
 Min Area: 0 % of largest Peak
 Max Peaks: 100
 Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >
 Peak separation: 5

Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM040120WMA.M
 Title : VOC Analysis

72	10.939	3060	3063	3066	rBV5	1713	873	0.01%	0.003%
73	11.026	3086	3090	3095	rBV6	2399	2507	0.03%	0.009%
74	11.112	3114	3117	3119	rBV3	1521	1182	0.02%	0.004%
75	11.206	3135	3146	3156	rBV2	152160	235928	3.08%	0.856%
76	11.273	3156	3167	3191	rVB2	1199126	2816555	36.81%	10.214%
77	11.666	3271	3289	3310	rBV2	4031465	7651205	100.00%	27.746%
78	11.923	3366	3369	3371	rBV3	1907	1287	0.02%	0.005%
79	11.958	3376	3380	3384	rBV7	1524	1428	0.02%	0.005%
80	12.167	3443	3445	3446	rBV2	1569	755	0.01%	0.003%
81	12.813	3644	3646	3648	rBV3	1421	488	0.01%	0.002%
82	12.916	3674	3678	3683	rBV6	1707	1861	0.02%	0.007%
83	13.116	3738	3740	3742	rVB3	1125	323	0.00%	0.001%
84	13.286	3781	3793	3811	rBV	1261309	1932594	25.26%	7.008%
85	13.473	3846	3851	3856	rBV9	2210	2335	0.03%	0.008%
86	13.524	3864	3867	3869	rBV3	2327	1615	0.02%	0.006%
87	13.768	3931	3943	3956	rBV	275416	440072	5.75%	1.596%
88	13.897	3981	3983	3991	rBV8	2034	2667	0.03%	0.010%
89	14.614	4204	4206	4208	rBV3	1873	1013	0.01%	0.004%


Sum of corrected areas: 27575601

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA V\DATA\VV040120\
Data File : VV015350.D
Acq On : 01 Apr 2020 23:29
Operator : SY/MD
Sample : L2005-02 20X
Misc : 5.0mL/MSVOA V/WATER
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
CODE2

Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM040120WMA.M
Quant Title : VOC Analysis

TIC Library : C:\DATABASE\NIST11.L
TIC Integration Parameters: LSCINT.P



Data Path : Z:\V0ASRV\HPCHEM1\MSVOA_V\DATA\VV040120\
Data File : VV015350.D
Acq On : 01 Apr 2020 23:29
Operator : SY/MD
Sample : L2005-02 20X
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
C0DE2

Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM040120WMA.M
Quant Title : VOC Analysis

TIC Library : C:\DATABASE\NIST11.L
TIC Integration Parameters: LSCINT.P

No Library Search Compounds Detected

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA_V\DATA\VV040120\
Data File : VV015350.D
Acq On : 01 Apr 2020 23:29
Operator : SY/MD
Sample : L2005-02 20X
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
C0DE2

Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM040120WMA.M
Quant Title : VOC Analysis

TIC Library : C:\DATABASE\NIST11.L
TIC Integration Parameters: LSCINT.P

TIC Top Hit name	RT	EstConc	Units	Response	--Internal Standard--
					# RT Resp Conc