

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV040121\
 Data File : VV020831.D
 Acq On : 01 Apr 2021 11:54
 Operator : SY/MD
 Sample : M1845-01
 Misc : 5.0mL/MSVOA_V/WATER
 ALS Vial : 5 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 EW1B1

Quant Time: Apr 02 07:16:31 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SOMVLM032321WMA.M
 Quant Title : VOC Analysis
 QLast Update : Fri Apr 02 07:14:26 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	5.619	114	572365	50.00	ug/L	0.00
28) Chlorobenzene-d5	8.857	117	565752	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.255	152	281376	50.00	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.307	65	210358	51.77	ug/L	0.00
Spiked Amount 50.000	Range 60 - 135		Recovery = 103.54%			
7) Chloroethane-d5	1.568	69	176812	57.55	ug/L	0.00
Spiked Amount 50.000	Range 70 - 130		Recovery = 115.10%			
11) 1,1-Dichloroethene-d2	2.108	63	353087	46.06	ug/L	0.00
Spiked Amount 50.000	Range 60 - 125		Recovery = 92.12%			
21) 2-Butanone-d5	3.883	46	280962	106.28	ug/L	0.00
Spiked Amount 100.000	Range 40 - 130		Recovery = 106.28%			
24) Chloroform-d	4.349	84	527064	65.26	ug/L	0.00
Spiked Amount 50.000	Range 70 - 125		Recovery = 130.52%#			
26) 1,2-Dichloroethane-d4	5.034	65	359523	67.57	ug/L	0.00
Spiked Amount 50.000	Range 70 - 125		Recovery = 135.14%#			
32) Benzene-d6	5.050	84	963249	63.88	ug/L	0.00
Spiked Amount 50.000	Range 70 - 125		Recovery = 127.76%#			
36) 1,2-Dichloropropane-d6	6.072	67	288387	62.29	ug/L	0.00
Spiked Amount 50.000	Range 70 - 120		Recovery = 124.58%#			
41) Toluene-d8	7.320	98	896615	63.88	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 127.76%#			
43) trans-1,3-Dichloroprop...	7.625	79	148172	60.15	ug/L	0.00
Spiked Amount 50.000	Range 60 - 125		Recovery = 120.30%			
47) 2-Hexanone-d5	8.091	63	208512	107.42	ug/L	0.00
Spiked Amount 100.000	Range 45 - 130		Recovery = 107.42%			
57) 1,1,2,2-Tetrachloroeth...	10.220	84	379505	56.27	ug/L	0.00
Spiked Amount 50.000	Range 65 - 120		Recovery = 112.54%			
64) 1,2-Dichlorobenzene-d4	11.632	152	371172	67.97	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 135.94%#			
Target Compounds					Qvalue	
48) 2-Hexanone	8.146	43	12855	3.07	ug/L #	45

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV040121\
Data File : VV020831.D
Acq On : 01 Apr 2021 11:54
Operator : SY/MD
Sample : M1845-01
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 5 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
EW1B1

Quant Time: Apr 02 07:16:31 2021
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SOMVLM032321WMA.M
Quant Title : VOC Analysis
QLast Update : Fri Apr 02 07:14:26 2021
Response via : Initial Calibration

